



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.




We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

THIRTEENTH ANNUAL REPORT
ON
BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS,
IN THE
STATE OF MAINE
—
1904.



614 179

172

THIRTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1904.

AUGUSTA
KENNEBEC JOURNAL PRINT
1906

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,

AUGUSTA, ME., December 14, 1905.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Thirteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1904.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1904.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1904.

The number of births registered in that year is 275 more than in the preceding year. The number of births recorded in each of the registration years, 1892-1904, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, and 15,405 respectively.

The number of marriages (number of couples married) in 1904 was 6,208, 8 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1904 is respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200 and 6,208.

The number of deaths recorded in the State for the same year was 11,346 a number 337 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009, and in 1904, 11,346.

Compared with 1903, among the chief causes of death there were in 1904, 141 more from tuberculosis in all forms, 51 more from pneumonia, 47 more from diphtheria and croup, 38 more from diseases of heart, 17 more from typhoid fever, 14 more from bronchitis, 13 more from cancer, 8 more from peritonitis, 4 more from nephritis and Bright's disease, and 2 more from rheumatism.

On the other hand there was a smaller number of deaths from the following causes: from diseases of nervous system 61 fewer; from whooping cough, 56; from diarrheal diseases, 36; from influenza, 30; from measles, 14; from scarlet fever, 8, and from diabetes, 1.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. I gives a cursory view of the relative mortality in 1903 and 1904 from some of the leading causes of death.

TABLE No. I.
Deaths from Some of the Leading Causes.

Diseases.	1903.	1904.	More in 1903.	More in 1904.
Measles.....	36	22	14	-
Scarlet fever.....	18	10	8	-
Influenza.....	196	166	30	-
Whooping cough.....	110	54	56	-
Diphtheria and croup.....	115	162	-	47
Typhoid fever.....	225	243	-	17
Tuberculosis.....	1,076	1,217	-	141
Diarrheal diseases.....	511	475	36	-
Rheumatism.....	58	60	-	2
Cancer.....	598	611	-	13
Diabetes.....	92	91	1	-
Diseases of nervous system.....	1,637	1,576	61	-
Diseases of heart.....	1,153	1,191	-	38
Pneumonia.....	999	1,066	-	51
Bronchitis.....	209	223	-	14
Peritonitis.....	55	63	-	8
Nephritis and Bright's disease.....	625	629	-	4

Population.—The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. Table No. 7 shows the population for 1900 in each of the cities, towns, and plantations of the State. The following table exhibits the population of the several counties in 1890 and in 1900, and the gain or loss in each.

TABLE No. 2.
Population in 1900 and 1890.

Counties.	1900.	1890.	Difference.
Androscoggin	54,242	45,968	5,274 gain
Aroostook.....	60,744	49,589	11,155 gain
Cumberland	100,689	90,949	9,740 gain
Franklin	18,444	17,063	1,381 gain
Hancock	87,341	87,312	71 loss
Kennebec	59,117	57,013	2,105 gain
Knox	30,406	31,478	1,067 loss
Lincoln.....	19,669	21,996	2,327 loss
Oxford	32,338	30,586	1,652 gain
Penobscot.....	76,246	72,865	3,381 gain
Piscataquis	16,949	16,134	815 gain
Sagadahoc	20,339	19,452	878 gain
Somerset	33,849	32,627	1,222 gain
Waldo	24,185	27,759	3,574 loss
Washington.....	45,232	44,483	750 gain
York	64,885	62,829	2,056 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1896-1904.

State.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.
Number of births.....	15,429	14,430	14,473	13,895	14,085	14,021	14,508	14,453	14,673
Number of marriages...	5,579	5,331	5,144	5,329	5,482	5,735	5,905	6,200	6,308
Number of deaths	10,626	11,236	10,956	11,370	11,339	11,133	10,673	11,069	11,346
Birth-rate	22.23	21.83	21.89	20.10	20.30	20.19	20.89	20.81	21.13
Marriage-rate.....	8.44	8.07	7.78	7.71	7.89	8.26	8.50	8.93	8.94
Death-rate	16.07	16.99	16.57	16.45	16.40	16.08	15.37	15.85	16.34

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the population for 1900.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1900, Births, Marriages and Deaths with rate of each to 1,000 of Population for the Year ending December 31, 1904.

Counties.	Population in 1900.	Births.	Birth-rate per 1,000	Marriages.	Marriage-rate per 1,000 per- sons married.	Deaths.	Death-rate per 1,000.
Androscoggin	54,242	1,059	19.52	465	8.57	833	15.36
Aroostook	60,744	2,223	37.27	623	10.26	805	13.50
Cumberland	100,689	2,011	19.97	848	8.42	1,810	17.98
Franklin	18,444	376	20.60	167	9.05	306	16.77
Hancock	37,241	695	18.76	333	8.94	492	13.28
Kennebec	59,117	1,174	19.86	554	9.37	1,086	18.37
Knox	30,406	452	14.92	261	8.58	487	16.08
Lincoln	19,669	288	14.64	166	8.44	319	16.22
Oxford	32,288	730	22.88	317	9.83	572	17.93
Penobscot	76,246	1,541	20.34	754	9.89	1,361	17.96
Piscataquis	16,949	343	20.64	171	10.09	252	15.17
Sagadahoc	20,330	399	19.63	183	9.00	312	15.35
Somerset	33,849	634	18.88	337	9.96	560	16.65
Waldo	24,185	319	13.19	154	6.37	394	16.29
Washington	45,232	963	22.03	332	7.34	581	12.96
York	64,885	1,441	22.21	543	8.37	1,176	18.12
State	594,466	14,673	21.13	6,208	8.94	11,346	16.84

The following is a general summary of the births, marriages, and deaths in 1904.

BIRTHS.

Sex.		Parentage.	
Males	7,482	American	8,890
Females	7,177	Foreign	2,977
Not stated	14	One parent foreign	2,685
	14,673	Not stated	171
			14,673
Whole number of births			14,673
Birth-rate per 1,000			21.13

MARRIAGES.

Groom and bride both American	4,464
Groom and bride both foreign	613
Groom American, bride foreign	523
Groom foreign, bride American	578
Not stated	30
Whole number of marriages	6,208
Marriage-rate per 1,000	8.94

DEATHS.

Sex.		Parentage.	
Males	5,868	American	9,583
Females	5,468	Foreign	1,555
Not stated	10	Not stated	208
	11,346		11,346
Whole number of deaths			11,346
Death-rate per 1,000			16.84

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1904 was 15,405, and the number of deaths was 11,346, the natural increase of births over deaths was 4,059.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa:

TABLE No. 5.

Counties.	Population in 1900.	Births.	Deaths.	Difference.
Androscoggin	54,242	1,069	833	226 gain
Aroostook	60,744	2,223	806	1,418 gain
Cumberland	100,689	2,011	1,810	201 gain
Franklin	18,444	376	306	70 gain
Hancock	37,241	686	482	203 gain
Kennebec	59,117	1,174	1,086	88 gain
Knox	30,406	482	487	35 loss
Lincoln	19,669	288	319	31 loss
Oxford	32,238	730	572	158 gain
Penobscot	76,246	1,541	1,361	180 gain
Piscataquis	16,949	343	252	91 gain
Sagadahoc	20,330	399	312	87 gain
Somerset.....	33,849	634	566	74 gain
Waldo	24,185	319	394	75 loss
Washington ...	45,232	988	581	407 gain
York.....	64,885	1,441	1,176	265 gain
State	684,466	14,673	11,346	3,327 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following:

TABLE No. 6.

Cities.	Population in 1906.	Births.	Deaths.	Difference.
Auburn	12,961	300	174	35 gain
*Augusta	11,688	245	275	30 loss
†Bangor.....	21,850	358	438	80 loss
Bath	10,477	241	170	71 gain
Belfast.....	4,615	40	81	41 loss
Biddeford	16,145	516	323	193 gain
Brewer	4,835	187	85	52 gain
Calais	7,655	162	106	56 gain
Eastport.....	5,811	120	64	56 gain
Ellsworth.....	4,297	79	56	23 gain
Gardiner.....	5,501	111	86	25 gain
Hallowell.....	2,714	51	33	18 gain
Lewiston	23,761	548	406	142 gain
Old Town.....	5,763	163	112	51 gain
Portland.....	50,145	1,024	993	31 gain
Rockland	8,150	116	166	50 loss
Saco.....	6,122	114	123	9 loss
South Portland.....	6,287	130	82	48 gain
Waterville.....	9,477	283	187	96 gain
Westbrook	7,283	186	91	95 gain
Total.....	223,022	4,833	4,061	782 gain

* Including 74 deaths in the Insane Hospital.

† Including 17 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,851	98	111	-	209	16.14	109	75	12	8	5
Durham	1,230	7	11	-	18	14.63	13	2	1	2	-
East Livermore	2,129	28	22	-	50	23.49	22	15	5	8	-
Greene	826	11	5	-	16	19.37	12	3	-	1	-
Leeds	1,065	6	11	-	17	15.98	14	2	-	1	-
Lewiston	23,761	236	261	1	548	23.06	218	219	53	51	7
Lisbon	3,603	35	36	-	71	19.71	27	22	14	7	1
Livermore	1,125	9	11	-	20	17.75	16	2	2	-	-
Mechanic Falls	1,687	9	11	-	20	11.86	17	1	2	-	-
Minot	808	7	4	-	11	13.61	8	1	1	1	-
Poland	1,648	13	14	-	27	16.38	23	1	1	2	-
Turner	1,842	13	10	-	23	12.49	19	2	1	1	-
Wales	436	2	6	-	8	18.35	7	1	-	-	-
Webster	1,181	13	8	-	21	18.57	14	2	1	1	3
Total	54,242	537	521	1	1,059	19.52	519	348	93	83	16

No. 7.

for the Year 1904.

COUNTY.

MARRIAGES.							DEATHS.						
							Sex.			Nativity.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
77	6	5	16	-	104	81	92	1	174	147	26	1	13.44
11	2	-	1	-	14	7	11	-	18	16	2	-	14.63
18	2	-	1	-	21	15	13	-	28	25	2	1	13.15
4	-	-	-	-	4	13	8	-	16	13	2	1	19.37
14	1	-	-	-	15	12	6	-	18	16	2	-	16.90
88	66	33	31	1	214	202	203	1	406	270	124	12	17.09
17	7	1	5	1	31	22	27	-	49	43	5	1	13.60
5	-	-	-	-	5	8	7	-	15	15	-	-	13.33
14	-	8	1	1	19	7	19	-	26	24	2	-	15.41
6	-	-	-	-	6	5	2	-	7	6	1	-	8.66
11	1	-	-	-	12	11	17	-	28	25	3	-	16.99
10	-	-	-	-	10	13	14	-	27	26	-	1	14.65
4	-	-	-	-	4	6	1	-	7	5	-	2	16.06
5	-	1	-	-	6	11	3	-	14	8	4	2	12.38
279	85	43	55	3	465	413	418	2	833	639	173	21	15.36

TABLE
Births, Marriages, and Deaths
ANDROSCOGGIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anburn	12,851	98	111	-	209	16.14	109	75	12	8	5
Durham	1,230	7	11	-	18	14.63	13	2	1	2	-
East Livermore	2,129	28	22	-	50	23.49	22	15	5	8	-
Greene	826	11	5	-	16	19.37	12	3	-	1	-
Leeds	1,065	6	11	-	17	15.96	14	2	-	1	-
Lewiston	23,761	286	261	1	548	23.06	218	219	53	51	7
Lisbon	3,603	35	36	-	71	19.71	27	22	14	7	1
Livermore	1,125	9	11	-	20	17.75	16	2	2	-	-
Mechanic Falls	1,687	9	11	-	20	11.86	17	1	2	-	-
Minot	808	7	4	-	11	13.61	8	1	1	1	-
Poland	1,648	13	14	-	27	16.38	23	1	1	2	-
Turner	1,842	13	10	-	23	12.49	19	2	1	1	-
Wales	436	2	6	-	8	18.35	7	1	-	-	-
Webster	1,131	13	8	-	21	18.57	14	2	1	1	3
Total	54,242	537	521	1	1,059	19.52	519	348	93	83	16

No. 7.

for the Year 1904.

COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
77	6	5	16	-	104	81	92	1	174	147	26	1	13.44	
11	2	-	1	-	14	7	11	-	18	16	2	-	14.63	
18	2	-	1	-	21	15	18	-	28	25	2	1	13.15	
4	-	-	-	-	4	18	8	-	16	18	2	1	19.37	
14	1	-	-	-	15	12	6	-	18	16	2	-	16.90	
88	66	33	31	1	214	202	203	1	406	270	124	12	17.09	
17	7	1	5	1	31	22	27	-	49	43	5	1	13.60	
5	-	-	-	-	5	8	7	-	15	15	-	-	13.33	
14	-	3	1	1	19	7	19	-	26	24	2	-	15.41	
6	-	-	-	-	6	5	2	-	7	6	1	-	8.66	
11	1	-	-	-	12	11	17	-	28	25	3	-	16.99	
10	-	-	-	-	10	13	14	-	27	26	-	1	14.65	
4	-	-	-	-	4	6	1	-	7	5	-	2	16.06	
5	-	1	-	-	6	11	3	-	14	8	4	2	12.33	
279	85	43	55	3	465	413	418	2	833	639	173	21	15.36	

TABLE
Births, Marriages, and Deaths
AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	11	4	-	15	37.13	9	2	3	1	-
Ashland	1,080	20	33	-	53	49.07	28	9	12	4	-
Bancroft	318	6	3	-	9	28.30	4	3	1	1	-
Benedicta	350	6	8	-	14	40.00	10	1	-	3	-
Blaine	954	11	12	-	23	24.11	10	5	3	5	-
Bridgewater	1,179	22	17	-	39	33.08	16	10	8	5	-
Caribou	4,758	100	85	-	185	38.88	76	40	37	30	2
Castle Hill	567	15	6	-	21	37.04	15	-	1	3	2
Crystal	370	3	8	-	11	29.73	4	3	3	1	-
Dyer Brook	280	4	4	-	8	28.57	7	1	-	-	-
Easton	1,215	15	13	-	28	23.05	5	8	7	8	-
Fort Fairfield	4,181	58	44	1	103	24.64	40	27	10	24	2
Fort Kent	2,528	83	72	-	155	61.31	106	11	16	20	2
Frenchville	1,316	39	33	-	72	54.71	70	-	1	1	-
Grand Isle	1,104	20	25	-	45	40.76	32	3	4	6	-
Haynesville	316	1	5	-	6	18.99	4	-	2	-	-
Hersey	199	3	1	-	4	20.10	2	1	-	1	-
Hodgdon	1,130	23	10	-	33	29.20	18	5	3	7	-
Houlton	4,686	79	52	2	133	28.38	31	57	18	25	2
Island Falls	1,063	36	21	-	57	53.62	28	19	6	2	2
Limestone	1,131	24	23	-	47	41.56	16	8	6	17	-
Linneus	834	13	13	-	26	31.18	15	4	3	3	1
Littleton	956	4	6	-	10	10.46	6	3	-	1	-
Ludlow	394	5	6	-	11	27.92	5	1	3	2	-
Madawaska	1,698	26	41	-	67	39.46	58	-	2	6	1
Mapleton	853	11	20	-	31	36.34	18	2	7	4	-
Mars Hill	1,183	23	19	-	42	35.50	24	6	7	5	-

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	1	5	-	6	4	2	-	14.85
9	-	4	2	-	15	11	3	-	14	13	1	-	12.96
1	1	-	1	-	3	3	1	-	4	4	-	-	12.58
4	-	-	-	-	4	3	2	-	5	5	-	-	14.29
2	1	5	4	-	12	8	7	-	15	9	5	1	15.72
2	1	1	2	-	6	13	6	-	19	12	7	-	16.12
29	6	3	17	-	55	29	33	-	62	48	14	-	13.03
6	-	-	-	-	6	5	-	-	5	3	2	-	8.32
3	-	-	1	-	4	4	1	-	5	3	2	-	13.51
1	1	1	1	-	4	3	1	-	4	4	-	-	14.29
8	2	5	2	-	17	6	7	-	13	8	5	-	10.70
14	6	12	7	-	39	13	7	2	22	13	4	5	5.26
26	1	8	8	-	43	27	22	-	49	44	5	-	19.38
17	-	-	3	-	20	13	17	-	30	27	3	-	22.80
2	-	1	2	-	5	14	11	-	25	23	2	-	22.64
2	-	-	-	-	2	2	1	-	3	3	-	-	9.49
2	-	1	-	-	3	-	-	-	-	-	-	-	-
4	1	-	-	-	5	2	1	-	3	1	2	-	2.65
16	11	12	9	-	48	16	13	-	29	14	15	-	6.19
10	7	-	7	-	24	7	10	-	17	12	4	1	15.99
3	2	3	4	-	12	10	10	-	20	18	1	1	17.68
3	-	2	1	-	6	7	3	-	10	8	2	-	11.99
2	6	1	-	-	9	4	7	-	11	7	4	-	11.51
2	-	1	-	-	3	5	2	-	7	3	3	1	17.77
13	-	-	2	-	15	10	6	-	16	15	1	-	9.42
7	-	-	2	-	9	1	6	-	7	6	1	-	8.21
4	2	3	2	-	11	12	19	-	31	25	6	-	26.20

TABLE
Births, Marriages, and Deaths
ABOOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Masardis	438	15	12	-	27	61.64	12	7	4	4	-
Monticello	1,332	23	19	-	42	31.53	11	10	10	11	-
New Limerick	800	1	3	-	4	6.67	1	2	1	-	-
New Sweden	867	10	16	-	26	29.99	4	16	1	4	1
Oakfield	880	11	13	-	24	27.91	15	3	5	1	-
Orient	268	3	1	-	4	19.23	2	-	1	1	-
Perham	580	4	14	-	18	31.03	14	3	1	-	-
Presque Isle	3,804	73	69	-	142	37.33	69	22	25	25	1
St. Agatha	1,386	45	42	-	87	62.32	87	-	-	-	-
Sherman	990	15	20	-	35	35.71	25	1	8	1	-
Smyrna	411	5	8	-	13	31.63	3	2	6	1	1
Van Buren	1,878	59	63	-	122	64.96	57	21	22	21	1
Washburn	1,225	26	21	-	47	38.37	30	3	6	6	2
Weston	367	7	3	-	10	27.25	8	-	-	2	-
Woodland	1,096	18	11	-	29	26.46	13	5	7	4	-
Allagash Pl	190	1	-	-	1	5.26	-	-	1	-	-
Cary Pl	400	5	3	-	8	20.00	4	2	1	-	1
Caswell Pl	363	3	7	-	10	27.17	6	-	4	-	-
Chapman Pl	283	7	6	-	13	45.61	8	2	1	2	-
Connor Pl	453	8	6	-	14	30.91	7	-	6	-	1
Cyr Pl	502	8	10	-	18	35.86	15	1	1	1	-
E Pl	44	2	-	-	2	45.45	1	-	1	-	-
Eagle Lake Pl	408	31	18	-	49	120.69	40	2	6	1	-
Garfield Pl	111	1	-	-	1	9.01	1	-	-	-	-
Glenwood Pl	178	2	1	-	3	16.85	3	-	-	-	-

No. 7—Continued.

for the Year 1904.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	2	1	-	-	6	1	3	-	4	2	2	-	9.13
4	1	1	5	-	11	5	7	-	12	10	2	-	9.01
3	-	-	1	-	4	4	8	-	12	8	4	-	20.00
-	2	1	-	-	3	12	4	-	16	4	12	-	18.45
4	1	-	-	-	5	8	3	-	11	4	7	-	12.79
1	-	1	-	-	2	2	2	-	4	3	1	-	19.23
5	1	2	-	-	8	4	1	-	5	4	1	-	8.62
24	6	4	7	1	42	23	19	-	42	28	13	1	11.04
15	-	1	1	-	17	13	9	-	22	18	4	-	15.76
8	-	1	2	-	11	7	3	-	10	9	1	-	10.20
1	-	1	1	-	3	1	2	-	3	3	-	-	7.30
10	1	5	4	-	20	30	29	-	59	48	11	-	31.42
6	1	3	2	-	12	4	5	-	9	8	1	-	7.35
1	-	1	-	-	2	4	1	-	5	5	-	-	13.62
4	2	2	1	-	9	8	6	-	14	10	4	-	12.77
-	-	-	-	-	-	2	-	-	2	2	-	-	10.53
1	-	-	-	-	1	2	-	-	2	-	1	1	5.00
1	2	1	1	-	5	2	1	-	3	2	1	-	8.15
2	1	2	2	-	7	1	2	-	3	3	-	-	10.63
3	-	-	-	-	3	1	1	-	2	1	1	-	4.41
-	-	-	-	-	-	3	8	-	11	10	1	-	21.91
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	-	5	-	13	11	7	-	18	16	2	-	44.33
-	-	-	-	-	-	1	-	-	1	-	1	-	9.01
-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hamlin Pl	574	6	12	-	18	31.36	8	-	2	8	-
Hammond Pl	116	4	-	-	4	34.49	1	2	-	1	-
Hill Pl	124	6	5	-	11	88.71	7	1	2	1	-
Macwahoc Pl	153	2	5	-	7	45.75	4	-	2	-	1
Merrill Pl	298	7	9	-	16	53.69	7	-	5	4	-
Moro Pl	217	-	-	-	-	-	-	-	-	-	-
Nashville Pl	32	1	-	-	1	31.25	1	-	-	-	-
New Canada Pl	419	10	13	-	23	54.89	11	2	3	6	1
Oxbow Pl	153	2	3	-	5	32.68	4	-	1	-	-
Portage Lake Pl	241	6	3	-	9	37.34	3	-	3	3	-
Reed Pl	399	2	6	-	8	20.05	5	1	1	1	-
St. Francis Pl	568	23	17	-	40	70.42	26	1	8	5	-
St. John Pl	371	5	5	-	10	26.95	8	-	1	1	-
Silver Ridge Pl	168	1	3	-	4	23.81	4	-	-	-	-
Stockholm Pl	191	3	9	-	12	62.83	-	9	3	-	-
Wade Pl	271	5	1	-	6	22.14	2	-	3	1	-
Wallagrass Pl	784	22	17	-	39	49.74	32	1	4	2	-
Westfield Pl	259	3	3	-	6	23.16	4	2	-	-	-
Westmanland Pl	100	2	1	-	3	30.00	-	2	-	1	-
No. 8 R. 4	111	2	2	-	4	36.04	-	2	1	1	-
Molunkus	74	-	-	-	-	-	-	-	-	-	-
Total	*59,649	1,166	1,064	3	2,223	37.27	1,220	354	320	305	24

* Population in unorganized plantations in 1900, 1,095.

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
2	-	-	-	-	2	10	4	-	14	12	2	-	24.39	
-	-	-	-	-	-	2	1	-	3	2	1	-	25.86	
3	-	1	1	-	5	7	1	-	8	8	-	-	64.51	
1	-	-	1	-	2	1	-	-	1	1	-	-	6.54	
3	-	-	1	-	4	1	2	-	3	2	-	1	10.07	
-	-	-	1	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	3	6	2	-	8	8	-	-	19.09	
3	-	1	-	-	4	2	1	-	3	2	1	-	19.61	
4	-	1	1	-	6	3	1	-	4	3	1	-	16.60	
4	-	1	-	-	5	4	4	-	8	7	1	-	20.65	
6	-	-	2	-	8	9	5	-	14	14	-	-	24.63	
-	-	2	-	-	2	4	3	-	7	6	1	-	18.87	
1	-	-	-	-	1	1	2	-	3	2	1	-	17.86	
-	1	-	-	-	1	1	4	-	5	2	3	1	26.18	
-	-	-	1	-	1	6	1	-	7	5	1	1	25.83	
7	-	1	-	-	8	6	6	-	12	12	-	-	15.31	
1	-	1	-	-	2	-	3	-	3	1	-	2	11.58	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	1	-	-	-	-	-	-	-	-	
336	70	96	118	1	623	441	362	2	806	617	172	16	13.50	

TABLE
Births, Marriages, and Deaths
CUMBERLAND

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	821	11	3	-	14	17.06	14	-	-	-	-
Bridgton.....	2,868	19	26	-	45	15.69	38	-	4	3	-
Brunswick.....	6,806	74	78	-	152	22.32	30	87	20	12	3
Cape Elizabeth.....	887	7	3	-	10	11.27	7	-	1	2	-
Casco.....	783	4	4	-	8	10.22	8	-	-	-	-
Cumberland	1,404	10	12	-	22	15.67	17	2	2	1	-
Falmouth	1,511	9	12	-	21	13.90	16	4	-	1	-
Freeport	2,329	20	19	-	39	16.67	36	1	-	1	1
Gorham	2,540	24	14	-	38	14.96	31	2	3	1	1
Gray.....	1,388	16	10	-	26	18.73	24	1	1	-	-
Harpswell	1,750	27	22	-	49	28.00	44	-	2	3	-
Harrison	969	11	9	-	20	20.64	20	-	-	-	-
Naples	813	8	8	-	16	19.68	13	2	1	-	-
New Gloucester	1,162	11	12	-	23	19.79	20	1	2	-	-
North Yarmouth	642	6	7	-	13	20.25	10	1	-	1	1
Otisfield.....	728	7	3	-	10	13.74	7	-	1	2	-
Portland	50,145	525	496	3	1,024	20.43	427	280	86	120	11
Pownal.....	592	9	7	-	16	27.03	11	-	2	3	-
Raymond	823	2	6	-	8	9.72	8	-	-	-	-
Scarboro	1,865	19	12	-	31	16.62	18	7	1	4	1
Sebago	576	6	4	-	10	17.34	9	-	-	1	-
South Portland.....	6,287	68	62	-	130	20.68	88	17	11	12	2
Standish	1,504	10	14	-	24	15.90	22	1	1	-	-
Westbrook.....	7,283	85	101	-	186	25.54	64	78	23	20	1
Windham.....	1,929	17	16	-	33	17.11	29	1	2	1	-
Yarmouth	2,274	20	23	-	43	18.91	24	11	3	5	-
Total	100,689	1,025	963	3	2,011	19.97	1,035	596	166	193	21

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	-	2	-	14	8	5	-	13	12	1	-	15.83
19	-	2	1	-	22	32	18	-	50	47	3	-	17.43
26	15	3	5	-	49	63	65	-	128	100	27	1	18.81
2	-	1	1	-	4	8	4	-	12	10	2	-	13.53
7	-	-	-	-	7	10	6	-	16	16	-	-	20.43
14	-	-	1	-	15	8	14	-	22	21	1	-	15.67
5	1	-	-	-	6	14	11	-	25	23	2	-	16.55
14	-	-	-	-	14	22	19	-	41	40	1	-	17.53
10	3	4	-	-	17	23	27	-	50	47	3	-	19.69
6	-	-	-	-	6	8	13	-	21	20	1	-	15.13
13	-	1	1	-	15	12	10	-	23	22	-	-	12.57
7	-	-	-	-	7	13	12	-	25	25	-	-	25.80
7	-	-	-	-	7	4	8	-	12	12	-	-	14.76
7	1	-	-	-	8	10	9	-	19	15	3	1	16.35
3	-	-	-	-	3	6	8	-	14	14	-	-	21.81
7	-	2	-	-	9	3	8	-	11	10	1	-	15.11
276	88	55	49	4	472	505	488	-	993	719	234	40	19.80
2	-	-	-	-	2	6	8	-	14	14	-	-	23.48
4	-	-	-	-	4	11	13	-	24	24	-	-	29.16
5	-	2	1	-	8	8	12	-	20	17	3	-	10.73
2	-	1	-	-	3	3	1	-	4	4	-	-	6.94
54	1	3	4	-	62	41	41	-	82	76	6	-	13.04
12	-	-	-	-	12	15	18	-	33	33	-	-	21.94
39	5	4	9	-	57	52	39	-	91	74	17	-	12.49
10	-	1	-	-	11	13	18	-	36	33	3	-	18.66
8	2	1	3	-	14	19	13	-	32	28	3	1	14.07
571	116	80	77	4	848	922	888	-	1,810	1,456	311	43	17.98

TABLE
Births, Marriages, and Deaths
FRANKLIN

Towns.	Population in 1900.	BIRTHS.								
		Sex.					Percentage.			
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Avon	448	1	3	-	4	8.93	4	-	-	-
Carthage	334	5	3	-	8	23.95	6	-	2	-
Chesterville	709	7	5	-	12	16.83	11	1	-	-
Eustis	436	9	7	-	16	36.70	13	1	1	1
Farmington	3,288	20	16	-	36	10.95	29	2	2	3
Freeman	397	4	3	-	7	17.63	4	-	1	1
Industry	553	5	7	-	12	21.70	11	-	1	-
Jay	2,758	55	50	-	105	38.07	27	66	9	2
Kingfield	693	4	12	-	16	23.09	15	1	-	-
Madrid	326	4	1	-	5	15.34	5	-	-	-
New Sharon	946	8	3	-	11	11.62	10	-	-	1
New Vineyard	584	7	3	-	10	17.12	8	-	-	2
Phillips	1,399	11	11	-	22	15.73	16	3	2	1
Rangeley	961	11	11	-	22	22.89	21	1	-	-
Salem	195	1	1	-	2	10.26	2	-	-	-
Strong	637	9	9	-	18	28.26	16	1	-	1
Temple	384	5	4	-	9	22.84	9	-	-	-
Weld	738	5	9	-	14	18.97	10	-	2	2
Wilton	1,647	20	16	-	36	21.86	29	-	3	1
Coplin Pl.	70	1	1	-	2	28.57	1	-	-	1
Dallas Pl.	172	-	-	-	-	-	-	-	-	-
Greenville Pl.	57	1	-	-	1	17.54	1	-	-	-
Lang Pl.	87	1	1	-	2	23.09	2	-	-	-
Lowelltown Pl.	90	-	-	-	-	-	-	-	-	-
Rangeley Pl.	98	1	-	-	1	10.20	1	-	-	-
Redington	113	-	-	-	-	-	-	-	-	-
Perkins	63	1	1	-	2	31.75	2	-	-	-
Washington	20	-	-	-	-	-	-	-	-	-
Jerusalem	35	3	-	-	3	85.71	2	-	-	1
Total	*18,248	199	177	-	376	20.60	255	76	23	17

* Population in unorganized plantations in 1900, 196.

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	1	2	-	3	3	-	-	6.70
3	-	-	-	-	3	4	2	-	6	6	-	-	17.96
3	-	-	-	-	3	3	8	-	11	11	-	-	15.51
3	-	-	-	-	3	4	1	-	5	5	-	-	11.47
21	1	3	2	-	27	39	29	-	68	62	6	-	20.68
6	-	2	-	-	8	5	5	-	10	10	-	-	25.19
4	-	-	-	-	4	5	5	-	10	10	-	-	18.08
14	12	1	3	-	30	22	10	-	32	28	4	-	11.66
6	-	-	1	-	7	9	2	-	11	11	-	-	15.87
2	-	-	-	-	2	2	1	-	3	3	-	-	9.20
5	-	-	-	-	5	8	15	-	23	22	-	1	24.31
5	-	-	-	-	5	10	4	-	14	13	1	-	23.97
11	-	1	1	-	13	15	17	-	32	32	-	-	22.87
11	-	1	1	-	13	7	5	-	12	12	-	-	12.49
-	-	-	-	-	-	-	1	-	1	1	-	-	5.13
3	-	-	-	-	3	6	5	-	11	11	-	-	17.27
3	-	-	-	-	3	3	1	-	4	4	-	-	10.15
6	-	-	-	-	6	4	6	-	10	10	-	-	13.55
18	-	-	-	-	18	18	15	-	33	32	1	-	20.04
4	-	-	-	-	4	1	-	-	1	1	-	-	14.29
-	-	-	1	-	1	1	1	-	2	2	-	-	11.63
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	1	-	11.11
2	-	-	2	-	4	1	-	-	1	-	1	-	19.20
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	15.87
-	-	-	-	-	-	-	1	-	1	1	-	-	50.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	13	8	11	-	167	169	187	-	306	291	14	1	16.77

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.								
		Sex.					Parentage.			
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Amherst	364	5	4	-	9	24.73	7	-	1	1
Aurora	152	2	1	-	3	19.74	1	-	-	2
Bluehill	1,828	15	16	-	31	16.96	29	1	-	1
Brooklin	986	6	8	-	14	14.96	14	-	-	-
Brooksville	1,171	11	5	-	16	13.66	16	-	-	1
Bucksport	2,339	9	10	-	19	8.12	17	-	-	2
Castine	925	8	11	-	19	20.54	18	-	-	1
Cranberry Isles	374	2	5	-	7	18.72	6	-	-	1
Dedham	827	1	2	-	3	9.17	1	-	-	1
Deer Isle	2,047	30	25	-	55	26.87	51	-	3	1
Eastbrook	248	1	1	-	2	8.06	2	-	-	-
Eden	4,379	47	36	1	84	19.18	63	8	3	7
Ellsworth	4,297	36	43	-	79	18.38	72	-	3	4
Franklin	1,201	8	9	-	17	14.15	17	-	-	-
Gouldsboro	1,259	-	-	-	-	-	-	-	-	-
Hancock	900	8	7	-	15	16.67	15	-	-	-
Isle au Haut	182	-	3	-	3	16.48	3	-	-	-
Lamoine	594	11	5	-	16	26.94	13	3	-	-
Mariaville	218	3	-	-	3	13.76	3	-	-	-
Mount Desert	1,600	28	27	-	55	34.38	48	3	2	1
Orland	1,251	8	14	-	22	17.58	19	-	1	1
Otis	152	2	1	-	3	19.73	3	-	-	-
Penobscot	1,156	12	10	-	22	19.03	21	-	1	-
Sedgwick	902	14	5	-	19	21.06	16	1	1	1
Sorrento	117	1	-	-	1	8.55	1	-	-	-
Stonington	1,648	20	26	-	46	27.91	35	7	2	2

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	2	-	3	3	-	-	3	3	-	-	8.24
2	-	-	-	-	2	3	1	-	4	4	-	-	26.32
18	-	-	-	-	18	11	11	-	22	22	-	-	12.04
7	-	-	-	-	7	7	8	-	15	15	-	-	16.08
17	-	-	-	-	17	10	11	-	21	20	1	-	17.83
18	-	-	1	-	19	19	16	-	35	29	5	1	14.96
5	-	-	-	-	5	7	8	-	15	14	1	-	16.22
4	-	-	-	-	4	1	2	-	3	3	-	-	8.02
3	-	1	1	-	5	1	4	-	5	5	-	-	15.29
15	-	1	-	-	16	16	13	1	30	29	1	-	14.66
4	-	-	-	-	4	1	2	-	3	2	-	1	12.10
44	3	5	3	-	55	26	27	-	53	49	3	1	12.10
36	-	-	1	-	37	30	26	-	56	50	5	1	13.03
10	-	-	-	-	10	11	6	-	17	17	-	-	14.15
6	-	-	-	-	6	1	-	-	1	1	-	-	0.79
5	-	-	-	-	5	5	3	-	8	8	-	-	8.89
-	-	-	-	-	-	2	5	-	7	7	-	-	32.46
2	-	-	-	-	2	8	5	-	13	12	1	-	21.89
2	-	-	-	-	2	1	1	-	2	2	-	-	9.17
15	1	-	2	-	18	11	17	-	28	28	-	-	17.50
11	-	-	-	-	11	6	3	-	9	9	-	-	7.19
3	-	-	-	-	3	-	1	-	1	1	-	-	6.58
5	-	-	-	-	5	4	7	-	11	11	-	-	9.52
11	-	1	-	-	12	6	5	-	11	11	-	-	12.20
1	-	-	-	-	1	-	2	-	2	1	1	-	17.09
5	1	-	2	-	8	21	12	-	33	28	5	-	20.02

TABLE
Births, Marriages, and Deaths
HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Net stated.
Sullivan	1,034	13	11	-	24	23.21	21	1	2	-	-
Surry	900	4	9	-	13	14.44	13	-	-	-	-
Swan's Island	758	8	6	-	14	18.47	13	-	-	1	-
Tremont	2,010	20	26	-	46	22.89	43	-	3	-	-
Trenton .. /	459	3	3	-	6	13.07	6	-	-	-	-
Verona	234	2	1	-	3	12.82	3	-	-	-	-
Waltham	192	2	1	-	3	15.63	3	-	-	-	-
Winter Harbor	571	10	5	-	15	26.27	13	-	-	2	-
Long Island Pl	174	3	2	-	5	28.74	4	-	1	-	-
No. 8 Pl.	17	-	-	-	-	-	-	-	-	-	-
No. 21 Pl.	58	-	-	-	-	-	-	-	-	-	-
No. 33 Pl.	82	2	1	-	3	36.59	3	-	-	-	-
Total	*37,066	355	339	1	695	18.76	612	24	23	26	10

* Population in unorganized plantations in 1900, 185.

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	1	1	-	9	10	6	-	16	14	2	-	15.47
3	-	-	1	-	4	5	10	-	15	15	-	-	16.67
10	-	-	-	-	10	7	-	-	7	7	-	-	9.23
14	-	1	1	-	16	10	8	-	18	17	1	-	8.96
5	-	1	-	-	6	5	3	-	8	8	-	-	17.43
2	-	-	1	-	3	4	-	-	4	3	1	-	17.09
-	-	-	-	-	-	6	3	-	9	9	-	-	46.88
2	-	-	1	-	3	5	-	-	5	4	1	-	8.76
2	-	-	1	-	3	-	1	-	1	1	-	-	5.75
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	-	-	1	1	-	-	12.20
299	5	11	18	-	333	264	227	1	492	460	28	4	13.28

TABLE
Births, Marriages, and Deaths
KENNEBEC

TOWNS.	Population in 1909.	BIRTHS.									
		Sex.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	15	11	-	26	29.61	24	-	-	2	-
Augusta	11,683	110	135	-	245	20.97	122	75	20	22	6
Belgrade	1,058	13	9	-	22	20.79	21	-	-	1	-
Benton	1,067	10	1	-	11	10.08	8	1	1	1	-
Chelsea	3,062	9	11	-	20	6.47	18	2	-	-	-
China	1,380	12	12	-	24	17.39	20	-	2	1	1
Clinton	1,398	17	11	-	28	20.03	27	-	1	-	-
Farmingdale	848	4	9	-	13	15.33	8	2	1	1	1
Fayette	560	5	5	-	10	17.56	9	1	-	-	-
Gardiner	5,501	51	60	-	111	20.18	77	11	7	16	-
Hallowell	2,714	28	23	-	51	18.79	32	7	9	3	-
Litchfield	1,057	4	4	-	8	7.57	5	-	2	1	-
Manchester	518	2	5	-	7	13.51	6	-	-	1	-
Monmouth	1,236	3	9	-	18	14.56	14	3	-	1	-
Mount Vernon	906	5	7	-	12	13.25	11	-	-	1	-
Oakland	1,913	19	23	-	42	21.96	36	2	3	1	-
Pittston	1,177	10	9	-	19	16.14	17	-	-	2	-
Randolph	1,077	8	10	-	18	16.71	10	4	-	4	-
Readfield	994	13	5	-	18	18.11	16	1	-	1	-
Rome	420	6	5	-	11	26.19	11	-	-	-	-
Sidney	1,068	7	10	-	17	15.91	14	-	1	2	-
Vassalboro	2,662	11	19	-	30	14.55	25	3	1	1	-
Vienna	406	6	4	-	10	24.63	9	-	-	-	1

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	1	-	-	5	10	12	-	22	22	-	-	25.06
79	23	13	7	-	122	123	151	1	275	216	46	13	23.54
9	-	-	-	-	9	11	8	-	19	19	-	-	17.96
11	-	-	-	-	11	6	14	-	20	19	1	-	18.23
6	-	2	-	-	8	9	4	-	13	9	2	2	4.20
8	-	-	-	-	8	17	14	-	31	30	1	-	22.46
16	-	-	-	-	16	14	4	-	18	18	-	-	12.88
7	-	-	-	-	7	4	5	-	9	7	2	-	10.61
3	1	-	1	-	5	2	2	-	4	3	1	-	7.14
50	1	7	7	1	66	37	49	-	86	79	7	-	15.63
15	-	-	3	-	18	18	15	-	33	31	2	-	12.16
8	-	1	-	2	11	11	4	-	15	15	-	-	14.19
5	1	1	-	-	7	5	4	-	9	9	-	-	17.37
7	1	2	1	-	11	10	18	-	28	27	1	-	22.65
7	-	1	-	-	8	8	5	-	13	13	-	-	14.35
12	-	1	-	-	13	16	12	-	29	27	1	1	15.16
9	-	1	-	-	10	11	4	-	15	15	-	-	12.74
7	2	1	1	-	11	8	11	-	19	19	-	-	17.64
9	-	-	-	-	9	14	10	-	24	23	1	-	24.14
1	-	-	-	-	1	2	4	-	6	6	-	-	14.29
6	-	-	-	-	6	11	19	-	30	27	3	-	23.09
7	4	2	1	-	14	15	16	-	31	27	2	2	15.03
4	-	-	-	-	4	5	2	-	7	6	-	1	17.24

TABLE
Births, Marriages, and Deaths
KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville	9,477	135	148	-	283	29.86	95	96	58	32	2
Wayne	707	6	7	-	13	18.39	12	1	-	-	-
West Gardiner.....	698	4	2	-	6	8.66	5	-	-	1	-
Windsor.....	782	6	1	-	7	8.95	6	-	-	1	-
Winslow	2,277	32	39	-	71	31.18	27	35	6	2	1
Winthrop	2,088	14	9	-	23	11.02	13	5	1	1	3
Unity Pl.....	50	-	-	-	-	-	-	-	-	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	571	603	-	1,174	19.86	698	249	112	90	15

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
67	19	12	11	1	110	88	99	-	157	144	41	2	19.78	
4	-	-	-	-	4	5	11	-	16	16	-	-	22.63	
6	-	-	-	-	6	18	6	-	19	19	-	-	27.42	
4	-	1	-	-	5	4	9	-	18	11	1	1	16.62	
15	5	2	4	-	26	31	24	-	55	43	12	-	24.15	
17	2	2	1	1	23	15	15	1	31	28	3	-	14.85	
-	-	-	-	-	-	1	-	-	1	1	-	-	20.00	
-	-	-	-	-	-	8	-	-	8	7	-	1	-	
403	59	50	37	5	554	532	552	2	1,086	986	127	23	18.87	

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	11	4	-	15	15.38	15	-	-	-	-
Camden	2,825	16	24	-	40	14.16	34	3	-	3	-
Cushing	604	2	4	-	6	9.93	6	-	-	-	-
Friendship.....	814	9	5	-	14	17.20	14	-	-	-	-
Hope	589	6	3	-	9	15.08	7	-	-	2	-
Hurricane Isle.....	257	5	1	-	6	23.35	-	6	-	-	-
North Haven	551	3	7	-	10	18.15	10	-	-	-	-
Rockland	8,150	55	61	-	116	14.23	89	15	6	4	2
Rockport.....	2,314	18	19	1	38	16.42	31	4	2	1	-
St. George	2,206	24	23	-	47	21.31	28	14	4	1	-
South Thomaston	1,426	15	8	-	23	16.13	14	6	2	-	1
Thomaston	2,688	15	12	-	27	10.04	24	-	1	2	-
Union	1,248	9	6	-	15	12.02	15	-	-	-	-
Vinalhaven	2,358	27	22	-	49	20.78	30	8	7	4	-
Warren.....	2,069	12	12	-	24	11.60	21	-	2	1	-
Washington	1,019	6	6	-	12	11.78	11	-	-	1	-
Matinicus Isle Pl.....	184	1	-	-	1	5.43	1	-	-	-	-
Total	*30,287	234	217	1	452	14.92	350	56	24	19	8

* Population in unorganized plantations in 1900, 119.

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	-	-	-	6	9	8	-	17	17	-	-	17.44	
26	-	1	2	-	29	22	16	-	38	31	6	1	13.45	
1	-	2	-	-	3	4	3	-	7	7	-	-	11.59	
4	-	-	-	-	4	5	8	-	13	13	-	-	15.97	
4	-	-	-	-	4	4	5	-	9	9	-	-	15.03	
1	1	-	-	-	2	1	-	-	1	1	-	-	3.39	
6	-	-	-	-	6	3	3	-	6	6	-	-	10.39	
69	2	8	5	-	79	94	72	-	166	146	17	3	20.37	
15	-	1	-	-	16	16	15	-	31	30	1	-	13.40	
9	4	-	4	-	17	28	18	-	46	42	4	-	20.85	
11	4	-	-	-	15	14	9	-	23	19	4	-	16.13	
13	2	-	1	-	16	21	14	-	35	31	4	-	13.02	
4	-	-	-	-	4	5	8	-	13	13	-	-	10.42	
18	1	4	-	-	23	22	15	-	37	34	3	-	15.69	
25	-	-	2	-	27	15	6	-	21	21	-	-	10.15	
9	-	-	-	-	9	11	9	-	20	20	-	-	19.63	
1	-	-	-	-	1	3	1	-	4	4	-	-	21.74	
222	14	11	14	-	261	277	210	-	487	444	39	4	16.08	

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	444	1	2	-	3	6.76	3	-	1	-	-
Boothbay.....	1,766	23	16	-	39	22.08	38	-	-	-	1
Boothbay Harbor....	1,926	17	24	2	43	22.33	32	1	1	3	6
Bremen.....	657	4	3	-	7	10.65	7	-	-	-	-
Bristol.....	2,572	11	22	-	33	12.83	32	-	-	1	-
Damariscotta.....	876	2	3	-	5	5.71	5	-	-	-	-
Dresden.....	882	4	3	-	7	7.93	6	1	-	-	-
Edgecomb.....	607	4	4	-	8	13.18	7	-	-	1	-
Jefferson.....	1,155	4	7	-	11	9.52	10	1	-	-	-
Newcastle.....	1,075	7	18	-	25	23.26	24	-	-	1	-
Nobleboro.....	810	4	10	-	14	17.28	12	1	-	1	-
Somerville.....	374	3	3	-	6	16.04	5	-	-	1	-
Southport.....	527	1	6	-	7	13.28	7	-	-	-	-
Waldoboro.....	3,145	26	15	-	41	13.04	38	1	1	1	-
Westport.....	330	1	-	-	1	3.03	-	-	-	1	-
Whitefield.....	1,156	6	12	-	18	15.57	17	-	1	-	-
Wiscasset.....	1,273	13	6	-	19	14.93	17	-	-	2	-
Monhegan Pl.....	84	-	1	-	1	10.64	1	-	-	-	-
Total.....	19,668	131	155	2	288	14.64	260	5	4	12	7

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	4	2	-	6	6	-	-	13.51
12	-	1	-	-	13	8	9	-	17	14	3	-	9.63
26	-	-	1	-	27	11	10	-	21	12	3	6	10.90
7	-	1	-	-	8	6	3	-	9	9	-	-	13.70
18	-	1	-	-	19	21	13	-	34	34	-	-	13.22
8	-	-	-	-	8	2	6	-	8	6	2	-	9.13
5	-	-	-	-	5	6	13	-	19	17	2	-	21.54
6	-	-	-	-	6	4	6	-	10	8	2	-	16.47
9	-	-	-	-	9	12	14	-	26	24	2	-	22.51
8	-	-	-	-	8	10	5	-	15	15	-	-	13.95
5	-	-	-	-	5	7	8	-	15	13	2	-	18.52
7	-	-	-	-	7	3	1	-	4	3	1	-	10.70
4	-	-	-	-	4	6	2	-	8	8	-	-	15.18
21	-	1	-	-	22	30	24	-	54	54	-	-	17.17
-	-	-	-	-	-	1	6	-	7	7	-	-	21.21
6	-	2	1	-	9	17	17	-	34	29	4	1	29.41
9	-	-	1	-	10	17	14	-	31	29	2	-	24.35
-	-	-	-	-	-	-	1	-	1	1	-	-	10.64
157	-	6	3	-	166	165	154	-	319	289	23	7	16.22

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	8	9	-	17	31.60	12	-	1	3	1
Andover	727	-	-	-	-	-	-	-	-	-	-
Bethel	1,535	8	12	-	20	10.90	18	-	1	-	1
Brownfield	1,019	12	7	-	19	18.65	16	1	-	2	-
Buckfield	1,139	16	2	-	18	15.80	16	-	1	1	-
Byron	204	-	2	-	2	9.80	1	-	-	1	-
Canton	946	14	10	-	24	25.37	20	2	1	1	-
Denmark	634	5	8	-	13	20.50	11	-	1	-	1
Dixfield	1,052	11	9	-	20	19.01	15	2	-	3	-
Fryeburg	1,576	9	8	-	17	12.35	11	1	8	1	1
Gilead	340	1	1	-	2	5.88	1	-	1	-	-
Grafton	81	1	-	-	1	12.35	-	-	1	-	-
Greenwood	741	7	10	-	17	22.94	16	1	-	1	-
Hanover	914	1	1	-	2	9.35	2	-	-	-	-
Hartford	660	5	5	-	10	15.15	8	1	-	1	-
Hebron	494	4	3	-	7	14.17	6	-	-	-	1
Hiram	1,015	10	13	-	23	22.66	22	-	1	-	-
Lovell	693	5	1	-	6	8.66	5	-	-	-	1
Mexico	816	35	29	-	64	78.43	21	29	7	7	-
Newry	288	3	3	-	6	20.96	2	1	2	1	-
Norway	2,902	37	30	-	67	23.09	50	2	5	9	1
Oxford	1,331	9	9	-	18	13.52	17	-	1	-	-

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.		Sex.				NATIVITY.		
							Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.
2	-	-	-	-	2	4	3	-	-	7	6	1	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
20	-	1	-	-	21	23	18	-	-	41	41	-	-
3	-	-	-	-	3	4	7	-	-	11	10	-	1
9	-	-	-	-	9	6	12	-	-	18	18	-	-
1	-	2	-	-	3	2	1	-	-	3	2	1	-
8	-	-	-	-	8	10	9	-	-	19	19	-	-
3	-	-	-	-	3	6	5	-	-	11	11	-	-
7	-	1	-	-	8	10	8	-	-	18	14	1	3
12	-	1	-	-	13	13	12	-	-	25	25	-	-
1	-	-	-	-	1	1	3	-	-	4	4	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-	-
8	-	-	-	-	8	5	10	-	-	15	13	1	1
1	-	-	-	-	1	2	1	-	-	3	3	-	-
4	1	-	1	-	6	1	9	-	-	10	10	-	-
1	-	-	-	-	1	7	8	-	-	15	11	1	3
7	-	-	-	-	7	12	14	-	-	26	26	-	-
8	-	1	-	-	9	10	9	-	-	19	19	-	-
15	2	2	2	-	21	14	15	-	-	29	24	5	-
1	-	1	-	-	2	-	-	-	-	-	-	-	-
28	2	2	1	-	33	26	19	-	-	45	41	4	-
7	-	-	1	-	8	10	11	-	-	21	19	2	-
							Death-rate per 1,000.						
							18.01						
							-						
							22.34						
							10.79						
							15.80						
							14.70						
							20.08						
							17.35						
							17.11						
							18.17						
							11.76						
							12.35						
							20.24						
							14.02						
							15.15						
							20.36						
							25.62						
							27.42						
							35.54						
							-						
							15.51						
							15.78						

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris	3,225	29	27	-	56	17.36	42	6	6	2	-
Pera	773	9	13	-	22	28.46	18	-	2	2	-
Porter	886	1	7	-	8	9.02	7	-	-	-	1
Roxbury	238	7	4	-	11	46.22	6	4	-	1	-
Rumford	3,770	92	91	1	184	48.81	40	105	22	17	-
Stoneham	284	1	8	-	9	31.69	9	-	-	-	-
Stow	270	-	1	-	1	3.70	1	-	-	-	-
Sumner	802	9	8	-	17	21.30	16	-	-	-	1
Sweden	232	4	4	-	8	28.87	6	-	2	-	-
Upton	243	3	2	-	5	20.66	4	-	-	1	-
Waterford	917	12	5	-	17	18.54	15	1	-	1	-
Woodstock	816	7	5	-	12	14.71	11	-	1	-	-
Lincoln Pl	73	1	-	-	1	13.69	1	-	-	-	-
Magalloway Pl	77	2	-	-	2	25.97	1	-	-	1	-
Milton Pl	202	2	2	-	4	19.80	4	-	-	-	-
Total	*31,900	380	349	1	730	22.88	450	156	59	56	9

* Population in unorganized plantations in 1900, 338.

No. 7—Continued.
for the Year 1904.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
18	1	1	1	-	21	28	26	-	54	51	2	1	16.74
4	-	-	-	-	4	5	7	-	12	10	2	-	15.52
8	-	-	-	-	8	14	6	-	20	20	-	-	23.57
2	-	-	-	-	2	2	1	-	3	3	-	-	12.61
36	15	10	8	-	69	43	26	-	69	43	21	-	18.30
1	-	-	-	-	1	1	5	-	6	6	-	-	31.13
6	-	-	1	-	7	2	2	-	4	4	-	-	14.81
6	-	1	-	-	7	8	14	-	22	22	-	-	27.43
1	-	-	-	-	1	5	2	-	7	7	-	-	24.82
4	-	-	1	-	5	2	-	-	2	1	-	1	8.26
12	-	1	2	-	15	8	11	-	19	17	1	1	20.72
2	-	2	-	-	4	6	4	-	10	10	-	-	12.25
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	12.99
8	-	-	-	-	8	2	-	-	2	2	-	-	9.90
252	21	26	18	-	317	293	279	-	572	519	42	11	17.93

TABLE
Births, Marriages, and Deaths
OXFORD

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Net stated.
Paris	3,225	29	27	-	56	17.36	42	6	6	2	-
Peru	773	9	18	-	22	28.46	18	-	2	2	-
Porter	886	1	7	-	8	9.03	7	-	-	-	1
Roxbury	238	7	4	-	11	46.22	6	4	-	1	-
Rumford	3,776	92	91	1	184	48.81	40	106	22	17	-
Stoneham	284	1	8	-	9	31.69	9	-	-	-	-
Stow	270	-	1	-	1	3.70	1	-	-	-	-
Sumner	802	9	8	-	17	21.20	16	-	-	-	1
Sweden	282	4	4	-	8	28.37	6	-	2	-	-
Upton	242	3	2	-	5	20.66	4	-	-	1	-
Waterford	917	12	5	-	17	18.54	15	1	-	1	-
Woodstock	816	7	5	-	12	14.71	11	-	1	-	-
Lincoln Pl	73	1	-	-	1	13.69	1	-	-	-	-
Magalloway Pl	77	2	-	-	2	25.97	1	-	-	1	-
Milton Pl	202	2	2	-	4	19.80	4	-	-	-	-
Total	*31,900	280	349	1	730	22.88	450	156	59	56	9

* Population in unorganized plantations in 1900, 338.

No. 7—Continued.
for the Year 1904.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
18	1	1	1	-	21	28	26	-	54	51	2	1	16.74	
4	-	-	-	-	4	5	7	-	12	10	2	-	15.52	
8	-	-	-	-	8	14	6	-	20	20	-	-	22.87	
2	-	-	-	-	2	2	1	-	3	3	-	-	12.61	
86	15	10	8	-	69	43	26	-	69	43	21	-	18.20	
1	-	-	-	-	1	1	5	-	6	6	-	-	21.12	
6	-	-	1	-	7	2	2	-	4	4	-	-	14.81	
6	-	1	-	-	7	8	14	-	22	22	-	-	27.43	
1	-	-	-	-	1	5	2	-	7	7	-	-	24.82	
4	-	-	1	-	5	2	-	-	2	1	-	1	8.26	
12	-	1	2	-	15	8	11	-	19	17	1	1	20.72	
2	-	2	-	-	4	6	4	-	10	10	-	-	12.25	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	1	-	-	12.99	
8	-	-	-	-	8	2	-	-	2	2	-	-	9.90	
252	21	26	18	-	317	293	279	-	572	519	42	11	17.98	

TABLE
Births, Marriages, and Deaths
PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	2	3	-	5	15.92	4	1	-	-	-
Argyle	320	1	2	-	3	9.37	2	1	-	-	-
Bangor	21,860	187	171	-	358	16.38	195	90	24	44	5
Bradford	954	10	9	-	19	19.92	15	-	-	4	-
Bradley	682	9	4	-	13	19.06	11	-	2	-	-
Brewer	4,835	70	67	-	137	28.34	69	39	19	9	1
Burlington	394	2	-	-	2	5.08	2	-	-	-	-
Carmel	932	8	10	-	18	19.31	18	-	-	-	-
Carroll	487	5	8	-	13	26.69	11	-	2	-	-
Charleston	842	9	5	-	14	16.63	12	-	-	2	-
Chester	363	5	2	-	7	19.28	7	-	-	-	-
Clifton	236	2	3	-	5	21.19	5	-	-	-	-
Corinna	1,170	4	7	-	11	9.40	10	-	1	-	-
Corinth	1,042	7	6	-	13	12.48	11	-	1	1	-
Dexter	2,941	23	31	-	54	18.36	34	6	10	4	-
Dixmont	843	6	6	-	12	14.23	12	-	-	-	-
Eddington	663	4	5	-	9	13.57	6	1	2	-	-
Edinburg	65	1	1	-	2	30.77	2	-	-	-	-
Enfield	1,062	15	16	-	31	29.19	22	6	2	1	-
Etna	527	5	-	-	5	9.49	4	-	1	-	-
Exeter	879	6	4	-	10	11.88	9	-	1	-	-
Garland	857	4	7	-	11	12.84	11	-	-	-	-
Glenburn	461	5	4	-	9	19.52	6	1	-	2	-
Greenbush	596	7	4	-	11	18.77	9	1	1	-	-
Greenfield	160	-	-	-	-	-	-	-	-	-	-

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	3	1	-	4	4	-	-	12.74
1	-	1	1	-	3	-	1	-	1	1	-	-	3.12
141	27	20	28	2	218	235	202	1	438	321	98	19	20.04
10	-	-	-	-	10	15	14	-	29	28	1	-	30.40
8	-	1	-	-	9	7	6	-	12	10	2	-	17.60
24	7	3	2	-	46	37	48	-	85	71	14	-	17.53
4	-	3	-	-	7	2	1	-	3	3	-	-	7.61
7	-	1	-	-	8	8	11	-	19	19	-	-	20.39
4	-	-	1	-	5	2	2	-	4	3	1	-	8.21
11	-	1	-	-	12	7	7	-	14	14	-	-	16.63
4	-	-	-	-	4	3	1	-	4	3	1	-	11.02
-	-	-	-	-	-	1	1	-	2	2	-	-	8.47
8	-	-	1	-	9	12	18	-	30	30	-	-	25.64
11	-	-	-	-	11	9	12	-	21	21	-	-	20.16
21	2	-	3	-	26	31	22	-	53	47	6	-	18.02
4	-	-	-	-	4	4	6	-	10	10	-	-	11.86
4	-	-	1	-	5	5	4	-	9	9	-	-	13.57
2	-	-	-	-	2	-	-	-	-	-	-	-	-
7	-	-	3	-	10	9	6	-	15	11	3	1	14.12
8	-	1	-	-	9	4	4	-	8	8	-	-	15.18
5	-	-	-	-	5	5	4	-	9	8	1	-	10.24
6	-	-	-	-	6	7	7	-	14	14	-	-	16.34
5	-	-	-	-	5	5	4	-	9	9	-	-	19.53
7	-	-	-	-	7	11	1	-	12	10	2	-	20.48
2	-	-	-	-	2	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,182	15	11	-	26	11.92	22	1	1	2	-
Hermosa	1,188	9	12	-	21	17.75	20	1	-	-	-
Holden	602	6	1	-	7	11.63	6	-	1	-	-
Howland	519	7	2	-	9	17.34	8	2	2	2	-
Hudson	480	2	2	-	4	9.80	4	-	-	-	-
Kenduskeag	428	5	1	-	6	14.18	5	-	1	-	-
Kingman	986	15	18	-	33	35.26	13	2	11	6	1
Lagrange	574	5	2	-	7	12.20	7	-	-	-	-
Lee	801	9	7	1	17	21.22	13	-	2	2	-
Levant	789	4	5	-	9	11.41	9	-	-	-	-
Lincoln	1,781	15	20	-	35	20.22	25	2	1	6	1
Lowell	300	2	-	-	2	6.67	2	-	-	-	-
Mattamiscontis	28	-	-	-	-	-	-	-	-	-	-
Mattawamkeag	527	7	5	-	12	22.77	11	-	1	-	-
Maxfield	115	2	1	-	3	26.09	3	-	-	-	-
Medway	297	8	11	-	19	63.97	16	-	1	2	-
Millford	838	4	5	-	9	10.74	8	1	-	-	-
Millinocket	1,144	50	45	-	95	83.04	33	37	15	10	-
Mt. Chase	299	4	2	-	6	20.07	5	1	-	-	-
Newburgh	734	11	1	-	12	16.35	12	-	-	-	-
Newport	1,583	15	15	-	30	19.57	28	-	2	-	-
Old Town	5,763	94	69	-	163	28.28	58	56	34	15	-
Orono	8,257	48	52	-	100	30.70	37	37	16	10	-
Orrington	1,266	6	10	-	16	12.64	16	-	-	-	-
Passadumkeag	409	6	1	-	7	17.11	6	-	1	-	-
Patten	1,172	16	16	-	32	27.30	24	4	-	2	2

No. 7—Continued.

for the Year 1904.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
13	-	-	-	-	13	26	20	-	40	35	5	-	18.33
8	-	1	-	-	9	10	8	-	18	15	3	-	15.22
2	-	-	-	1	3	4	2	-	6	4	2	-	9.97
4	1	1	-	-	6	1	3	-	4	2	2	-	7.71
5	-	-	-	-	5	4	3	-	7	7	-	-	16.67
6	-	1	-	-	7	7	6	-	13	13	-	-	30.73
2	-	-	3	-	5	8	6	-	14	10	4	-	14.96
6	-	-	-	-	6	4	4	-	8	8	-	-	13.94
7	-	-	-	-	7	2	10	1	13	11	2	-	16.23
6	-	-	-	-	6	5	6	-	11	11	-	-	13.94
17	1	-	1	-	19	10	14	-	24	13	6	5	13.86
1	-	1	-	-	2	2	-	-	2	1	1	-	6.67
-	-	-	-	-	-	1	-	-	1	1	-	-	35.71
3	-	1	1	-	5	4	3	-	7	7	-	-	13.28
3	-	-	-	-	3	2	-	-	2	1	1	-	17.39
4	-	-	-	-	4	5	1	-	6	6	-	-	20.20
3	2	-	-	1	6	8	1	-	9	8	1	-	10.74
15	9	2	11	-	37	33	19	-	52	37	20	5	45.45
2	-	-	1	-	3	1	1	-	2	1	1	-	6.69
2	-	-	-	-	2	6	10	-	16	16	-	-	21.80
15	2	-	2	-	19	18	8	-	26	26	-	-	16.96
35	10	7	14	-	66	62	50	-	112	74	29	9	19.43
20	3	6	2	1	32	31	20	-	51	38	13	-	15.66
7	-	1	2	-	10	18	8	-	26	26	-	-	20.54
4	-	-	-	1	5	2	3	-	5	3	-	2	12.22
2	-	1	1	10	14	9	6	-	15	8	3	4	12.80

TABLE
Births, Marriages, and Deaths
PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Plymouth	668	1	-	-	1	1.52	1	-	-	-	-
Prentiss	502	7	7	-	14	27.89	13	-	-	-	1
Springfield	532	6	11	-	17	31.95	16	-	-	1	-
Stetson	503	4	6	-	10	19.88	9	-	1	-	-
Veazie	555	-	3	-	3	5.41	3	-	-	-	-
Winn	688	13	8	-	21	30.52	17	1	2	1	-
Woodville	180	3	2	-	5	31.25	5	-	-	-	-
Drew Pl	120	-	-	-	-	-	-	-	-	-	-
Lakeville Pl	129	-	1	-	1	7.75	1	-	-	-	-
Seboels Pl	96	-	3	-	3	31.23	3	-	-	-	-
Stacyville Pl	347	6	8	-	14	40.34	9	1	2	1	1
Webster Pl	124	-	-	-	-	-	-	-	-	-	-
No. 1, R. 7	42	-	-	-	-	-	-	-	-	-	-
No. 2, R. 6	-	-	-	-	-	-	-	-	-	-	-
Indian Township	-	-	-	-	-	-	-	-	-	-	-
Total	*75,778	802	738	1	1,541	20.84	950	292	160	127	12

* Population in unorganized plantations in 1900, 473.

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
5	1	-	-	-	6	5	3	-	8	8	-	-	12.16	
3	-	-	-	-	3	2	3	-	5	5	-	-	8.90	
6	-	-	-	-	6	8	4	-	12	10	1	1	22.54	
5	-	-	-	-	5	8	4	-	12	12	-	-	23.86	
3	-	-	-	-	3	5	7	-	12	12	-	-	21.63	
6	-	-	-	-	6	2	1	-	3	3	-	-	4.36	
2	-	-	-	-	2	1	1	-	2	1	1	-	12.50	
-	-	-	-	-	-	2	-	-	2	2	-	-	16.67	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	-	-	2	2	-	-	20.83	
1	-	-	-	-	1	1	4	-	5	3	2	-	14.41	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	1	-	-	23.80	
-	-	-	-	-	-	-	1	-	1	1	-	-	-	
8	-	-	-	-	8	-	1	-	1	-	1	-	-	
543	65	58	78	16	754	736	623	2	1,361	1,088	227	46	17.96	

TABLE
Births, Marriages, and Deaths
PISCATAQUIS

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Percentage.				
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	7	5	-	12	16.76	12	-	-	-	-
Atkinson	485	5	1	-	6	12.12	5	1	-	-	-
Blanchard	248	1	5	-	6	24.19	2	3	-	1	-
Brownville	1,570	23	24	-	47	29.94	18	18	5	6	-
Dover	1,889	9	17	-	26	13.76	21	-	3	2	-
Foxcroft	1,629	16	11	-	27	16.57	22	1	2	2	-
Greenville	1,117	17	19	-	36	32.23	11	9	7	9	-
Gullford	1,544	17	15	-	32	20.72	25	5	1	1	-
Medford	282	2	3	-	5	17.73	5	-	-	-	-
Milo	1,150	14	19	-	33	28.70	27	2	2	2	-
Monson	1,116	9	20	-	29	25.99	14	10	5	-	-
Orneville	325	3	1	-	4	12.31	4	-	-	-	-
Parkman	718	4	2	-	6	8.36	5	-	-	-	1
Saugerville	1,294	16	8	-	24	18.55	19	1	3	1	-
Sebec	593	6	6	-	12	20.24	11	-	1	-	-
Shifley	248	4	5	-	9	36.29	7	-	2	-	-
Wellington	413	5	2	-	7	16.95	6	-	-	1	-
Williamsburg	117	2	2	-	4	34.19	3	-	1	-	-
Willimantic	419	5	4	-	9	21.49	8	-	-	1	-
Barnard Pl.	98	1	-	-	1	10.20	1	-	-	-	-
Bowerbank Pl.	66	-	1	-	1	15.16	1	-	-	-	-
Elliottsville Pl.	86	-	1	-	1	11.63	-	1	-	-	-
Kingsbury Pl.	106	1	-	-	1	9.43	1	-	-	-	-
Lake View Pl.	173	2	1	-	3	17.34	2	-	1	-	-
Chesuncook	65	-	-	-	-	-	-	-	-	-	-
Northeast Carry	24	-	-	-	-	-	-	-	-	-	-
Katahdin Iron Works	114	1	1	-	2	17.54	1	1	-	-	-
Total	*16,615	170	173	-	343	20.64	231	52	33	26	1

* Population in unorganized plantations in 1900, 334.

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	1	-	7	5	6	-	11	11	-	-	15.86
6	-	1	-	-	7	3	2	-	5	4	1	-	10.10
1	-	-	-	-	1	1	2	-	3	1	2	-	12.10
10	2	1	4	-	17	12	8	-	20	16	4	-	12.74
14	-	1	1	-	16	13	12	-	25	24	1	-	13.23
17	1	1	3	-	22	10	14	-	24	23	1	-	14.73
12	1	5	3	-	21	17	8	-	25	11	12	2	22.38
15	-	1	3	-	19	10	18	-	23	23	-	-	14.90
3	-	1	-	-	4	2	2	-	4	3	1	-	14.18
10	1	1	1	-	13	12	11	-	23	23	-	-	20.00
7	2	-	1	-	10	14	8	-	22	17	5	-	19.71
2	-	-	-	-	2	1	3	-	4	3	1	-	12.31
9	-	-	-	-	9	4	3	-	7	6	1	-	9.75
4	-	-	-	-	4	10	11	-	21	21	-	-	16.23
5	-	1	2	-	8	2	3	-	5	5	-	-	8.43
-	-	-	-	-	-	1	5	-	6	5	1	-	24.19
2	-	1	-	-	3	4	4	-	8	8	-	-	19.37
-	-	-	-	-	-	-	1	-	1	1	-	-	8.55
1	-	-	-	-	1	5	1	-	6	6	-	-	14.32
1	-	-	-	-	1	1	1	-	2	1	1	-	20.41
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	-	-	3	3	-	-	34.88
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	2	-	3	-	2	-	2	2	-	-	11.56
-	1	-	-	-	1	1	-	-	1	-	-	1	15.38
-	-	-	-	-	-	1	-	-	1	-	-	1	41.67
-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	8	14	21	-	171	132	120	-	252	217	31	4	15.17

TABLE
Births, Marriages, and Deaths
SAGADAHOC

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	-	1	-	1	5.56	1	-	-	-	-
Bath	10,477	123	118	-	241	23.91	182	55	23	27	4
Bowdoin	887	4	8	-	12	12.81	9	1	1	-	1
Bowdoinham	1,306	8	9	-	17	13.03	13	1	2	1	-
Georgetown	799	10	5	-	15	18.77	14	-	1	-	-
Perkins	61	-	-	-	-	-	-	-	-	-	-
Phippsburg	1,254	7	19	-	26	20.73	23	-	1	2	-
Richmond	2,049	9	11	-	20	9.76	17	1	1	1	-
Topsham	2,097	22	22	-	44	20.96	18	19	1	6	-
West Bath	291	1	2	-	3	10.31	2	1	-	-	-
Woolwich	889	11	9	-	20	22.73	17	8	-	-	-
Total	20,330	185	204	-	389	19.63	246	81	30	37	5

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	-	-	1	1	-	-	5.56
72	10	9	12	-	103	76	94	-	170	143	26	1	16.23
2	-	-	-	-	2	2	6	7	13	12	-	1	13.87
7	1	-	1	-	9	12	15	-	27	24	3	-	20.69
4	-	1	-	-	5	6	11	-	17	17	-	-	21.28
1	-	-	-	-	1	1	-	-	1	1	-	-	16.39
7	-	-	-	-	7	1	10	-	11	11	-	-	8.77
21	-	-	-	-	21	14	12	-	26	25	1	-	13.69
16	5	2	-	-	23	14	10	-	24	22	2	-	11.44
4	-	-	-	-	4	5	8	-	13	12	1	-	44.67
7	-	-	-	-	7	4	5	-	9	9	-	-	10.23
142	16	12	13	-	183	140	172	-	312	277	35	2	15.35

TABLE
Births, Marriages, and Deaths
SOMERSET

TOWNS.	Population in 1800.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,880	29	24	-	53	28.96	30	10	5	6	2
Athens	896	2	12	-	14	15.63	13	1	-	-	-
Bingham	841	6	3	-	9	10.70	5	2	1	-	1
Cambridge	864	-	5	-	5	13.73	4	-	1	-	-
Canaan	977	9	7	-	16	16.38	15	1	-	-	-
Coneord	291	6	4	-	10	34.36	9	-	1	-	-
Cornville	689	6	4	-	10	14.51	10	-	-	-	-
Detroit	527	2	-	-	2	3.80	2	-	-	-	-
Emmbden	567	6	7	-	13	22.93	12	-	-	-	1
Fairfield	3,878	35	19	-	54	13.92	28	9	11	5	1
Harmony	571	7	9	-	16	28.02	13	-	2	-	1
Hartland	1,115	7	8	-	15	13.45	12	-	-	3	-
Madison	2,764	38	30	-	68	24.60	45	15	5	3	-
Mercer	493	4	3	-	7	14.20	7	-	-	-	-
Moscow	375	5	3	-	8	21.16	4	1	2	1	-
New Portland	913	12	8	-	20	21.91	19	-	-	1	-
Norridgewoock	1,495	9	12	-	21	14.05	15	3	1	2	-
Palmyra	915	7	4	-	11	12.02	8	1	1	1	-
Pittsfield	3,891	23	23	-	46	15.91	38	4	2	2	-
Ripley	449	4	3	-	7	15.59	7	-	-	-	-
St. Albans	1,087	6	11	-	17	16.39	14	-	1	2	-
Skowhegan	5,180	57	63	-	120	23.17	63	26	20	9	2
Smithfield	449	3	1	-	4	8.91	3	-	-	1	-
Solon	996	16	12	-	28	28.11	26	1	1	-	-
Starks	686	7	5	-	12	18.87	12	-	-	-	-

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
13	-	2	-	-	14	13	15	-	28	26	2	-	15.80	
7	-	-	-	-	7	9	10	-	19	19	-	-	21.21	
7	-	1	1	-	9	6	2	-	8	6	2	-	9.51	
4	-	-	-	-	4	2	3	-	5	5	-	-	13.73	
9	-	-	-	-	9	9	7	-	16	16	-	-	16.33	
3	-	-	-	-	3	3	4	-	7	7	-	-	24.05	
5	-	-	-	-	5	7	3	-	10	8	2	-	14.51	
5	-	-	-	-	5	7	4	-	11	11	-	-	20.37	
8	-	-	-	-	8	7	6	-	13	13	-	-	22.93	
26	3	3	9	-	41	41	31	-	72	61	8	3	18.57	
8	-	-	-	-	8	6	9	-	15	14	-	1	26.27	
8	-	-	3	1	12	9	12	-	21	20	1	-	15.83	
23	2	-	3	-	28	25	13	-	38	35	3	1	13.75	
5	-	-	-	-	5	1	7	-	8	8	-	-	16.23	
3	-	-	-	-	3	3	2	-	5	3	2	-	13.23	
4	-	-	-	-	4	9	8	-	17	16	-	1	13.73	
16	-	1	-	-	17	13	7	-	19	17	1	1	12.71	
4	-	-	-	-	4	4	6	-	10	10	-	-	10.93	
42	1	-	3	-	46	21	18	-	39	26	3	-	13.49	
3	-	-	-	-	3	3	1	-	4	4	-	-	8.91	
5	-	-	-	-	5	12	9	-	21	20	1	-	20.25	
39	4	4	1	-	48	47	53	-	100	81	14	5	19.31	
5	-	-	-	-	5	8	2	-	10	10	-	-	22.27	
8	-	1	-	-	9	8	7	-	15	14	1	-	15.03	
1	-	1	-	-	2	4	5	-	9	9	-	-	14.15	

TABLE
Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl.....	57	-	1	-	1	17.54	1	-	-	-	-
Brighton Pl.....	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl.....	218	2	2	-	4	18.35	4	-	-	-	-
Dead River Pl.....	91	1	1	-	2	21.98	2	-	-	-	-
Dennistown Pl.....	96	-	2	-	2	20.83	2	-	-	-	-
Flagstaff Pl.....	115	-	4	-	4	34.78	4	-	-	-	-
Highland Pl.....	67	1	-	-	1	14.93	1	-	-	-	-
Jackman Pl.....	352	6	10	-	16	45.45	1	11	3	1	-
Lexington Pl.....	231	1	-	-	1	4.33	1	-	-	-	-
Mayfield Pl.....	89	-	2	-	2	22.47	1	-	1	-	-
Moose River Pl.....	239	5	3	-	8	33.47	1	7	-	-	-
Pleasant Ridge Pl....	114	2	-	-	2	17.54	2	-	-	-	-
The Forks Pl.....	167	1	2	-	3	19.11	1	-	-	2	-
West Forks Pl.....	160	-	-	-	-	-	-	-	-	-	-
Rockwood.....	76	2	-	-	2	26.32	-	1	-	1	-
Total.....	*33,572	327	307	-	634	18.68	435	96	58	40	8

* Population in unorganized plantations in 1900, 377.

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	2	-	-	-	2	-	-	-	-	-	-	-	-
3	-	-	-	-	3	-	-	-	-	-	-	-	-
3	-	-	1	-	4	2	1	-	3	3	-	-	13.76
1	-	-	-	-	1	1	-	-	1	1	-	-	10.99
-	-	-	-	-	-	2	1	-	3	3	-	-	31.25
2	-	-	-	-	2	1	2	-	3	3	-	-	26.09
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	-	1	-	6	12	5	-	17	10	7	-	43.30
2	-	-	-	-	2	-	1	-	1	1	-	-	4.33
-	-	-	-	-	-	2	-	-	2	2	-	-	22.47
-	-	1	-	-	1	2	4	-	6	5	1	-	25.10
3	-	-	-	-	3	1	-	-	1	1	-	-	8.77
4	-	-	2	-	6	1	-	-	1	1	-	-	6.37
2	-	-	1	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	1	1	-	26.32
282	15	14	25	1	337	300	200	-	560	500	48	12	16.68

TABLE
Births, Marriages, and Deaths
WALDO

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	19	21	-	40	8.67	39	1	-	-	-
Belmont	352	1	3	-	4	11.36	4	-	-	-	-
Brooks	669	9	4	-	13	19.43	12	-	1	-	-
Burnham	766	2	8	-	10	13.05	10	-	-	-	-
Frankfort.....	1,211	5	3	-	8	6.61	7	1	-	-	-
Freedom	479	3	1	-	4	8.35	4	-	-	-	-
Islesboro.....	923	14	6	-	20	21.67	17	-	-	2	1
Jackson	439	5	5	-	10	22.75	10	-	-	-	-
Knox	558	4	2	-	6	10.75	6	-	-	-	-
Liberty.....	737	2	7	-	9	12.21	9	-	-	-	-
Lincolntonville	1,233	4	10	-	14	11.45	14	-	-	-	-
Monroe.....	958	4	7	-	11	11.48	11	-	-	-	-
Montville	982	9	6	-	15	15.27	15	-	-	-	-
Morrill	420	2	5	-	7	16.67	6	-	1	-	-
Northport.....	545	4	6	-	10	18.35	10	-	-	-	-
Palermo	787	4	6	-	10	13.21	9	-	-	1	-
Prospect	648	6	5	-	11	16.98	6	1	3	1	-
Searsmont	949	9	6	-	15	15.81	14	-	-	1	-
Searsport	1,349	11	10	-	21	15.57	19	1	-	-	1
Stockton Springs.....	872	11	4	1	16	18.34	15	-	-	1	-
Swanville	562	3	4	-	7	12.44	7	-	-	-	-
Thorndike	497	6	1	-	7	14.06	7	-	-	-	-
Troy	766	2	7	-	9	11.75	9	-	-	-	-
Unity.....	877	12	5	-	17	19.38	17	-	-	-	-
Waldo	468	3	4	-	7	14.96	6	-	1	-	-
Winterport	1,623	10	8	-	18	11.09	14	2	2	-	-
Total	24,135	164	154	1	319	13.19	297	6	8	6	2

No. 7—Continued.

for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
30	1	-	1	-	32	40	41	-	81	78	3	-	17.55
1	-	-	-	-	1	3	-	-	3	3	-	-	8.52
8	-	-	-	-	8	9	7	-	16	16	-	-	23.92
12	-	-	-	-	12	3	4	-	7	7	-	-	9.14
2	1	-	-	-	3	6	6	-	12	12	-	-	9.91
1	-	-	-	-	1	5	5	-	10	10	-	-	20.88
4	1	-	-	-	5	2	10	-	12	11	1	-	13.00
6	-	-	-	-	6	3	5	-	8	8	-	-	13.23
-	-	-	-	-	-	5	12	-	17	17	-	-	30.47
4	-	-	-	-	4	11	4	-	15	14	-	1	20.85
6	1	-	-	-	7	10	12	-	22	22	-	-	17.98
6	-	-	-	-	6	9	8	-	17	17	-	-	17.75
3	-	-	-	-	3	10	11	-	21	21	-	-	21.38
2	-	-	-	-	2	4	2	-	6	6	-	-	14.39
2	-	-	-	-	2	4	2	-	6	6	-	-	11.01
2	-	-	-	-	2	5	3	-	8	8	-	-	10.57
8	-	-	1	-	9	3	6	-	9	9	-	-	13.39
4	-	-	-	-	4	6	9	-	15	15	-	-	15.81
11	-	-	-	-	11	16	13	-	29	25	4	-	21.50
8	-	1	-	-	9	8	5	-	13	12	1	-	14.91
4	-	-	-	-	4	7	4	-	11	11	-	-	21.91
5	-	-	-	-	5	3	2	-	5	4	1	-	10.86
5	-	-	-	-	5	4	8	-	12	11	1	-	15.67
7	-	-	-	-	7	5	9	-	14	12	1	-	15.96
-	-	-	-	-	-	3	4	-	7	6	-	1	14.96
6	-	-	-	-	6	12	6	-	18	18	-	-	11.09
147	4	1	2	-	154	196	196	-	394	380	12	2	16.29

TABLE
Births, Marriages, and Deaths
WASHINGTON

Towns.	Population in 1900.	BIRTHS.								
		Sex.					Parentage.			
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Addison.....	1,089	10	15	-	25	23.61	25	-	-	-
Alexander	333	4	6	-	10	30.03	10	-	-	-
Baileyville	215	-	1	-	1	4.66	1	-	-	-
Baring	281	1	2	-	3	13.99	3	-	1	-
Beddington	86	1	-	-	1	11.63	1	-	-	-
Brookton	265	1	3	-	4	14.04	2	-	1	1
Calais	7,655	78	84	-	162	21.16	32	39	23	45
Centerville	91	-	-	-	-	-	-	-	-	-
Charlotte	315	5	-	-	5	15.87	4	-	-	1
Cherryfield	1,859	18	19	-	37	17.21	30	-	-	2
Columbia	516	13	8	-	21	40.70	20	-	-	1
Columbia Falls.....	569	7	4	-	11	19.33	9	1	1	-
Cooper	207	2	2	-	4	19.32	4	-	-	-
Crawford	112	1	3	-	4	35.71	3	-	1	-
Cutler	565	4	6	-	10	17.70	10	-	-	-
Danforth.....	1,092	16	20	-	36	32.97	8	11	11	6
Deblois	73	-	-	-	-	-	-	-	-	-
Dennysville	452	7	4	-	11	22.32	11	-	-	-
East Machias	1,521	8	7	-	15	9.86	12	-	1	1
Eastport	5,311	59	61	-	120	22.59	55	15	27	22
Edmunds	492	15	5	-	20	40.65	15	-	-	5
Forest City	151	3	1	-	4	26.49	2	1	-	1
Harrington	1,165	13	3	-	16	13.88	15	-	-	-
Jonesboro	603	7	7	-	14	23.10	14	-	-	-
Jonesport.....	2,124	27	28	-	55	25.89	47	-	3	5
Lubec	3,085	46	49	-	95	31.61	48	13	12	30

No. 7—Continued.
for the Year 1904.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	1	-	-	8	6	7	-	18	18	-	-	12.28
2	-	-	-	-	2	3	1	-	4	4	-	-	12.01
3	-	-	-	-	3	1	-	-	1	1	-	-	4.65
-	-	-	-	-	-	1	3	-	4	3	1	-	17.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	2	-	-	-	-	-	-	-	-
15	6	19	18	-	58	48	58	-	106	71	35	-	12.85
1	-	-	-	-	1	-	1	-	1	1	-	-	10.99
-	-	-	1	-	1	4	2	-	6	4	2	-	19.05
11	-	-	-	-	11	4	7	-	11	11	-	-	5.92
5	-	-	1	-	6	6	5	-	11	11	-	-	21.32
5	-	-	-	-	5	4	3	-	7	7	-	-	12.30
2	-	-	-	-	2	3	2	-	5	5	-	-	24.15
-	-	-	-	-	-	-	1	-	1	1	-	-	8.86
4	-	-	1	-	5	5	1	-	6	6	-	-	10.62
8	1	1	4	-	14	9	8	-	17	15	2	-	15.56
1	-	-	-	-	1	2	1	-	3	3	-	-	41.10
2	-	-	-	-	2	5	5	-	10	10	-	-	20.75
6	-	1	-	-	7	8	9	-	17	15	1	1	11.17
20	4	7	13	-	44	31	33	-	64	45	18	1	12.05
4	-	1	-	-	5	3	2	-	5	5	-	-	10.16
3	-	-	1	-	3	-	3	-	3	2	1	-	19.86
5	-	2	-	-	7	9	8	-	12	12	-	-	10.30
4	-	-	-	-	4	5	2	-	7	7	-	-	11.55
18	-	-	2	-	20	14	9	-	22	22	-	-	10.83
10	3	3	1	-	17	11	25	-	36	30	6	-	11.98

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machias	2,022	16	19	-	35	16.81	34	1	-	-	-
Machiasport	1,218	15	12	-	27	22.17	24	-	2	1	-
Marion	95	-	2	-	2	21.05	1	1	-	-	-
Marshfield	237	2	3	-	5	22.04	5	-	-	-	-
Meddybemps	154	1	1	-	2	12.99	2	-	-	-	-
Milbridge	1,921	18	19	-	37	19.26	35	-	-	1	1
Northfield	126	3	2	-	5	39.68	3	-	1	1	-
Pembroke	1,652	20	17	-	37	22.40	28	1	2	6	-
Perry	1,245	14	17	-	31	24.90	15	2	7	7	-
Princeton	1,084	10	14	-	24	21.94	18	-	3	2	1
Robbinston	844	6	5	-	11	13.03	5	-	3	2	1
Roque Bluffs	168	1	1	-	2	11.90	2	-	-	-	-
Steuben	901	8	13	-	21	23.31	17	-	1	3	-
Talmage	96	2	-	-	2	21.51	2	-	-	-	-
Topsfield	282	6	3	-	9	31.91	8	-	1	-	-
Trescott	463	1	1	-	2	4.32	-	1	-	1	-
Vaneboro	550	14	8	-	22	40.00	6	9	4	3	-
Waite	135	1	2	-	3	22.22	3	-	-	-	-
Wesley	198	3	2	-	5	25.25	5	-	-	-	-
Whiting	399	5	1	-	6	15.04	5	-	-	-	1
Whitneyville	424	5	3	-	8	18.87	7	-	-	-	1
Codyville Pl	68	1	-	-	1	14.71	1	-	-	-	-
Grand Lake Stream Pl	221	3	7	-	10	45.25	6	-	4	-	-
No. 14 Pl.	77	1	-	-	1	12.99	-	-	-	-	1
No. 21 Pl.	86	-	2	-	2	23.26	1	-	1	-	-
Total	*44,843	496	492	-	988	22.03	633	95	110	134	16

* Population in unorganized plantations in 1900, 389.

No. 7—Continued.

for the Year 1904.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
18	-	-	-	-	18	24	25	-	49	40	9	-	33.54
7	-	1	-	-	8	5	3	-	8	8	-	-	6.57
1	-	-	1	-	2	-	1	-	1	1	-	-	10.53
1	-	-	-	-	1	-	2	-	2	2	-	-	8.81
1	-	-	-	-	1	1	2	-	3	2	1	-	19.48
14	-	1	1	-	16	12	14	-	26	26	-	-	13.53
1	-	-	-	-	1	4	-	-	4	4	-	-	31.75
13	-	1	-	-	14	18	10	-	28	24	3	1	16.95
3	-	4	2	-	9	8	7	-	15	15	-	-	12.05
1	-	-	1	-	2	7	12	-	19	15	4	-	17.37
-	-	1	-	-	1	6	2	-	6	6	2	-	9.48
6	-	-	-	-	6	-	2	-	2	2	-	-	11.90
8	-	-	-	-	8	6	6	-	12	10	2	-	13.32
1	-	-	-	-	1	1	2	-	3	3	-	-	32.26
4	-	-	1	-	5	-	1	-	1	1	-	-	3.55
3	-	-	-	-	3	5	1	-	6	5	1	-	12.95
1	2	2	1	-	6	4	7	-	11	6	5	-	20.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	2	-	3	3	-	-	7.51
2	-	-	-	-	2	2	2	-	4	3	1	-	9.43
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	1	-	2	2	-	-	9.05
1	-	-	-	-	1	-	1	-	1	1	-	-	12.99
-	-	-	-	-	-	-	-	-	-	-	-	-	-
225	17	45	45	-	332	287	294	-	581	484	94	3	12.95

TABLE
Births, Marriages, and Deaths
YORK

Towns.	Population in 1900.	BIRTHS.									
		Sex.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	4	6	-	10	12.85	8	-	-	1	1
Alfred	967	8	8	-	16	17.08	12	-	2	2	-
Berwick	2,230	22	10	-	32	14.04	26	5	-	1	1
Biddeford	16,145	285	231	-	516	31.96	32	336	51	45	3
Buxton	1,838	13	18	-	31	16.87	28	-	1	-	2
Cornish	964	7	8	-	15	15.24	14	-	-	-	1
Dayton	473	3	7	-	10	21.14	10	-	-	-	-
Elliot	1,458	14	17	-	31	20.58	26	1	3	-	1
Hollis	1,374	10	11	-	21	16.48	17	1	2	1	-
Kennebunk	3,228	21	22	-	43	13.32	35	4	1	2	1
Kennebunkport	2,123	21	17	-	38	17.85	26	-	4	7	1
Kittery	2,872	27	30	-	57	19.85	48	2	3	4	-
Lebanon	1,335	7	18	-	25	18.73	21	-	2	2	-
Limerick	874	5	5	-	10	11.44	10	-	-	-	-
Limington	1,001	7	9	-	16	15.98	12	3	-	-	1
Lyman	687	5	8	-	13	18.92	12	-	-	-	1
Newfield	676	2	4	-	6	8.87	6	-	-	-	-
North Berwick	1,748	15	19	-	37	21.17	37	-	-	-	-
Old Orchard	964	3	8	-	11	11.41	8	-	2	1	-
Parsonsfield	1,131	5	10	-	15	13.26	14	-	-	1	-
Saco	6,122	51	63	-	114	18.62	68	25	8	16	2
Sanford	6,078	103	88	-	190	31.26	56	97	16	19	-
Shapleigh	847	10	6	-	16	18.89	15	1	-	-	-
South Berwick	3,188	21	32	-	63	19.76	29	16	7	11	-
Waterboro	1,169	8	16	-	24	20.53	24	-	-	-	-
Wells	2,007	17	7	-	24	11.96	21	-	1	2	-
York	2,668	24	23	-	57	21.36	33	3	3	10	3
Total	64,888	740	701	-	1,441	22.21	699	494	106	135	17

No. 7—Concluded.
for the Year 1904.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	9	2	-	11	11	-	-	14.14
6	-	-	-	-	6	10	8	-	18	18	-	-	19.21
7	-	-	-	-	7	19	15	-	34	25	9	-	14.91
61	71	17	29	-	169	161	162	-	323	320	108	-	20.01
14	-	1	-	-	15	13	14	-	26	25	1	-	14.15
7	-	1	-	-	8	9	7	-	16	16	-	-	16.26
3	-	-	-	-	3	7	5	-	12	11	1	-	25.37
8	-	2	-	-	10	11	17	-	28	26	2	-	19.29
6	-	-	-	-	6	6	11	-	17	16	1	-	13.84
15	-	2	1	-	18	23	23	-	56	56	6	-	17.35
17	1	5	2	-	25	17	13	1	31	27	1	3	14.60
15	-	1	-	-	16	29	23	-	52	52	-	-	18.11
5	-	-	-	-	5	13	18	-	25	24	-	1	18.73
9	-	-	-	-	9	11	3	-	14	14	-	-	16.02
7	-	-	-	-	7	17	8	-	25	25	-	-	24.97
2	-	1	-	-	3	7	5	-	12	12	-	-	17.47
6	-	-	-	-	6	4	7	-	11	11	-	-	16.27
9	-	-	-	-	9	12	15	-	27	27	-	-	15.45
3	1	3	-	-	7	4	10	-	14	13	-	1	14.52
7	-	-	-	-	7	11	14	-	25	25	-	-	22.10
37	8	10	7	-	62	63	60	-	123	105	15	3	29.09
39	20	7	10	-	76	60	53	-	113	83	30	-	18.59
7	-	-	-	-	7	12	4	-	16	15	-	1	18.99
10	4	1	1	-	16	22	28	-	50	46	4	-	15.68
7	-	-	-	-	7	9	11	-	20	19	1	-	17.11
13	-	-	1	-	13	20	22	-	42	40	2	-	20.96
18	-	-	1	-	19	19	16	-	35	30	5	-	13.12
344	108	51	43	-	543	601	574	1	1,176	966	181	9	18.12

TABLE
Recapitulation

COUNTIES.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	587	521	1	1,059	19.52	519	349	93	83	16
Aroostook	60,744	1,156	1,064	8	2,323	37.27	1,230	354	320	305	24
Cumberland	100,689	1,025	868	8	2,011	19.97	1,085	596	166	188	21
Franklin	18,444	199	177	-	376	20.60	255	76	23	17	5
Hancock	37,241	355	339	1	695	18.76	612	24	23	26	10
Kennebec	59,117	571	606	-	1,174	19.86	698	249	113	99	15
Knox	30,406	224	217	1	452	14.92	350	56	24	19	8
Lincoln	19,669	181	155	2	288	14.64	260	5	4	12	7
Oxford	32,238	330	349	1	780	22.88	450	156	59	56	9
Penobscot	76,246	802	738	1	1,541	20.34	950	292	160	127	12
Piscataquis	16,949	170	173	-	343	20.64	231	52	33	26	1
Sagadahoc	20,330	195	204	-	399	19.63	246	81	30	37	5
Somerset	33,849	327	307	-	634	18.88	435	98	58	40	8
Waldo	24,185	164	154	1	319	13.19	297	6	8	6	2
Washington	45,232	496	492	-	988	22.08	633	95	110	134	16
York	64,885	740	701	-	1,441	22.21	699	494	108	125	17
Total	694,466	7,482	7,177	14	14,673	21.13	8,896	2,977	1,890	1,806	171

No. 8.

by Counties.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
279	85	43	55	3	465	413	418	2	833	639	173	21	15.36	
336	70	98	118	1	623	441	362	2	805	617	172	16	13.50	
571	116	80	77	4	848	922	888	-	1,810	1,456	311	43	17.98	
135	13	8	11	-	167	169	137	-	306	291	14	1	16.77	
299	5	11	18	-	333	264	227	1	492	460	28	4	13.28	
403	59	50	37	5	554	532	552	2	1,086	936	127	23	18.37	
222	14	11	14	-	261	277	210	-	487	444	39	4	16.08	
157	-	6	3	-	166	165	154	-	319	289	23	7	16.22	
252	21	26	18	-	317	293	279	-	572	519	42	11	17.93	
542	65	53	78	16	754	736	623	2	1,361	1,088	227	46	17.96	
128	8	14	21	-	171	132	120	-	352	217	31	4	15.17	
142	16	12	13	-	183	140	172	-	312	277	33	2	15.35	
282	15	14	25	1	337	300	260	-	560	500	48	12	16.68	
147	4	1	2	-	154	196	198	-	394	380	12	2	16.29	
225	17	45	45	-	332	287	294	-	581	484	94	3	12.96	
344	105	51	43	-	543	601	574	1	1,176	986	181	9	18.12	
4,464	613	523	578	30	6,208	5,868	5,468	10	11,346	9,583	1,555	208	16.34	

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1897-1904.

	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,430	21.83	14,473	21.39	13,385	20.10	14,085	20.30	14,031	20.19	14,506	20.89	14,453	20.51	14,573	21.13
Androscoggin.....	1,017	20.77	1,151	23.51	1,116	20.78	1,099	20.26	1,690	19.54	1,117	20.59	1,050	19.35	1,069	19.53
Aroostook.....	1,302	37.06	1,802	57.06	1,932	31.23	1,843	32.77	1,945	32.03	2,080	35.13	2,065	35.45	2,323	37.37
Cumberland.....	2,024	33.25	1,983	31.31	1,874	19.79	2,074	20.60	1,877	18.44	1,851	19.57	2,059	20.15	2,011	19.97
Franklin.....	375	32.21	389	23.65	331	21.64	392	21.63	406	23.32	416	22.19	383	21.30	376	20.60
Hancock.....	748	20.20	741	20.04	720	19.41	689	18.62	698	18.01	706	18.92	676	18.37	695	18.73
Kennebec.....	1,215	21.31	1,135	19.31	1,095	17.59	1,166	19.73	1,123	19.00	1,237	20.75	1,064	18.34	1,174	19.85
Knox.....	588	18.69	513	16.31	616	16.74	448	14.79	483	16.41	437	14.42	450	14.86	452	14.92
Lincoln.....	246	15.73	248	15.39	234	16.78	339	17.24	335	17.05	367	15.61	303	15.40	268	14.64
Oxford.....	577	19.01	650	21.36	561	17.59	565	17.28	627	19.45	639	21.44	729	22.85	730	22.86
Penobscot.....	1,579	21.73	1,591	21.05	1,413	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,586	21.09	1,541	20.34
Piscataquis.....	359	22.82	336	21.23	310	18.83	353	19.49	389	17.39	347	21.11	351	21.39	345	20.64
Sagadahoc.....	246	17.79	330	19.54	331	18.82	432	20.76	420	20.65	363	18.79	352	17.31	399	19.63
Somerset.....	637	19.70	624	19.33	596	17.57	603	17.99	608	17.90	583	17.84	591	17.00	624	18.68
Waldo.....	578	13.62	402	14.45	335	13.65	348	14.83	364	15.05	363	11.66	373	11.25	319	13.19
Washington.....	1,068	24.86	1,146	26.32	1,032	23.75	1,039	23.53	975	21.67	991	22.10	1,031	22.99	938	22.63
York.....	1,366	21.61	1,353	21.23	1,360	21.08	1,431	21.90	1,431	21.05	1,412	21.76	1,459	23.49	1,441	23.31

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1904.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	537	521	1	1,059	16	-	108.0
Aroostook	1,156	1,064	8	2,228	92	-	108.6
Cumberland	1,025	983	8	2,011	42	-	104.3
Franklin	189	177	-	376	22	-	112.4
Hancock	355	339	1	695	16	-	104.7
Kennebec	571	603	-	1,174	-	32	94.7
Knox	234	217	1	452	17	-	107.8
Lincoln	131	155	2	288	-	24	84.5
Oxford	380	349	1	730	31	-	108.9
Penobscot	802	738	1	1,541	64	-	108.7
Piscataquis	170	173	-	343	-	3	98.3
Sagadahoc	185	204	-	389	-	9	95.6
Somerset	327	307	-	634	20	-	106.5
Waldo	164	154	1	319	10	-	106.5
Washington	496	492	-	988	4	-	100.8
York	740	701	-	1,441	39	-	105.6
Total	7,482	7,177	14	14,673	378	68	104.2

TABLE No. II.
Number of Births in Each Month of 1897-1904, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,125	91.9	1,148	93.4	1,083	92.6	1,107	97.5	1,123	94.3	1,143	92.7	1,210	96.6	1,219	97.8
February	1,120	101.4	1,176	103.4	1,104	103.7	1,083	100.2	1,128	104.8	1,111	99.8	1,151	103.9	1,207	107.2
March	1,390	113.6	1,323	107.6	1,237	104.9	1,260	105.4	1,303	109.4	1,401	118.6	1,383	110.3	1,367	109.7
April	1,259	106.2	1,269	106.7	1,295	113.5	1,245	107.5	1,370	110.2	1,250	104.7	1,364	114.9	1,325	109.9
May	1,237	105.1	1,322	107.6	1,224	103.2	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,336	107.2
June	1,248	105.3	1,229	103.3	1,201	105.3	1,146	103.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3
July	1,272	103.9	1,226	99.8	1,239	105.1	1,234	104.1	1,178	98.9	1,237	100.3	1,215	99.0	1,237	104.1
August	1,302	106.4	1,219	99.2	1,197	101.3	1,255	104.1	1,190	100.6	1,252	101.6	1,223	99.7	1,216	97.6
September	1,205	101.8	1,182	99.4	1,163	101.8	1,213	104.7	1,352	108.7	1,207	101.2	1,205	101.5	1,203	99.8
October	1,138	93.0	1,136	97.3	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4	1,217	97.7
November	932	82.2	1,023	86.5	979	85.8	1,065	88.1	983	85.3	1,064	89.2	1,026	86.4	1,037	85.9
December	1,077	88.0	1,149	93.5	1,063	93.0	1,035	86.5	1,048	88.0	1,119	90.3	990	80.4	1,057	84.8
Unknown	12	-	6	-	7	-	6	-	6	-	10	-	9	-	6	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births, by Sex and Months, by Counties, 1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	58	52	37	57	49	30	48	41	46	41	37	40	1	537	-
females...	56	68	43	39	43	37	37	42	47	48	37	24	-	521	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1059
Aroostook, males	88	86	122	118	112	120	108	86	87	82	78	75	-	1156	-
females...	80	87	105	118	106	98	97	93	80	67	66	66	1	1064	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2223
Cumberland, males	73	80	105	103	87	65	98	78	80	87	94	75	-	1025	-
females...	88	79	83	90	81	77	93	90	79	74	73	74	2	983	-
not stated	-	1	-	-	-	2	-	-	-	-	-	-	-	3	2011
Franklin, males	23	8	14	19	8	13	28	27	19	14	16	10	-	199	-
females...	12	17	16	15	13	18	19	8	18	24	6	10	1	177	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	376
Hancock, males	25	31	34	25	35	24	31	34	27	43	21	25	-	355	-
females...	30	22	31	29	22	25	18	29	30	37	30	36	-	339	-
not stated	-	-	-	-	-	-	-	-	-	-	1	-	-	1	695
Kennebec, males	46	36	53	55	58	61	46	45	56	52	27	36	-	571	-
females...	38	48	72	61	55	46	57	55	33	63	38	37	-	603	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1174
Knox, males	23	24	21	20	27	17	28	16	13	19	8	17	1	234	-
females...	17	21	19	21	30	12	15	22	18	16	11	15	-	217	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	452
Lincoln, males	7	12	16	14	15	10	12	13	9	8	6	9	-	131	-
females...	17	14	13	15	18	8	14	9	15	11	9	12	-	155	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	2	288
Oxford, males	21	34	32	36	38	25	26	33	41	39	26	29	-	380	-
females...	30	25	30	29	36	29	30	29	39	15	28	29	-	349	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	1	730
Penobscot, males	89	73	77	68	70	68	69	54	66	54	47	67	-	802	-
females...	65	51	86	57	70	57	50	61	57	70	56	58	-	738	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1541
Piscataquis, males	19	16	11	12	13	12	23	17	14	13	11	9	-	170	-
females...	9	14	12	23	11	15	14	9	13	9	20	24	-	173	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	343
Sagadahoc, males	7	21	21	12	21	16	27	13	17	14	10	16	-	195	-
females...	20	19	14	22	17	17	12	13	20	20	16	14	-	204	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	399
Somerset, males	28	23	26	33	18	30	30	31	32	26	28	22	-	327	-
females...	24	22	34	27	26	22	33	28	27	25	24	15	-	307	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	634
Waldo, males	13	9	16	14	18	13	9	16	20	10	12	14	-	164	-
females...	19	8	12	8	14	15	11	14	16	13	10	14	-	154	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	-	319
Washington, males	42	42	36	35	44	44	52	44	35	43	40	39	-	466	-
females...	47	38	35	44	47	37	32	50	38	49	36	39	-	492	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	988
York, males	48	74	70	61	56	62	70	57	53	63	66	54	-	740	-
females...	55	51	70	45	77	61	60	64	50	67	48	53	-	701	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1441
Total, males	610	621	691	682	669	610	705	599	621	608	527	537	2	7482	-
females	607	584	675	643	666	574	592	616	580	608	508	520	4	7177	-
not stated	2	2	1	-	1	2	-	-	2	1	2	-	-	14	-
Grand total	1219	1207	1367	1325	1336	1186	1297	1216	1203	1217	1037	1057	6	14673	14673

TABLE No. 13.

Births in Cities for 1904, with Rate per 1,000 of Population.

CITIES.	Population in 1900.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	12,861	98	111	-	209	16.14	88.3
Augusta	11,688	110	185	-	245	20.97	81.5
Bangor	21,850	187	171	-	358	16.38	109.4
Bath	10,477	122	118	-	241	22.91	104.2
Belfast.....	4,615	19	21	-	40	8.67	90.5
Biddeford	16,145	285	231	-	516	31.96	123.3
Brewer	4,835	70	67	-	137	28.34	104.5
Calais	7,655	78	84	-	162	21.16	92.9
Eastport	5,311	59	61	-	120	22.59	96.7
Ellsworth.....	4,297	36	43	-	79	18.38	83.7
Gardiner.....	5,501	51	60	-	111	20.18	85.0
Hallowell.....	2,714	28	23	-	51	18.79	121.7
Lewiston	23,761	286	261	1	548	23.06	109.6
Old Town.....	5,763	94	69	-	163	28.28	136.2
Portland.....	50,145	525	496	3	1,024	20.43	105.8
Rockland	8,150	55	61	-	116	14.23	90.2
Saco.....	6,122	51	63	-	114	18.62	61.0
South Portland.....	6,287	68	62	-	130	20.68	109.6
Waterville	9,477	135	148	-	283	29.86	91.3
Westbrook	7,283	85	101	-	186	25.54	84.2
Total	225,023	2,443	2,396	4	4,833	21.48	102.4

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1904.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign born.	
Androscoggin	49.01	32.86	16.62	1.51
Aroostook	54.88	15.92	28.12	1.08
Cumberland	51.47	29.64	17.86	1.04
Franklin	67.82	20.21	10.64	1.33
Hancock	88.06	3.45	7.06	1.44
Kennebec	59.45	21.21	18.66	1.28
Knox	77.43	12.89	9.51	0.67
Lincoln	90.28	1.74	5.55	2.45
Oxford	61.64	21.37	15.75	1.24
Penobscot	61.64	18.96	18.62	0.79
Piscataquis	67.85	15.16	17.20	0.29
Sagadahoc	61.66	20.30	16.79	1.25
Somerset	68.61	14.67	15.46	1.26
Waldo	93.10	1.88	4.39	0.63
Washington	64.67	9.62	24.70	1.61
York	48.50	34.28	16.08	1.19
State	60.58	20.29	17.96	1.17

TABLE No. 15.

Percentage of American and Foreign Births by Cities, 1904.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	52.15	35.89	9.56	2.40
Augusta	49.80	30.61	17.14	2.45
Bangor	54.47	25.14	18.99	1.40
Bath	54.77	22.82	20.75	1.66
Belfast	97.50	2.50	-	-
Biddeford	15.89	65.12	18.61	0.38
Brewer	50.26	28.47	20.44	0.73
Calais	32.09	24.06	41.88	1.85
Eastport	45.83	12.50	40.83	0.84
Ellsworth	91.14	-	8.86	-
Gardiner	69.87	9.91	20.72	-
Hallowell	62.75	18.72	23.53	-
Lewiston	39.78	39.86	18.86	1.28
Old Town	35.58	34.36	30.06	-
Portland	41.70	37.11	20.12	1.07
Rockland	76.72	12.94	8.62	1.72
Saco	55.26	21.93	21.05	1.76
South Portland	67.69	13.08	17.69	1.54
Waterville	33.57	33.92	31.80	0.71
Westbrook	34.41	41.94	23.11	0.54
Collectively	44.23	33.71	20.86	1.20

TABLE No. 16.
Twin Births by Months and Counties, 1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	2	-	-	1	1	2	2	1	1	1	-	11
Aroostook	4	3	3	4	3	1	3	2	1	5	4	2	35
Cumberland	-	1	2	2	-	1	1	1	-	-	1	2	11
Franklin	1	1	-	-	-	-	-	1	3	-	-	-	6
Hancock	-	-	1	1	2	1	-	4	1	-	-	-	10
Kennebec	1	1	4	1	2	1	2	-	2	1	-	-	15
Knox	2	-	-	-	3	1	2	-	-	1	-	-	9
Lincoln	-	-	-	2	-	1	-	-	-	-	-	-	3
Oxford	1	1	1	-	1	-	1	1	-	-	1	-	7
Penobscot	1	1	4	1	2	2	-	2	1	2	2	2	20
Piscataquis	-	-	-	-	-	-	-	-	-	1	-	-	1
Sagadahoc	-	-	-	1	1	-	-	-	-	-	-	1	3
Somerset	-	1	1	1	-	-	1	1	1	-	1	1	8
Waldo	-	-	-	1	2	-	-	-	-	-	1	1	5
Washington	3	3	2	1	1	-	1	2	1	2	1	-	17
York	-	-	-	-	3	2	1	1	2	1	-	2	13
Total	13	14	18	15	21	11	14	17	13	14	12	11	173

TABLE No. 17.

Twin Births by Sex and Parentage, by Counties, 1904.

COUNTIES.	SEX.				PARENTAGE.							Living children.	Still-born children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.				
Androscoggin	1	5	5	-	3	7	-	1	-	11	20	2	22	
Arceostock	15	12	8	-	23	6	4	8	-	35	69	1	70	
Cumberland	7	3	1	-	7	4	-	-	-	11	20	2	22	
Franklin	3	-	3	-	4	1	-	1	-	6	8	4	12	
Hancock	1	3	6	-	10	-	-	-	-	10	18	2	20	
Kennebec	4	5	6	-	10	3	1	1	-	15	27	3	30	
Knox	8	-	6	-	9	-	-	-	-	9	18	-	18	
Lincoln	1	1	1	-	3	-	-	-	-	3	5	1	6	
Oxford	2	4	1	-	2	3	-	1	1	7	10	4	14	
Penobscot	4	6	10	-	10	5	2	3	-	20	31	9	40	
Piscataquis	-	-	1	-	1	-	-	-	-	1	1	1	2	
Sagadahoc	2	-	1	-	1	-	-	1	1	3	6	-	6	
Somerset	3	2	3	-	6	2	-	-	-	8	15	1	16	
Waldo	3	1	1	-	5	-	-	-	-	5	9	1	10	
Washington	7	5	5	-	8	2	4	1	2	17	30	4	34	
York	3	6	3	-	8	2	2	-	-	12	23	1	24	
Total	59	53	61	-	109	35	13	12	4	178	310	36	346	

TABLE No. 18.

Still-Births by Sex and Parentage by Counties, 1904.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	17	11	3	31	20	11	-
Aroostook	66	31	1	98	61	36	1
Cumberland	60	44	3	107	75	31	1
Franklin	13	8	-	21	17	4	-
Hancock	18	17	2	37	34	3	-
Kennebec	30	15	4	49	34	15	-
Knox	13	7	-	20	17	3	-
Lincoln	8	3	-	11	10	1	-
Oxford	15	12	3	30	22	8	-
Penobscot	49	33	4	86	64	22	-
Piscataquis	11	10	-	21	20	1	-
Sagadahoc	9	9	-	18	11	7	-
Somerset	16	11	1	28	22	6	-
Waldo	9	8	2	19	16	3	-
Washington	33	17	1	51	40	11	-
York	65	36	4	105	61	44	-
Total	432	272	28	732	524	206	2

TABLE No. 19.
Still-Births by Seasons, 1904.

MONTHS.			
January	64		
February	65		
March	67	Total for first quarter.....	196
April	75		
May	61		
June	55	Total for second quarter	191
July	54		
August	73		
September	45	Total for third quarter.....	171
October	58		
November.....	57		
December	57	Total for fourth quarter	172
Total.....	732		732

NOTES ON BIRTHS.

In the year 1904, 15,405 births were registered in the State, including still-births (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, and 15,130 in 1903).

The number of living children born was 14,673, and the number of still-births was 732.

Of the whole number of living children of which the sex was certified 7,482 were males and 7,177 were females. In 14 births the sex was not stated. For each 100 girls born there were 104.2 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105.0 in 1902, and 105.3 in 1903).

Birth-rate.—The birth-rate of living children for the State was 21.13 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.48 as compared with 20.96, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 37.27, and the lowest in Waldo, 13.19. In four counties, Aroostook, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.58 per cent. were of native parents; 20.29 per cent. were of foreign parentage; 17.96 per cent. were of parents one of whom was foreign; while of 1.17 per cent. the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 93.10 per cent. and only 1.88 per cent. in which both parents were foreign-born. Lincoln followed with 90.28 per cent. of native parentage, and only 1.74 per cent. in which both parents were foreign-born.

In Hancock county in 88.06 per cent. of the births the parents were native-born and in 3.45 per cent. foreign-born.

In Knox, the percentage of native-born parents was 77.43; in Somerset, 68.61; in Franklin, 67.82, and in Piscataquis, 67.35.

Comparatively high percentages of foreign-born parents are found in Androscoggin county 32.86; in Cumberland, 29.64; in Franklin, 20.21; in Kennebec, 21.21; in Oxford, 21.37, and in York, 34.28 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 44.23 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 68.61.

The largest percentage of foreign-born parents was in Biddeford, 65.12; and in Westbrook, 41.94.

In Ellsworth there were no foreign births, and in Belfast only 2.5 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1904 was 1,367 in March; the smallest was 1,037 in November; the largest quarterly total was 3,847 in the second quarter; the smallest, 3,311 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 4,028.

The following is a tabular statement of the number of births in each month of the thirteen years 1892-1904.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,118	1,845	1,375	1,833	1,176	1,222	1,181	1,144	1,047	1,002	1,111	68	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,082	1,109	48	13,908
1894.....	962	880	1,335	1,324	1,255	1,200	1,286	1,218	1,163	1,064	899	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,280	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,692
1897.....	1,126	1,123	1,390	1,260	1,268	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,285	1,224	1,261	1,289	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,280	1,180	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,337	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.....	1,319	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,067	6	14,673

Twin-births.—In 1904, 173 twin-births occurred; in 59 instances the twins were both boys; in 53, both girls; in 61, a boy and a girl. In 109 cases the parentage was American; in 35 foreign; in 25 instances the parentage was mixed; and in 4 it was not stated. Of the 346 children 310 were born alive, and 36 were still-born.

Triplets.—In Harpswell a triple birth occurred.

Still-births.—Of the 732 still-born children, 432 were males and 272 were females. In 28 the sex was not stated. With the exception of two still-births, as to which the nativity of the mother was not stated, 524 were of American mothers, and 206 were of foreign mothers.

The largest number of still-births occurred in Cumberland and York counties, 107 and 105 respectively; while the minimum number, 11 was reported in Lincoln county.

The largest number of still-births, 75, was returned in April; the smallest number was 45 in September. See Tables No. 18 and 19 for other details.

REGISTRATION REPORT.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1897-1904.

	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.
State	8.07	6,144	7.78	6,329	7.71	6,437	7.89	6,735	8.26	5,805	8.56	6,206	8.93	6,208	8.94	6,208
Androscoggin	405	8.27	376	7.68	388	7.41	463	8.54	492	462	8.52	450	8.52	465	8.54	465
Aroostook	483	9.74	457	9.32	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16	623	10.26
Cumberland	688	7.67	687	7.22	722	7.24	731	7.26	791	7.86	846	8.40	903	8.97	848	8.43
Franklin	168	9.85	158	9.26	181	10.43	149	8.08	169	10.25	162	8.78	172	9.33	167	9.05
Hancock	291	7.79	284	7.08	300	8.05	289	7.22	332	8.92	322	8.65	323	8.67	333	8.84
Kennebec	464	8.14	469	8.23	479	8.13	477	8.07	456	7.71	604	8.53	568	8.59	551	8.37
Knox	237	7.63	247	7.86	198	6.49	255	8.38	276	9.08	273	8.98	250	8.21	261	8.95
Lincoln	124	6.64	148	6.73	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71	166	8.44
Oxford	241	7.88	238	7.72	243	7.84	241	7.48	285	8.84	319	9.90	345	10.70	317	9.83
Penobscot	647	8.88	692	8.28	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25	754	9.89
Piscataquis	150	9.90	145	8.89	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74	171	10.09
Sagadahoc	111	6.71	106	8.02	155	7.69	145	7.13	144	7.08	138	7.71	152	7.48	133	9.06
Somerset	317	9.72	275	8.43	258	8.54	328	9.69	333	9.53	308	9.10	349	10.51	357	9.95
Waldo	314	7.71	300	6.13	173	7.65	167	6.91	177	7.32	161	6.66	182	7.53	184	6.37
Washington	538	7.60	341	7.67	398	8.81	369	7.94	327	7.33	344	7.61	360	7.96	332	7.34
York	443	7.06	353	6.10	424	6.55	448	6.90	445	6.87	430	7.40	522	8.06	543	8.37

TABLE No. 21.
Marriages by Counties and Nativity, 1904.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	279	85	43	55	3	465
Aroostook	336	70	96	118	1	623
Cumberland	571	116	80	77	4	848
Franklin	135	13	8	11	-	167
Hancock	299	5	11	18	-	333
Kennebec	403	59	50	37	5	554
Knox	222	14	11	14	-	261
Lincoln	157	-	6	3	-	166
Oxford	252	21	26	18	-	317
Penobscot	542	65	53	78	16	754
Piscataquis	128	8	14	21	-	171
Sagadahoc	142	16	12	13	-	183
Somerset	252	15	14	25	1	337
Waldo	147	4	1	2	-	154
Washington	225	17	45	45	-	332
York	344	105	51	43	-	543
Total	4,464	613	523	578	30	6,208

TABLE No. 22.
Marriages by Months and Counties, 1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	45	31	22	27	49	67	44	39	42	37	39	23	-	465
Aroostook	40	37	26	64	42	80	56	45	52	62	69	49	1	623
Cumberland	66	39	47	62	48	121	52	59	96	95	95	68	-	848
Franklin	14	8	14	11	8	20	7	16	18	18	16	17	-	167
Hancock	23	17	27	25	19	27	19	26	25	36	40	49	-	333
Kennebec	37	29	31	47	29	92	32	40	65	55	49	48	-	554
Knox	17	13	12	13	17	26	10	19	28	35	37	34	-	261
Lincoln	8	10	12	9	5	28	9	5	15	20	23	22	-	166
Oxford	29	16	21	21	33	36	20	17	34	31	28	31	-	317
Penobscot	36	40	38	52	46	120	44	65	97	70	89	57	-	754
Piscataquis	14	8	10	12	11	25	9	11	11	23	14	23	-	171
Sagadahoc	11	15	8	11	10	28	9	9	19	27	25	11	-	183
Somerset	30	16	19	20	26	36	20	27	38	39	33	23	-	337
Waldo	13	8	11	16	10	18	8	8	15	12	15	20	-	154
Washington	23	27	20	30	18	29	16	18	30	49	35	37	-	332
York	33	38	13	43	33	76	35	45	59	66	56	46	-	543
Total	439	352	331	463	404	829	390	449	644	675	663	568	1	6,208

REGISTRATION REPORT.

TABLE No. 23.
Number of Marriages in Each Month of 1897-1904, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	386	87.3	488	100.3	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4	439	88.3
February	325	79.5	273	69.2	286	70.0	313	74.4	258	65.5	351	77.5	331	69.7	303	73.9
March	304	67.2	300	68.7	290	64.2	271	58.2	265	58.5	309	61.5	327	62.2	331	62.8
April	343	78.3	396	93.7	446	101.8	382	84.7	409	86.8	442	91.1	457	85.9	463	90.8
May	416	91.9	386	88.3	346	76.5	378	82.8	371	76.2	380	75.6	401	78.2	404	76.7
June	568	134.2	571	135.1	628	143.4	674	149.6	745	158.1	797	145.8	813	159.7	829	162.5
July	368	81.3	356	81.5	362	80.1	415	89.1	469	84.0	384	78.5	408	77.6	380	74.0
August	399	83.2	350	80.2	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1	419	85.2
September	523	119.4	447	105.7	521	115.3	543	120.5	606	128.6	595	122.7	630	123.8	644	126.2
October	553	122.2	528	120.9	581	128.5	615	132.1	694	142.5	649	128.3	670	127.4	675	128.1
November	589	134.5	551	130.3	567	129.2	592	124.7	652	133.8	632	140.6	690	135.6	693	130.0
December	524	115.8	547	125.2	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2	568	107.8
Unknown	4	-	1	-	3	-	1	-	3	-	1	-	1	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

MARRIAGES.

81

TABLE No. 24.
Marriages by Ages and Counties—1904.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males..	-	20	173	134	61	20	12	14	10	5	9	4	-	3	465
	females	-	96	197	81	36	14	10	13	4	5	4	2	-	3	465
Aroostook.....	males..	-	21	243	174	94	38	15	17	9	6	5	1	-	-	623
	females	3	236	229	72	84	15	12	13	4	1	3	-	-	1	623
Cumberland.....	males..	-	18	317	260	116	53	29	20	13	8	14	-	-	-	848
	females	1	167	340	188	80	31	18	9	4	4	5	1	-	-	848
Franklin.....	males..	-	5	60	44	19	17	5	5	7	3	1	1	-	-	167
	females	1	60	48	21	15	4	7	5	3	1	2	-	-	-	167
Hancock.....	males..	-	15	132	88	40	21	11	9	7	6	4	-	-	-	333
	females	-	108	132	43	18	9	9	5	3	4	2	-	-	-	333
Kennebec	males..	-	26	204	126	80	46	21	15	9	10	16	1	-	-	554
	females	1	117	214	104	40	33	18	10	4	2	5	1	-	1	554
Knox	males..	-	12	96	73	24	24	6	7	8	4	7	-	-	-	261
	females	1	69	95	50	18	11	3	5	3	4	2	-	-	-	261
Lincoln	males..	-	8	60	45	18	11	2	10	5	3	3	1	-	-	166
	females	-	47	65	23	9	8	5	4	2	-	2	1	-	-	166
Oxford.....	males..	-	9	124	76	48	25	11	8	6	4	5	1	-	-	317
	females	-	87	124	49	22	16	9	2	4	4	-	-	-	-	317
Penobscot	males..	-	21	245	222	108	59	39	23	13	6	13	4	-	1	754
	females	-	209	266	126	60	35	20	14	8	6	8	-	-	2	754
Piscataquis	males..	-	5	52	52	31	14	4	7	4	1	1	-	-	-	171
	females	1	46	62	31	8	7	5	4	4	3	-	-	-	-	171
Sagadahoc.....	males..	-	7	76	56	14	7	9	7	3	1	2	1	-	-	183
	females	1	35	69	42	18	12	3	-	2	1	-	-	-	-	183
Somerset	males..	-	16	120	98	39	24	14	11	7	4	2	2	-	-	337
	females	1	100	114	60	26	11	11	4	6	1	3	-	-	-	337
Waldo	males..	-	11	63	26	16	16	8	2	4	3	5	-	-	-	154
	females	1	44	54	24	16	1	6	3	-	2	3	-	-	-	154
Washington	males..	-	9	138	87	42	22	13	6	3	5	3	3	-	-	332
	females	1	96	131	51	27	10	6	4	1	2	2	1	-	-	332
York	males..	-	29	211	138	53	30	24	23	10	11	11	2	1	-	543
	females	-	123	208	101	40	22	21	13	3	3	6	3	-	-	543
Total.....	males..	-	232	2,314	1,699	804	427	223	184	118	80	101	21	1	4	6,208
	females	12	1,640	2,348	1,066	467	239	163	108	55	43	51	9	-	7	6,208
Grand total		12	1,872	4,662	2,765	1,271	666	386	292	173	123	152	30	1	11	12,416

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.	
					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	77	53	42	15	25	389	395	61	61	11	6			
Aroostook	75	73	46	15	18	531	555	76	56	9	8			
Cumberland	153	70	52	34	38	744	757	93	85	11	5			
Franklin	23	24	17	7	16	136	133	27	31	2	2			
Hancock	59	49	39	6	27	278	267	51	61	4	5			
Kennebec	51	90	70	29	27	435	457	105	86	14	10			
Knox	33	36	22	16	26	200	213	44	43	6	5			
Lincoln	20	32	17	4	6	140	143	23	20	4	3			
Oxford	54	36	30	16	22	265	265	49	49	3	3			
Penobscot	116	96	80	46	46	610	637	131	119	11	7			
Piscataquis	27	21	19	12	12	188	140	30	25	3	6			
Sagadahoc	43	13	18	10	11	155	154	26	26	2	3			
Somerset	66	48	37	16	22	273	278	56	49	8	6			
Waldo	31	18	16	7	6	129	132	22	19	3	2			
Washington	43	29	35	8	15	295	282	34	47	3	3			
York	115	79	48	10	23	454	470	75	61	11	10			
Total	1,016	769	588	251	340	5,181	5,268	902	838	106	86			

No. 25.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Number of marriage not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
1	-	-	-	3	3	330	78	74	18	15	70	74	19	16
3	-	-	-	4	4	1,246	73	67	17	14	73	66	17	17
-	-	-	-	-	1	1,696	69	70	17	14	67	67	19	14
2	-	-	-	-	1	334	73	62	18	14	73	62	18	14
-	-	-	-	-	-	668	69	66	18	15	69	66	18	17
-	1	-	-	-	-	1,106	73	70	16	13	66	70	16	19
2	-	-	-	-	-	522	68	67	16	14	67	67	18	17
-	-	-	-	-	-	332	74	73	16	16	74	73	18	16
-	-	-	-	-	-	634	73	56	18	15	73	56	18	18
2	-	-	-	-	1	1,508	76	68	17	15	71	68	17	16
-	-	-	-	-	-	342	85	57	18	13	65	57	18	17
-	-	-	-	-	-	366	70	57	17	14	65	57	20	14
-	2	-	-	-	-	674	74	69	16	14	74	69	16	18
1	-	-	-	-	-	308	68	67	18	14	68	67	19	16
-	-	-	-	-	-	664	77	73	18	14	77	73	18	15
2	-	1	-	1	1	1,086	83	73	17	15	83	73	18	15
18	3	1	-	8	11	12,416								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1904 was 6,208 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, and 6,200 in 1903). We have, therefore, for the year 1904, a marriage-rate of 17.88 (persons married) to every 1,000 of population, or at the rate of 8.94 marriage per 1,000 persons.

• *Marriage-rates.*—The marriage-rate was higher in Aroostook county than elsewhere in the State, it being for that county 20.52 per 1,000. The lowest marriage-rate, that of 12.74 per 1,000, was in Waldo county. See Table No. 4.

Nativity.—Of the 6,178 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 10 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 829, was solemnized in June, while the smallest number in any one month, 331, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 12 brides were married; in the age period 15-20 years there were 232 grooms and 1,640 brides; in the period 20-25 years 2,314 men and 2,348 women were married; from 25-30, 1,699 men and 1,066 women; from 30-35, 804 men and 467 women; from 35-40, 427 men and 239 women; from 40-45, 223 men and 163 women; from 45-50, 184 men and 108 women; from 50-55, 118 men and 55 women; from 55-60, 80 men and 43 women; from 60-70, 101 men and 51 women; from 70-80, 21 men and 9 women; over 80, one man. The age of 4 grooms and 7 brides was not stated. See Table No. 24.

In 5,192 marriages, the groom was older than the bride; while in 1,016, the bride was the elder; 769 widowers and 588 widows were remarried; 251 men and 340 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,181 men and 5,268 women were married the first time; that 902 men and 838 women were married the second time; that 105 men and 86 women were united in the third marriage; that 13 men and 3 women contracted marriage a fourth time; 1 man was married a fifth time. The oldest groom was 83 years of age, and the oldest bride was 74. In two marriages the bride was but 13 years of age and in ten but 14.

In one instance a groom was married a third time when but 24 years of age, and a bride a third time when only 19. One man was married for the first time at the age of 68 years; one woman contracted marriage the first time at the age of 74 years, and another at 72. A second marriage of one bride occurred at 17 years of age and another at 18. Both had been divorced. In one marriage the groom was 58 and the bride only 15.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and intoxication.	Cruelty.	Extreme cruelty.	Extreme cruelty and cruel and abusive treatment.	Desertion.	Desertion and failure to support.	Intoxication.
Androscoggin	52	18	5	-	-	-	-	18	-	9
Aroostook	38	13	7	-	-	-	-	15	-	6
Cumberland	99	32	12	-	-	-	-	31	-	16
Franklin	16	10	6	-	-	-	-	8	-	2
Hancock	29	18	6	-	-	-	-	15	-	5
Kennebec	86	26	12	-	36	-	-	16	-	24
Knox	39	12	5	-	-	-	-	6	-	9
Lincoln	8	3	-	-	-	-	-	4	-	1
Oxford	40	16	5	-	-	-	-	13	-	8
Penobscot	74	32	12	-	-	2	-	41	-	23
Piscataquis	17	8	2	-	-	-	-	7	1	4
Sagadahoc	13	10	-	-	-	1	-	5	-	3
Somerset	51	16	6	1	-	-	1	11	-	18
Waldo	22	4	3	-	-	2	-	7	-	2
Washington	25	7	2	-	-	-	-	12	-	1
York	50	24	13	-	-	1	2	22	-	15
Total	658	249	96	1	36	6	3	228	1	146

No. 26.

Year 1904, as returned by Clerks of the Several Counties.

Intoxication and extreme cruelty.	Intoxication and desertion.	Intoxication and failure to support.	Intoxication, cruel and abusive treatment and non-support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Gross, wanton and cruel neglect to provide maintenance.	Impotence.	Priority of marriage.	Total.
-	-	-	2	4	28	-	-	8	-	-	1	70
-	-	-	-	-	90	-	-	1	1	1	-	51
-	3	-	-	-	53	1	2	9	1	2	-	150
-	-	-	-	-	15	-	-	-	-	-	-	26
-	-	-	-	-	21	-	-	-	-	-	-	47
-	-	-	-	-	8	-	-	15	-	-	-	111
1	-	-	-	-	27	-	-	1	-	-	-	51
-	-	-	-	-	4	-	-	1	-	1	-	11
-	-	-	-	-	29	-	-	-	-	-	1	56
-	-	-	-	-	26	-	-	1	-	1	-	106
-	-	-	-	-	9	-	-	1	-	-	-	25
-	-	-	-	-	13	-	-	-	1	-	-	23
-	-	-	-	-	27	-	1	2	-	-	-	67
-	-	-	-	-	11	-	-	1	-	-	-	26
-	-	-	-	-	17	-	-	-	-	-	-	32
1	-	-	-	-	20	-	-	-	-	-	-	74
2	3	2	4	323	1	8	19	19	2	4	2	906

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1904.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.						
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.
Adultery	96	Males	65	3	25	19	13	5	-
		Females ..	31	-	12	7	12	-	-
Adultery and intoxication	1	Males	1	-	-	1	-	-	-
		Females ..	1	-	-	-	-	-	-
Cruelty	36	Males	6	1	2	1	1	1	-
		Females ..	30	1	14	4	5	2	1
Extreme cruelty	6	Males	-	-	-	-	-	-	-
		Females ..	6	-	3	2	1	-	-
Extreme cruelty and cruel and abusive treatment	3	Males	-	-	-	-	-	-	-
		Females ..	3	-	-	2	1	-	-
Desertion	228	Males	87	-	12	23	30	14	8
		Females ..	141	-	16	53	41	21	8
Desertion and failure to support	1	Males	-	-	-	-	-	-	-
		Females ..	1	-	-	-	1	-	-
Intoxication	146	Males	13	1	4	4	1	2	1
		Females ..	133	-	46	35	35	15	2
Intoxication and extreme cruelty	2	Males	-	-	-	-	-	-	-
		Females ..	2	1	-	-	1	-	-
Intoxication and desertion	3	Males	-	-	-	-	-	-	-
		Females ..	3	-	-	-	1	2	-
Intoxication and failure to support	2	Males	-	-	-	-	-	-	-
		Females ..	2	-	1	1	-	-	-
Intoxication, cruel and abusive treatment, and non-support	4	Males	-	-	4	-	-	-	-
		Females ..	4	-	-	-	-	-	-
Cruel and abusive treatment	328	Males	73	1	21	19	22	8	1
		Females ..	255	4	78	64	69	28	9
Cruel and abusive treatment and adultery	1	Males	-	-	-	-	-	-	-
		Females ..	1	-	-	-	1	-	-
Cruel and abusive treatment and failure to support	3	Males	-	-	-	-	-	-	-
		Females ..	3	-	1	-	2	-	-
Cruel and abusive treatment and intoxication	19	Males	-	-	-	-	-	-	-
		Females ..	19	-	6	8	5	-	-
Failure to support	19	Males	-	-	-	-	-	-	-
		Females ..	19	-	9	5	2	2	1
Gross, wanton and cruel neglect to provide maintenance	2	Males	-	-	-	-	-	-	-
		Females ..	2	1	-	1	-	-	-
Impotence	4	Males	-	-	2	-	-	-	-
		Females ..	2	-	-	-	-	-	-
Priority of marriage	2	Males	-	-	1	1	-	-	-
		Females ..	-	-	-	-	-	-	-
Total	906	Males	248	2	4	67	67	80	10
		Females ..	658	1	9	192	188	175	72

NOTES ON DIVORCES.

Nine hundred and six divorces were decreed in the year 1904 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, and 946 in 1903). In 1904, there was decreed in Maine one divorce for every 6.9 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 96, or 10.6 per cent. of the whole number; cruelty, 36, or 4 per cent.; desertion 228, or 25.2 per cent.; intoxication, 146, or 16.1 per cent.; cruel and abusive treatment, 328, or 36.2 per cent.; failure to support, 19, or 2.1 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 658 divorces, and the husband in 248.

In the divorces granted for adultery, the husband was the libellant 65 times, and the wife 31 times.

On account of cruelty, the wife was the libellant in 30 cases, and the husband in 6 cases.

For desertion, the husband was the libellant 87 times, and the wife 141.

For intoxication, the husband was the libellant in 13 cases, and the wife in 133.

For cruel and abusive treatment, the husband was the libellant in 73 instances, and the wife in 255.

For failure to support, the wife was the libellant in the 19 divorces decreed for that cause.

Three divorces were granted before the marriage life had lasted six months; 13 before 1 year's marriage; 259 after from 1 to 5 years' marriage; 250 after 5 to 10 years; 242 after 10 to 20 years; 102 after 20 to 30 years; 31 after more than 30 years of married life; while in 6 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties for the Years 1897-1904.

	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	11,236	16.89	10,966	16.57	11,570	16.45	11,899	16.40	11,185	16.08	10,678	15.37	11,009	15.36	11,846	16.34
Androsoggin	885	20.22	957	19.54	1,064	19.62	983	17.76	848	16.63	808	14.89	745	13.73	833	15.26
Arrostock	761	16.47	745	16.43	768	16.18	768	16.18	768	16.18	768	16.18	768	16.18	768	16.18
Cumberland	1,763	18.41	1,705	18.76	1,778	17.93	1,626	16.15	1,446	17.54	1,632	16.70	1,712	17.00	1,810	17.98
Franklin	282	16.70	276	16.16	310	17.12	311	17.16	275	15.12	238	14.38	277	15.35	306	16.77
Hancock	686	16.22	660	14.74	672	15.42	611	13.31	611	13.31	468	12.66	531	14.35	492	13.28
Kennebec	1,140	20.00	969	17.36	1,053	18.08	1,073	18.16	1,070	18.16	1,020	17.23	1,062	18.47	1,084	18.37
Knox	415	16.10	497	15.79	468	15.36	519	17.14	491	16.15	445	14.69	483	15.86	467	16.06
Lincoln	843	16.21	1,188	18.66	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49
Oxford	1,194	16.21	1,188	18.66	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49	1,176	18.49
Piscataquis	241	16.25	332	15.78	377	16.95	345	16.30	322	15.57	293	12.88	327	13.63	319	16.22
Sagadahoc	594	18.55	572	15.78	597	16.95	597	16.95	597	16.95	597	16.95	597	16.95	597	16.95
Walden	418	16.66	549	15.43	549	15.43	549	15.43	549	15.43	549	15.43	549	15.43	549	15.43
Washington	493	16.51	493	15.52	493	15.52	493	15.52	493	15.52	493	15.52	493	15.52	493	15.52
York	1,141	18.16	1,128	17.87	1,207	18.68	1,259	17.86	1,188	16.23	1,216	16.74	1,177	13.14	1,176	13.14

TABLE No. 29.

Number of Deaths in Each Month of 1897-1904, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	916	96.0	887	96.3	1,453	148.4	903	99.6	955	100.9	878	96.7	1,006	107.6	986	102.2
February	861	96.7	817	97.1	1,049	130.5	881	100.8	1,091	86.4	900	110.0	944	111.8	1,035	118.9
March	1,329	131.9	895	92.7	955	96.9	1,096	110.1	1,133	119.7	929	102.5	966	106.5	1,090	117.8
April	1,090	110.4	916	101.6	965	103.3	1,198	127.7	955	104.4	989	107.1	939	109.3	1,116	119.7
May	882	93.5	985	100.0	899	96.2	1,068	107.3	944	99.9	919	101.4	990	99.5	1,038	107.7
June	769	83.3	791	87.8	768	82.2	783	84.3	789	86.2	805	91.8	786	86.9	897	86.5
July	846	88.0	814	87.5	788	81.1	839	84.4	886	88.4	837	92.4	901	96.4	890	88.0
August	1,619	166.8	1,008	107.7	1,081	108.8	1,083	108.8	831	87.9	861	95.0	865	92.4	898	93.0
September	997	108.0	1,147	127.3	963	102.0	1,087	110.8	970	105.4	911	103.9	957	105.7	907	97.2
October	999	104.7	1,084	111.1	823	91.4	911	91.6	882	98.3	854	94.3	865	92.5	909	94.3
November	885	94.4	837	92.9	781	83.6	769	82.1	831	90.8	820	96.5	831	91.8	817	87.6
December	887	87.7	911	97.9	861	91.3	866	96.1	897	94.9	968	110.1	919	98.3	944	97.9
Unknown	-	-	2	-	11	-	8	-	20	-	24	-	26	-	12	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscooggin.	Arcoosook.	Cumberland.
All causes (including premature births)	11,564	849	821	1,849
I. General diseases	2,878	204	230	461
II. Diseases of nervous system and organs of special sense	1,578	142	67	259
III. Diseases of circulatory system	1,813	98	50	223
IV. Diseases of respiratory system	1,428	87	71	213
V. Diseases of digestive system	1,076	86	153	159
VI. Diseases of genito-urinary system and its adnexa	773	60	82	146
VII. The puerperal state	109	5	21	10
VIII. Diseases of skin and cellular tissue	76	3	3	13
IX. Diseases of organs of locomotion	11	-	-	3
X. Malformations	62	8	4	8
XI. Early infancy	478	42	38	78
XII. Old age	756	42	40	127
XIII. Deaths from external causes	636	48	40	115
XIV. Deaths from ill-defined causes	410	30	72	44

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
310	503	1,104	500	324	577	1,385	258	315	573	401	601	1,214
66	105	221	122	71	123	420	78	83	157	94	168	269
43	50	215	73	31	80	153	28	51	58	60	77	200
32	62	126	60	40	73	139	26	34	54	65	76	162
43	70	167	47	36	64	178	23	46	83	50	78	173
26	50	97	35	23	53	134	16	25	54	29	39	96
32	36	59	46	36	35	79	16	26	34	24	31	81
8	8	15	5	3	7	6	2	1	1	6	7	9
2	3	9	1	6	6	9	1	-	5	2	2	11
-	1	-	-	-	1	2	-	-	-	1	1	2
-	2	5	-	2	6	6	2	1	5	3	4	6
9	23	34	22	7	25	43	9	7	18	16	34	73
23	39	73	49	45	38	81	22	18	44	26	34	56
22	36	47	37	16	42	86	27	17	34	16	25	38
9	18	37	13	8	18	49	9	6	26	9	25	37

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androsoggin.	Arroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,878	204	230	461	66	105	221	122	71	129	430	78	83	157	94	168	269
Typhoid fever.....	242	15	51	24	2	4	12	3	4	12	88	1	5	5	1	4	24
Intermittent fever and malarial cachexia.....	18	1	1	1	1	1	1	3	1	3	2	1	1	1	1	1	1
Smallpox	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles	22	1	1	2	1	4	2	1	1	1	1	1	1	1	1	1	1
Scarlatina	10	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough	54	3	10	14	4	1	1	2	1	10	1	1	1	1	1	1	1
Diphtheria and croup.....	162	13	17	37	1	5	8	1	2	5	22	2	17	12	1	8	9
Influenza	166	13	25	23	1	3	17	5	3	11	15	7	2	12	9	11	9
Cholera nostras	12	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery	27	2	1	1	1	2	3	1	1	1	5	1	1	4	1	4	4
Erysipelas	29	2	4	3	1	2	2	1	1	3	1	1	1	1	2	2	3
Purulent septicemia and infection.....	51	1	4	4	1	2	4	6	1	4	7	1	3	2	2	3	6
Glanders and farcy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malignant pustule	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of larynx	11	1	1	3	1	1	3	2	1	1	2	1	1	1	1	1	1
Tuberculosis of lungs	1,016	69	71	155	27	39	79	45	31	36	143	31	21	56	40	65	108
Tuberculosis of meninges	63	2	8	14	2	1	2	1	1	3	11	2	1	1	1	10	3
Tuberculosis of the peritoneum	62	5	2	8	1	3	6	4	1	11	1	2	4	3	6	6	6
Pott's disease	8	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
Cold abscess	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
White swelling	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Tuberculosis of other organs	12	1	2	1	1	1	1	1	1	1	1	2	2	1	2	3	1
General tuberculosis	33	6	3	5	1	1	1	2	1	1	5	1	1	1	2	1	4
Scrofula	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis	8	1	1	2	1	1	1	1	1	2	3	1	1	1	1	1	1
Gonorrhoea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cancer of mouth	29	3	1	6	1	1	2	1	2	2	3	1	1	1	2	5	5
Cancer of stomach and liver	238	20	7	42	5	7	21	12	6	10	20	5	9	22	8	18	26
Cancer of the peritoneum, intestines and rectum	76	5	2	20	2	7	9	2	1	4	9	2	2	2	1	3	5
Cancer of female genital organs	78	5	2	16	2	4	12	3	3	12	1	2	3	1	6	6	6
Cancer of breast	57	6	3	4	1	2	6	5	1	8	6	1	2	6	2	4	4
Cancer of skin	27	1	1	3	3	2	4	3	1	3	1	2	1	1	1	2	2
Cancer of other organs and of organs not specified	166	6	11	17	4	6	6	6	2	3	11	5	3	4	3	2	12
Other tumors	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Acute articular rheumatism	32	2	3	5	1	1	1	2	1	1	3	3	2	1	1	2	3
Chronic rheumatism and gout	28	1	2	7	1	4	2	1	2	4	1	1	1	2	1	1	1
Scurvy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes	91	9	7	16	4	1	9	5	2	11	1	1	1	2	5	1	15
Exophthalmic goiter	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Addison's disease	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Leukemia	10	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1
Anemia, chlorosis	44	6	3	6	3	1	7	1	1	2	8	1	3	2	2	1	1
Alcoholism, acute or chronic	21	3	2	7	1	3	1	1	1	1	1	1	1	1	1	1	1
Other chronic poisonings	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York,
II.—Diseases of the nervous system and of the organs of special sense	1,578	142	67	250	43	50	215	73	31	80	153	28	51	58	60	77	260
Encephalitis.....	10	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2
Simple meningitis.....	212	31	12	44	3	5	19	5	1	10	19	4	3	9	8	13	21
Progressive locomotor ataxia.....	26	1	1	2	2	1	2	1	2	1	1	1	1	1	2	4	5
Other diseases of the spinal cord.....	52	3	1	12	1	1	2	2	1	5	8	2	1	5	4	1	3
Congestion and hemorrhage of the brain.....	714	66	16	120	25	20	92	40	13	36	66	12	30	23	28	34	88
Softening of the brain.....	44	5	1	5	3	2	6	4	1	3	6	1	2	2	1	1	3
Paralysis without specified cause.....	217	11	14	25	3	13	22	12	6	9	24	2	7	7	16	12	34
General paralysis.....	25	2	1	4	1	1	3	1	1	2	1	1	3	1	1	2	4
Other forms of mental alienation.....	71	3	3	4	1	1	45	2	2	3	3	1	1	1	2	1	1
Epilepsy.....	25	1	1	6	1	1	3	1	1	2	4	1	1	1	3	1	1
Eclampsia (non-puerperal).....	11	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Convulsions of children.....	78	4	12	10	2	2	9	5	1	10	1	1	2	4	1	6	10
Tetanus.....	14	6	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1
Chorea.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of the nervous system.....	76	6	2	12	1	4	8	1	4	7	9	4	1	4	1	2	10
Diseases of the eye and its adnexa.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of the ear.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
III.—Diseases of the circulatory system	1,313	83	56	222	32	62	126	60	40	73	139	25	34	54	65	76	162
Pericarditis.....	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Acute endocarditis.....	49	3	3	15	2	3	8	1	1	5	1	1	1	1	1	7	2
Organic diseases of the heart.....	1,052	74	38	184	26	53	102	39	31	58	115	18	27	56	50	55	137
Angina pectoris.....	79	6	4	10	2	2	6	3	2	5	10	4	4	3	4	6	8
Affections of the arteries (atheroma, aneurism, etc.).....	51	3	3	5	2	2	8	3	1	2	5	1	2	1	5	4	6
Embolism and thrombosis.....	50	5	3	7	2	2	4	6	2	1	4	3	1	1	5	2	2
Affections of the veins, (varices, hemorrhoids, phlebitis, etc.).....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hemorrhages.....	19	1	1	1	1	1	2	1	1	1	4	1	1	1	2	4	1
Other diseases of the circulatory system.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
IV.—Diseases of the respiratory system	1,428	87	71	213	43	70	167	47	36	64	178	23	46	33	50	78	173
Diseases of the nasal fossae.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Affections of the larynx.....	18	1	1	5	1	1	1	1	1	1	4	1	1	1	1	4	1
Affections of the thyroid body.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Acute bronchitis.....	124	9	6	18	2	3	17	4	1	7	18	3	5	3	5	4	19
Chronic bronchitis.....	90	6	7	15	2	4	11	3	3	9	13	1	5	7	3	8	8
Broncho-pneumonia.....	151	14	4	15	6	5	38	4	1	4	19	1	3	4	6	12	17
Pneumonia.....	390	50	47	137	33	53	83	27	29	33	108	18	29	62	38	53	105
Pleurisy.....	24	2	2	3	1	1	2	1	1	1	1	1	1	1	1	2	5
Congestion of the lungs, pulmonary apoplexy.....	45	1	1	9	1	11	3	1	1	8	1	2	1	1	2	5	1
Gangrene of the lungs.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Asthma.....	29	3	3	3	2	3	3	1	4	2	1	1	1	1	1	4	1
Emphysema of the lungs.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of the respiratory system (phthisis excepted).....	28	1	1	6	1	1	1	1	1	3	4	1	1	4	2	1	3

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
V.—Diseases of the digestive system.....	1,076	85	153	159	26	50	97	35	23	53	134	16	25	54	29	39	98
Affections of the mouth and its adnexa.....	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1
Affections of the pharynx.....	13	-	-	3	-	-	1	-	-	2	3	-	1	1	1	-	1
Diseases of the esophagus.....	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
Ulcer of the stomach.....	23	1	3	2	1	1	2	1	-	1	3	-	1	4	-	-	3
Other diseases of the stomach (cancer excepted).....	163	5	13	28	4	9	20	5	8	4	22	5	4	11	8	2	15
Infantile diarrhea (under 2 years).....	369	34	116	43	7	9	38	2	3	17	32	-	4	14	5	10	35
Diarrhea and enteritis (2 years and over).....	106	6	9	11	-	7	9	2	1	2	23	2	1	7	2	9	15
Intestinal parasites.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hernias and other intestinal obstructions.....	89	8	4	21	1	6	5	9	2	3	12	1	1	3	2	5	6
Other affections of the intestines.....	15	1	1	2	2	1	1	1	-	2	1	-	-	1	1	1	-
Acute yellow atrophy of liver.....	8	-	-	-	2	-	-	-	-	-	-	1	1	1	-	2	1
Cirrhosis of liver.....	46	-	-	2	4	4	4	3	4	4	2	5	1	1	1	2	8
Biliary calculi.....	15	3	-	3	1	1	1	-	-	3	1	-	-	-	-	-	2
Other affections of the liver.....	78	8	3	14	3	7	5	4	2	4	10	-	2	6	4	2	4
Affections of the spleen.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory peritonitis (puerperal excepted).....	63	5	2	12	-	2	5	3	1	6	8	2	3	3	4	1	6
Appendicitis and abscess of the iliac fossa.....	81	14	2	16	3	3	5	3	3	5	13	3	2	2	1	5	1
VI.—Diseases of the genito-urinary system and its adnexa.....	773	60	32	146	32	36	59	46	36	35	79	16	26	34	24	31	81
Acute nephritis.....	54	9	1	11	2	4	2	4	-	5	7	-	1	2	2	-	4
Bright's disease.....	575	32	26	114	27	26	39	35	31	23	54	13	22	23	17	25	68
Other diseases of the kidneys and their adnexa.....	20	3	2	5	-	1	-	-	1	-	4	-	-	-	2	-	2
Calculi of the urinary tract.....	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Diseases of the bladder.....	57	4	1	4	3	2	11	3	4	4	8	1	2	6	-	2	2
Diseases of the urethra, urinary abscess, etc.....	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate.....	17	-	1	1	-	1	1	-	-	2	3	1	1	1	1	1	3
Uterine hemorrhage, (non-puerperal).....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Uterine tumor (non-cancerous).....	4	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Other diseases of the uterus.....	17	7	1	4	-	1	2	1	-	-	-	-	-	-	1	-	-
Cysts and other tumors of the ovary.....	11	1	-	3	-	-	2	1	-	1	1	-	-	-	1	-	1
Other diseases of the female genital organs.....	11	3	-	1	-	-	1	1	-	-	1	1	-	1	1	1	-
VII.—The puerperal state.....	109	5	21	10	3	8	15	5	3	7	6	2	1	1	6	7	9
Accidents of pregnancy.....	21	3	2	3	-	1	3	2	1	1	2	-	-	-	-	1	1
Puerperal hemorrhage.....	6	-	-	2	1	1	-	-	-	1	-	1	-	-	-	-	-
Other accidents of labor.....	6	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Puerperal septicemia.....	37	1	7	3	2	2	5	3	2	-	2	1	-	1	3	3	2
Puerperal albuminuria and eclampsia.....	19	-	4	-	-	3	3	-	-	2	1	-	1	-	-	1	4
Other puerperal accidents, sudden death....	20	-	6	2	-	1	3	-	-	2	1	-	-	-	2	2	1

TABLE No. 30—Concluded.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VIII.—Diseases of the skin and cellular tissue	76	3	3	13	2	2	3	1	6	6	9	1	-	5	2	2	11
Gangrene	61	2	1	11	1	1	8	1	4	5	9	1	-	3	2	2	9
Furuncle, boil, carbuncle	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Phlegmon, acute abscess	12	1	2	2	1	1	1	-	2	1	-	-	-	2	-	-	-
Other diseases of the skin and its adnexa	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
IX.—Diseases of the organs of locomotion	11	-	-	3	-	1	-	-	-	1	2	-	-	-	1	1	2
Non-tuberculous diseases of the bones	10	-	-	3	-	1	-	-	-	-	2	-	-	-	1	1	2
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
X.—Malformations.																	
Malformations, congenital (still-births excepted)	62	8	4	8	-	2	5	-	2	6	6	2	1	5	3	4	6
XI.—Early infancy	478	42	38	78	9	23	34	22	7	26	43	9	7	18	16	34	73
Congenital icterus, debility, and sclerema	410	31	33	69	8	20	28	17	7	21	37	8	6	17	15	34	68
Other diseases of early infancy	23	4	2	2	-	3	2	-	-	2	2	1	-	1	1	-	3
Lack of care	45	7	3	16	1	-	4	5	-	2	4	-	1	-	-	-	2
XII.—Old age.																	
Senile debility	756	42	40	127	23	39	72	49	45	38	81	22	18	44	26	34	56
XIII.—Deaths from external causes	636	48	40	115	22	36	47	27	16	42	86	27	17	34	16	25	38
Suicide by poison	13	2	-	4	-	-	-	-	-	1	-	2	-	1	-	1	2
Suicide by hanging or strangulation	28	2	1	4	1	1	5	-	4	-	5	2	1	-	1	-	1
Suicide by drowning	12	1	-	2	-	2	-	2	1	-	2	-	-	-	2	-	-
Suicide by firearms	41	4	3	2	2	3	6	1	2	6	1	2	-	3	1	1	5
Suicide by cutting instruments	8	-	-	4	-	1	1	1	-	-	-	1	-	-	-	-	-
Other suicides	6	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-
Fractures	73	4	2	16	1	3	5	8	-	8	8	3	6	4	3	3	4
Dislocations and sprains	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other accidental injuries	183	16	16	33	7	6	13	7	3	13	28	7	3	9	5	10	7
Burns and scalds	89	4	2	7	2	1	2	-	2	-	7	8	1	1	3	1	3
Sunstroke	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Freezing	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Electric shock	7	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	1
Accidental drowning	137	7	8	25	4	14	5	9	1	6	22	6	5	10	-	7	8
Inanition (starvation)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Absorption of deleterious gases (non-suicidal)	15	3	-	2	-	-	2	1	-	-	4	1	-	1	-	1	-
Other acute poisonings	30	1	2	3	2	2	4	2	1	2	2	-	-	3	1	-	5
Other external violence	40	4	6	9	2	2	2	-	1	5	5	-	1	1	-	1	1
XIV.—Deaths from ill-defined causes	410	30	72	44	9	18	37	13	8	18	49	9	6	26	9	25	37
Dropsy	24	4	-	-	-	2	4	3	1	-	2	1	-	-	1	2	4
Sudden death	20	4	1	-	-	1	1	-	-	1	4	1	-	2	-	2	3
Unspecified or ill-defined causes of death	366	26	67	44	9	15	32	10	7	17	43	7	6	24	8	21	30

TABLE No. 31.
Deaths from All Causes by Months—1904.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including pre-mature births)	11,584	1,003	1,055	1,108	1,181	1,067	834	828	907	927	922	830	960	12
I.—General diseases	2,878	223	269	292	332	293	217	210	206	192	217	201	225	1
II.—Diseases of nervous system and organs of special sense	1,578	151	154	144	141	141	110	117	124	127	131	117	121	-
III.—Diseases of circulatory system	1,313	125	121	118	100	111	113	95	101	89	130	95	113	2
IV.—Diseases of respiratory system	1,428	144	191	195	185	146	66	39	39	44	98	119	169	2
V.—Diseases of digestive system	1,076	66	64	77	67	66	77	114	178	167	82	53	64	1
VI.—Diseases of genito-urinary system and its adnexa	773	59	63	62	78	74	56	50	70	72	70	58	61	-
VII.—The puerperal state..	109	8	14	13	11	12	5	8	4	7	7	9	11	-
VIII.—Diseases of skin and cellular tissue	76	6	6	9	7	4	5	7	4	11	6	5	6	-
IX.—Diseases of organs of locomotion	11	-	2	1	1	-	1	2	1	3	-	-	-	-
X.—Malformations.....	62	6	8	2	10	7	4	7	6	2	3	6	1	-
XI.—Early infancy.....	478	42	38	51	40	55	45	35	34	51	25	23	38	1
XII.—Old age.....	756	87	61	69	77	74	56	47	49	59	52	67	57	1
XIII.—Deaths from external causes.....	636	48	28	32	45	52	56	82	63	59	65	51	54	1
XIV.—Deaths from ill-defined causes.....	410	38	36	43	37	32	23	24	28	44	36	26	40	3

TABLE No. 31—Continued.
Deaths from All Causes by Months—1904.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,878	223	269	292	332	293	217	216	206	192	217	201	225	1
Typhoid fever	242	9	10	20	49	46	16	16	15	21	14	11	15	
Intermittent fever and malarial cachexia	13	1	1	1	2	-	1	1	-	1	2	3	-	
Smallpox	3	-	2	-	-	1	-	-	-	-	-	-	-	
Measles	22	7	3	6	4	-	-	1	-	-	-	-	1	
Scarlatina	10	-	2	1	-	3	1	-	1	-	1	-	-	
Whooping cough	54	5	4	11	7	5	4	5	5	3	-	-	5	
Diphtheria and croup	162	14	16	10	15	14	5	12	12	5	16	24	19	
Influenza	166	14	19	38	30	25	5	-	4	4	3	12	12	
Cholera nostras	12	1	-	-	-	-	-	1	2	8	-	-	-	
Dysentery	27	-	1	1	1	1	2	1	9	5	5	1	-	
Erysipelas	29	2	4	8	4	1	1	-	-	-	4	1	2	
Purulent septicemia and infection. Glands and farcy	51	5	6	4	5	3	2	3	5	4	7	1	6	
Malignant pustule	3	2	-	-	-	1	-	-	-	-	-	-	-	
Tuberculosis of larynx	11	-	-	1	2	1	3	2	1	-	-	1	-	
Tuberculosis of lungs	1,016	79	103	95	115	98	86	85	70	62	82	66	74	1
Tuberculosis of meninges	63	6	8	7	5	6	11	6	3	1	2	5	3	
Tuberculosis of the peritoneum	62	4	4	5	9	7	8	6	2	6	8	1	7	
Pott's disease	8	-	-	-	-	-	1	1	1	1	2	1	2	
Cold abscess	5	-	-	1	-	2	1	-	-	-	-	-	1	
White swelling	1	2	1	-	-	-	-	-	1	1	-	-	-	
Tuberculosis of other organs	12	-	2	2	-	2	-	-	-	1	2	1	1	
General tuberculosis	33	4	3	3	2	2	3	1	4	2	4	2	3	
Serofula	3	-	-	-	-	1	-	-	-	-	-	-	-	
Syphilis	8	-	-	-	-	-	1	-	-	1	-	2	3	
Gonorrhea	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer of the mouth	29	-	2	5	3	-	3	2	4	4	2	3	1	
Cancer of stomach and liver	238	16	21	19	23	21	18	22	19	16	17	21	22	
Cancer of peritoneum, intestines and rectum	76	8	10	7	6	15	5	6	2	5	5	3	4	
Cancer of female genital organs	78	8	6	10	6	6	7	9	6	5	3	9	3	
Cancer of breast	57	8	4	7	5	4	4	1	4	4	8	1	7	
Cancer of skin	27	3	4	3	4	1	2	1	3	2	2	1	1	
Cancer of other organs and of organs not specified	106	5	8	12	14	9	9	8	9	10	9	7	6	
Other tumors	4	-	1	1	-	1	-	-	-	-	-	1	1	
Acute articular rheumatism	32	4	5	3	3	1	1	2	2	3	1	3	4	
Chronic rheumatism and gout	28	1	2	2	1	1	-	-	1	2	-	1	6	
Scorvy	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes	91	10	10	6	3	13	8	8	5	11	7	7	-	
Exophthalmic goiter	3	-	1	-	-	-	-	-	-	-	-	-	-	
Addison's disease	6	1	-	-	1	1	-	-	1	1	1	-	-	
Leukemia	10	-	-	-	2	3	-	-	-	-	-	-	-	
Anemia, chlorosis	44	2	7	2	4	4	4	4	6	4	2	1	4	
Alcoholism, acute or chronic	21	1	-	1	4	3	1	1	3	3	-	-	4	
Other chronic poisonings	3	-	-	-	-	-	1	1	1	-	-	-	-	
II.—Diseases of the nervous system and of the organs of special sense	1,578	151	154	144	141	141	110	117	124	127	131	117	121	
Encephalitis	10	1	1	2	1	-	1	-	1	1	1	1	1	
Simple meningitis	212	22	19	17	22	25	8	16	23	18	18	6	18	
Progressive locomotor ataxia	26	2	3	4	1	2	2	1	4	2	1	2	1	
Other diseases of spinal cord	52	5	3	2	6	4	4	5	8	4	6	4	1	
Congestion and hemorrhage of the brain	714	71	72	68	64	61	55	49	45	51	61	58	59	
Softening of the brain	44	4	6	4	-	4	3	4	3	8	4	6	3	
Paralysis without specified cause	217	16	26	18	17	16	10	19	15	23	18	20	19	
General paralysis	25	1	1	3	1	2	2	1	5	2	2	3	-	
Other forms of mental alienation	71	5	6	8	4	6	6	7	7	6	5	5	-	
Epilepsy	25	3	3	2	3	4	1	1	3	1	3	2	-	
Eclampsia (non puerperal)	11	2	-	2	1	-	3	-	-	1	1	1	-	
Convulsions of children	78	10	7	9	13	9	11	-	5	4	3	4	3	
Tetanus	14	-	1	-	-	2	-	5	4	-	-	1	1	
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system	76	9	5	6	5	7	7	6	8	6	6	6	5	

TABLE No. 31—Continued.
Deaths from All Causes by Months—1904.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diseases of the eye and its adnexa..	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the ear.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-
III.—Diseases of the circulatory system.....	1,313	125	121	118	100	111	113	95	101	59	130	95	113	2
Pericarditis.....	11	-	3	1	1	-	-	2	2	-	2	1	1	-
Acute endocarditis.....	49	2	4	3	3	5	8	4	7	6	3	1	3	-
Organic diseases of the heart.....	1,052	100	92	95	82	92	96	69	78	67	111	77	91	2
Angina pectoris.....	79	13	6	12	7	5	12	7	8	8	4	7	5	-
Affections of the arteries (atheroma, aneurism, etc.).....	51	5	7	2	3	2	3	7	7	3	3	5	4	-
Embolism and thrombosis.....	50	3	5	3	3	5	12	5	5	4	6	3	6	-
Affections of the veins (varices, hemorrhoids, phlebitis, etc.).....	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhages.....	19	2	4	2	-	2	2	1	-	1	1	1	3	-
Other diseases of the circulatory system.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-
IV.—Diseases of the respiratory system.....	1,428	144	191	155	185	146	66	30	89	44	98	119	169	2
Diseases of the nasal fossae.....	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Diseases of the larynx.....	18	2	3	-	3	1	1	1	-	-	1	2	4	-
Affections of the thyroid body.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis.....	124	15	22	21	12	11	4	2	1	3	5	12	16	-
Chronic bronchitis.....	99	7	12	17	14	9	8	5	2	2	10	4	9	1
Broncho pneumonia.....	151	9	19	28	19	13	8	2	6	4	7	15	21	-
Pneumonia.....	899	101	119	118	128	92	38	14	21	23	61	75	108	1
Pleurisy.....	24	2	3	1	2	3	1	2	2	1	1	2	5	-
Congestion and apoplexy of lungs..	45	3	6	2	4	5	1	2	4	6	4	4	4	-
Gangrene of lungs.....	5	-	1	-	-	2	-	-	-	1	1	2	-	-
Asthma.....	29	3	5	1	-	5	4	1	1	2	6	1	2	-
Emphysema of the lungs.....	3	-	-	-	-	1	1	-	1	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted).....	28	2	1	5	3	4	1	2	1	1	3	2	3	-
V.—Diseases of the digestive system.....	1,076	66	64	77	67	66	77	114	178	167	82	53	64	1
Affections of the mouth and its adnexa.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Affections of the pharynx.....	13	-	2	1	1	-	2	-	1	-	-	2	2	-
Diseases of the esophagus.....	3	1	-	1	-	-	-	-	1	-	-	-	-	-
Ulcer of the stomach.....	23	2	4	1	-	2	5	2	1	3	1	1	1	-
Other diseases of stomach (cancer excepted).....	163	18	18	16	12	12	14	8	12	9	15	14	15	-
Infantile diarrhea (under 2 years).. Diarrhea and enteritis (2 years and over).....	369	6	8	10	7	9	15	61	112	86	30	8	7	-
Intestinal parasites.....	166	2	5	14	9	8	6	9	13	22	13	3	2	-
Hernias and other intestinal obstructions.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other affections of the intestines..	89	13	5	5	6	8	6	8	6	9	8	5	9	1
Acute yellow atrophy of liver.....	15	1	1	2	1	2	1	1	3	3	2	1	-	-
Cirrhosis of liver.....	8	-	2	-	1	1	-	1	-	1	1	1	-	-
Biliary calculi.....	46	1	5	7	4	6	8	6	4	2	-	-	3	-
Other affections of the liver.....	15	2	-	1	1	1	1	1	-	1	1	2	4	-
Affections of the spleen.....	78	8	6	9	4	7	7	4	6	9	6	3	9	-
Inflammatory peritonitis (puerperal excepted).....	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Appendicitis and abscess of the iliac fossa.....	63	3	3	4	11	4	3	8	10	3	5	6	3	-
VI.—Diseases of the genito-urinary system and its adnexa.....	81	5	5	6	9	6	9	5	10	6	2	6	8	-
Acute nephritis.....	773	59	63	62	78	74	56	50	70	72	70	58	61	-
Bright's disease.....	54	3	6	10	5	6	2	4	3	5	4	4	2	-
Other diseases of the kidneys and their adnexa.....	575	43	49	40	55	50	43	35	57	51	56	44	52	-
Calculi of the urinary tract.....	20	3	1	4	2	4	-	1	1	2	-	2	-	-
Diseases of the bladder.....	3	-	-	-	1	-	-	-	-	-	-	1	1	-
Diseases of the urethra, urinary abscess, etc.....	57	2	3	4	11	2	2	5	4	6	6	3	3	-
	2	-	-	-	-	-	-	-	-	1	-	1	-	-

TABLE No. 31—Concluded.

Deaths from All Causes by Months—1904.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diseases of the prostate	17	4	2	4	1	-	-	-	1	1	-	1	3	-
Uterine hemorrhage (non- peral)	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Uterine tumor (non-cancerous)	4	1	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of the uterus	17	2	1	-	1	2	2	3	1	2	1	2	-	-
Cysts and other tumors of the ovary	11	1	-	-	-	-	1	1	-	3	1	-	-	-
Other diseases of the female genital organ	11	-	-	-	-	2	3	1	3	1	1	-	-	-
VII.—The puerperal state	109	8	14	18	11	12	5	8	4	7	7	9	11	-
Accidents of pregnancy	21	1	1	1	4	2	-	2	1	2	3	1	2	-
Puerperal hemorrhage	6	1	-	-	1	-	-	1	1	-	-	-	-	-
Other accidents of labor	6	-	-	-	-	1	1	-	-	-	-	1	3	-
Puerperal septicemia	37	5	5	6	3	5	1	2	1	2	2	2	3	-
Puerperal albuminuria, eclampsia. Other puerperal accidents, sudden death	19	-	3	5	2	1	-	2	1	1	1	1	2	-
VIII.—Diseases of the skin and cel- lular tissue	20	1	5	1	1	2	2	1	-	2	1	4	-	-
Gangrene	76	6	6	9	7	4	5	7	4	11	6	5	6	-
Furuncle (boil, carbuncle)	61	5	4	7	6	4	4	6	3	7	6	5	4	-
Phlegmon, acute abscess	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Other diseases of the skin and its adnexa	12	1	2	1	1	-	1	1	1	4	-	-	-	-
IX.—Diseases of the organs of loco- motion	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Affections of the bones (non-tuber- culous)	11	-	2	1	1	-	1	2	1	3	-	-	-	-
Arthritis and other diseases of the joints (tuberculosis and rheuma- tism excepted)	10	-	1	1	1	-	1	2	1	3	-	-	-	-
X.—Malformations. Malformations, congenital, (still- births excepted)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
XI.—Early infancy Congenital icterus, debility, and sclerema	62	6	8	2	10	7	4	7	6	2	3	6	1	-
Other diseases of early infancy	478	42	38	51	40	55	45	35	34	51	25	23	38	1
Lack of care	410	37	53	40	32	48	41	29	31	43	24	20	31	1
XII.—Old age. Senile debility	23	3	1	5	3	2	-	1	3	1	-	1	3	-
XIII.—Deaths from external causes Suicide by poison	45	2	4	6	5	5	4	5	-	7	1	2	4	-
Suicide by hanging or strangulation	756	87	61	69	77	74	56	47	49	89	52	67	57	1
Suicide by drowning	636	48	28	32	45	52	56	82	63	59	65	51	54	1
Suicide by firearms	13	1	-	2	1	3	1	-	4	-	1	-	-	-
Suicide by cutting instruments	28	1	1	-	3	5	3	-	4	2	6	2	1	-
Other suicides	12	-	-	-	3	3	1	3	-	1	-	-	-	-
Fractures	41	1	1	1	6	3	4	5	3	4	7	5	1	-
Dislocations and sprains	8	-	-	1	1	-	-	1	-	4	-	-	1	-
Other accidental injuries	5	-	-	-	-	1	-	1	-	1	-	-	1	-
Burns and scalds	73	10	6	6	8	3	3	8	4	6	6	6	8	-
Sunstroke	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Freezing	183	17	9	15	11	13	10	12	16	19	25	16	20	-
Electric shock	39	4	5	-	2	5	3	6	2	2	4	4	2	-
Accidental drowning	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Inanition (starvation)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Abso-ption of deleterious gases (sul- cide excepted)	7	1	-	-	-	-	-	2	2	2	-	-	1	-
Other acute poisonings	137	5	-	5	6	12	22	34	23	9	6	11	3	1
Other external violence	15	1	2	1	2	-	-	-	1	2	-	-	6	-
XIV.—Deaths from ill-defined causes Dropsy	30	1	2	1	2	1	2	6	4	2	3	2	4	-
Sudden death	40	6	3	2	2	5	2	3	2	3	4	3	5	-
Unspecified or ill-defined causes of death	410	38	36	48	37	32	23	24	28	44	36	26	40	3
	24	2	3	3	3	2	1	-	2	2	1	4	1	3
	26	3	3	2	-	1	-	-	2	2	1	2	4	-
	366	33	30	38	35	30	23	22	24	41	31	23	33	3

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
All causes.....	Totals.....	45,009	6823	1170	539	344	237	8973
	Males.....	28,018	3876	604	277	182	147	4886
	Females.....	21,950	2921	566	263	162	150	4061
	Not stated.....	41	26	-	-	-	-	26
Typhoid fever.....	Totals.....	853	4	1	6	4	7	22
	Males.....	492	-	-	4	1	4	9
	Females.....	361	4	1	2	3	3	13
Typhus fever.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Intermittent fever and malarial cachexia.....	Totals.....	73	-	-	1	-	-	1
	Males.....	51	-	-	1	-	-	1
	Females.....	2	-	-	-	-	-	-
Smallpox.....	Totals.....	22	4	-	1	-	-	5
	Males.....	14	4	-	-	-	-	4
	Females.....	8	-	-	1	-	-	1
Measles.....	Totals.....	112	28	22	7	2	1	60
	Males.....	45	16	10	2	2	1	31
	Females.....	67	12	12	5	-	-	29
Scarlatina.....	Totals.....	59	4	4	7	4	12	31
	Males.....	27	1	3	5	1	6	16
	Females.....	32	3	1	2	3	6	15
Whooping cough.....	Totals.....	243	154	44	16	10	6	230
	Males.....	116	69	26	6	4	2	107
	Females.....	127	85	18	10	6	4	123
Diphtheria and croup.....	Totals.....	519	62	54	59	56	58	248
	Males.....	274	39	32	33	30	33	167
	Females.....	245	23	22	26	25	25	121
Influenza.....	Totals.....	750	102	23	7	4	6	142
	Males.....	341	64	13	2	2	2	83
	Females.....	409	38	10	5	2	4	59
Cholera nostras.....	Totals.....	63	2	1	5	3	3	14
	Males.....	29	2	-	1	1	1	5
	Females.....	34	-	1	4	2	2	9
Dysentery.....	Totals.....	125	25	8	6	9	8	56
	Males.....	56	13	4	3	6	5	31
	Females.....	69	12	4	3	3	3	25
Erysipelas.....	Totals.....	90	12	-	-	-	-	18
	Males.....	42	6	-	-	-	-	6
	Females.....	48	6	-	1	-	-	7
Other epidemic affections.....	Totals.....	2	-	1	-	1	-	2
	Males.....	1	-	1	-	-	-	1
	Females.....	1	-	-	-	1	-	1
Purulent and septicemic affections.....	Totals.....	168	11	1	1	1	2	16
	Males.....	101	8	-	-	1	-	4
	Females.....	67	3	1	1	-	2	12
Glanders and farcy.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Malignant pustule and anthrax.....	Totals.....	4	1	-	-	-	-	1
	Males.....	3	1	-	-	-	-	1
	Females.....	1	-	-	-	-	-	-
Tuberculosis of larynx.....	Totals.....	41	-	-	1	-	-	1
	Males.....	28	-	-	-	-	-	-
	Females.....	13	-	-	1	-	-	1
Tuberculosis of lungs.....	Totals.....	3,920	51	23	12	14	8	108
	Males.....	1,738	37	11	8	7	4	62
	Females.....	2,182	14	12	9	7	4	46
Tuberculosis of meninges.....	Totals.....	236	45	30	18	11	19	122
	Males.....	111	23	15	7	5	8	58
	Females.....	125	22	15	11	6	11	65
Tuberculosis of peritoneum.....	Totals.....	233	14	6	1	-	2	23
	Males.....	97	10	2	-	-	1	13
	Females.....	136	4	4	1	-	1	10

DEATHS FROM ALL CAUSES BY AGE-GROUPS.

103

No. 32.

Age-Groups—1900—1904.

6-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-∞.	Unknown.
881	663	1259	1644	1624	1434	1409	1396	1604	1835	2181	2680	3441	3770	3789	3141	1884	741	187	25	448
464	314	587	788	721	679	651	679	819	961	1133	1430	1779	2011	2026	1566	870	303	65	9	283
417	349	672	856	903	755	758	717	785	874	1048	1250	1662	1759	1763	1580	1014	438	122	16	151
56	62	134	157	115	76	55	38	48	20	22	13	11	8	8	1	-	-	-	14	7
24	26	63	96	76	47	35	27	32	12	13	9	6	6	5	-	-	-	-	6	6
32	36	71	61	39	29	20	11	16	8	9	4	5	2	3	-	-	-	-	1	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	3	1	1	-	-	1	1	4	18	9	7	2	4	1	-	-	-	-
-	-	-	3	1	-	-	-	1	1	4	18	9	7	2	3	1	-	-	-	-
2	-	-	1	1	3	-	1	5	1	1	1	-	-	-	1	-	-	-	1	1
2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
7	5	6	5	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-
3	2	2	1	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
4	3	4	4	2	5	5	1	1	-	1	-	-	2	2	1	1	-	-	-	1
14	10	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	7	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
9	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	52	15	7	6	2	5	2	-	-	1	1	1	-	-	-	-	-	-	2	2
65	22	6	3	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72	30	9	4	1	2	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-
18	8	7	9	11	7	8	12	23	12	19	31	51	85	109	121	54	18	2	3	3
10	2	2	3	4	3	3	6	12	6	8	10	27	34	49	53	22	2	-	2	2
8	6	5	6	7	4	5	6	11	6	11	21	24	51	60	68	32	16	2	1	1
7	3	-	-	1	-	-	-	2	2	1	-	4	6	13	4	3	-	1	2	2
4	2	-	-	1	-	-	-	2	2	1	-	1	5	2	2	-	-	-	-	-
3	1	-	-	-	-	-	-	-	-	-	-	4	5	8	2	1	-	1	-	-
2	1	1	1	2	3	-	-	4	2	4	1	5	15	11	5	6	6	-	-	-
-	1	-	-	1	1	-	-	1	-	-	1	1	10	5	2	1	1	-	-	-
-	1	2	-	-	4	2	1	4	8	8	5	7	8	11	6	4	3	1	-	-
-	-	1	1	-	1	-	-	1	4	3	1	6	2	7	4	1	-	-	-	-
-	-	-	-	-	-	1	1	3	4	5	4	1	6	4	2	3	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	9	6	16	10	9	17	15	10	13	15	12	8	7	7	2	1	-	1	1
2	1	6	3	5	8	6	10	10	3	9	8	7	7	3	1	1	-	-	-	-
-	2	3	3	11	8	4	3	7	5	7	4	7	5	1	4	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	7	6	4	5	2	1	2	2	4	2	1	1	-	-	-	-	-	-
-	2	4	3	4	3	1	1	1	2	2	3	2	-	1	-	-	-	-	-	-
-	1	3	3	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
35	63	380	596	575	408	317	266	224	183	175	164	166	124	76	33	9	2	-	16	8
17	19	135	242	231	183	127	122	107	106	95	84	85	55	40	15	4	1	-	-	-
1	44	245	354	344	225	190	144	117	77	80	80	81	69	36	18	5	1	-	-	-
42	16	13	13	9	6	3	1	2	1	-	-	2	1	-	-	-	-	-	3	3
19	8	7	5	4	3	2	1	-	1	-	-	1	-	-	-	-	-	-	2	2
23	8	6	8	5	3	1	-	2	-	-	2	1	-	-	-	-	-	-	1	1
7	8	24	34	28	16	14	11	11	11	4	13	9	8	4	4	2	-	1	-	1
6	1	9	11	10	5	6	3	5	5	2	1	3	3	2	1	1	-	-	-	-
1	7	15	23	18	11	8	8	6	6	2	4	6	5	1	2	1	-	1	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						
			0.	1.	2.	3.	4.	0-4.
Pott's disease.....	Totals.....	36	3	2	1	-	-	6
	Males.....	15	1	1	-	-	-	2
	Females.....	21	2	1	1	-	-	4
Cold abscess.....	Totals.....	12	2	-	1	-	-	3
	Males.....	5	1	-	1	-	-	2
	Females.....	7	1	-	-	-	-	1
White swelling.....	Totals.....	19	-	-	-	-	-	-
	Males.....	12	-	-	-	-	-	-
	Females.....	7	-	-	-	-	-	-
Tuberculosis of other organs.....	Totals.....	45	3	2	-	-	-	5
	Males.....	23	2	1	-	-	-	3
	Females.....	22	1	1	-	-	-	2
General tuberculosis.....	Totals.....	166	6	1	5	1	-	13
	Males.....	84	4	1	4	1	-	10
	Females.....	82	2	-	-	-	-	3
Scrofula.....	Totals.....	28	12	4	-	1	-	17
	Males.....	15	9	1	-	-	-	10
	Females.....	13	3	3	-	1	-	7
Syphilis.....	Totals.....	26	5	-	-	-	-	5
	Males.....	17	3	-	-	-	-	3
	Females.....	9	2	-	-	-	-	2
Gonorrhea.....	Totals.....	2	1	-	-	-	-	1
	Males.....	1	-	-	-	-	-	-
	Females.....	1	1	-	-	-	-	1
Cancer of mouth.....	Totals.....	87	-	-	-	-	-	-
	Males.....	73	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-	-
Cancer of stomach and liver.....	Totals.....	913	1	-	-	-	-	1
	Males.....	429	-	-	-	-	-	-
	Females.....	484	1	-	-	-	-	1
Cancer of peritoneum, intestines and rectum.....	Totals.....	276	-	-	-	-	-	-
	Males.....	102	-	-	-	-	-	-
	Females.....	174	-	-	-	-	-	-
Cancer of female genital organs.....	Totals.....	358	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	358	-	-	-	-	-	-
Cancer of breast.....	Totals.....	223	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	222	-	-	-	-	-	-
Cancer of skin.....	Totals.....	110	-	-	-	-	-	-
	Males.....	72	-	-	-	-	-	-
	Females.....	38	-	-	-	-	-	-
Cancer of other organs and organs not specified.....	Totals.....	427	1	-	-	2	-	3
	Males.....	201	-	-	-	2	-	2
	Females.....	226	1	-	-	-	-	1
Other tumors.....	Totals.....	39	-	-	-	-	-	-
	Males.....	12	-	-	-	-	-	-
	Females.....	27	-	-	-	-	-	-
Acute articular rheumatism.....	Totals.....	131	-	-	-	4	-	4
	Males.....	74	-	-	-	2	-	2
	Females.....	57	-	-	-	2	-	2
Chronic rheumatism and gout.....	Totals.....	85	-	-	-	-	-	-
	Males.....	43	-	-	-	-	-	-
	Females.....	42	-	-	-	-	-	-
Scurvy.....	Totals.....	1	1	-	-	-	-	1
	Males.....	-	-	-	-	-	-	-
	Females.....	1	1	-	-	-	-	1
Diabetes.....	Totals.....	353	-	2	2	2	2	8
	Males.....	173	-	1	1	1	2	5
	Females.....	181	-	1	1	1	-	3
Exophthalmic goiter.....	Totals.....	9	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-

No. 32—Continued.

Age-Groups—1901-1904.

[illegible]

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Addison's disease.....	Totals.....	16	-	-	-	-	-	-
	Males.....	8	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-
Leukemia.....	Totals.....	29	-	1	1	1	-	3
	Males.....	20	-	1	1	-	-	2
	Females.....	9	-	-	-	1	-	1
Anemia, chlorosis.....	Totals.....	194	21	7	-	-	1	29
	Males.....	75	11	2	-	-	-	13
	Females.....	119	10	5	-	-	1	16
Other general diseases.....	Totals.....	6	3	-	-	1	-	4
	Males.....	3	1	-	-	1	-	2
	Females.....	3	2	-	-	-	-	2
Alcoholism, acute or chronic.....	Totals.....	81	-	-	-	-	-	-
	Males.....	71	-	-	-	-	-	-
	Females.....	10	-	-	-	-	-	-
Chronic lead poisoning.....	Totals.....	3	-	-	-	2	-	2
	Males.....	2	-	-	-	1	-	1
	Females.....	1	-	-	-	1	-	1
Other chronic poisonings.....	Totals.....	12	-	-	-	-	-	-
	Males.....	3	-	-	-	-	-	-
	Females.....	9	-	-	-	-	-	-
Encephalitis.....	Totals.....	68	16	4	8	-	-	23
	Males.....	36	13	2	2	-	-	17
	Females.....	32	3	2	1	-	-	6
Simple meningitis.....	Totals.....	930	350	121	47	32	80	580
	Males.....	473	189	62	21	16	18	303
	Females.....	450	160	59	26	16	15	276
	Not stated.....	1	-	-	-	-	-	1
Epidemic cerebro-spinal meningitis.....	Totals.....	77	24	9	7	2	4	46
	Males.....	37	14	2	4	1	2	23
	Females.....	40	10	7	3	1	2	23
Progressive locomotor ataxia.....	Totals.....	79	1	-	-	-	-	1
	Males.....	51	1	-	-	-	-	1
	Females.....	28	-	-	-	-	-	-
Other diseases of the spinal cord.....	Totals.....	200	7	2	-	-	-	9
	Males.....	113	2	-	-	-	-	2
	Females.....	87	5	2	-	-	-	7
Congestion and hemorrhage of brain.....	Totals.....	2,895	37	9	8	-	1	50
	Males.....	1,358	21	5	1	-	-	27
	Females.....	1,337	16	4	2	-	1	23
Softening of the brain.....	Totals.....	166	-	-	-	-	-	-
	Males.....	91	-	-	-	-	-	-
	Females.....	75	-	-	-	-	-	-
Paralysis without specified cause.....	Totals.....	345	8	1	-	-	-	9
	Males.....	450	5	-	-	-	-	5
	Females.....	495	3	1	-	-	-	4
General paralysis.....	Totals.....	89	-	-	-	-	-	-
	Males.....	48	-	-	-	-	-	-
	Females.....	41	-	-	-	-	-	-
Other forms of mental alienation.....	Totals.....	281	-	-	-	-	-	-
	Males.....	115	-	-	-	-	-	-
	Females.....	166	-	-	-	-	-	-
Epilepsy.....	Totals.....	122	8	1	1	-	1	11
	Males.....	69	4	1	1	-	1	7
	Females.....	53	4	-	-	-	-	4
Eclampsia (non-puerperal).....	Totals.....	44	-	-	-	-	-	-
	Males.....	11	-	-	-	-	-	-
	Females.....	33	-	-	-	-	-	-
Convulsions of children.....	Totals.....	362	253	60	30	11	7	361
	Males.....	202	147	32	17	2	4	202
	Females.....	160	106	28	13	9	3	159

No. 32—Continued.

Age-Groups—1901-1904.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-X.	Unknown.
-	-	-	1	-	-	2	1	3	1	4	2	-	-	-	1	-	-	-	-	-
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	6	4	1	6	1	6	16	8	14	17	13	10	10	18	2	3	-	-	-	-
2	6	3	1	1	1	2	13	3	9	7	7	6	4	6	1	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	3	3	1	1	8	11	11	8	4	7	1	1	1	2	-	-	-	-	-
2	1	1	1	1	1	17	11	11	8	-	-	-	-	-	-	-	-	-	-	-
71	46	31	21	20	21	16	17	17	17	14	16	11	11	5	4	4	1	1	1	1
31	17	11	11	12	10	9	11	22	8	10	13	8	8	5	6	3	2	1	1	2
40	29	17	10	8	11	6	6	14	8	4	2	4	3	3	4	1	1	1	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	6	2	2	2	3	2	-	-	1	-	1	1	1	1	-	-	-	-	-
8	3	2	2	1	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-
4	3	2	1	1	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	2	6	9	11	11	11	17	8	3	1	-	-	-	-
5	1	1	-	-	6	4	4	13	1	10	8	8	33	10	2	1	-	-	-	-
2	1	1	-	-	3	1	2	7	4	12	12	19	22	7	2	-	-	-	-	-
3	-	-	-	-	1	3	3	6	3	8	26	19	11	11	3	-	-	-	-	-
2	-	13	10	16	27	36	66	82	154	196	252	372	435	456	327	144	38	5	15	15
-	-	4	6	9	16	19	40	42	72	103	134	187	219	240	142	69	14	-	-	7
1	-	-	-	4	7	17	26	40	82	93	118	156	216	179	75	24	1	-	-	8
1	-	-	1	-	-	3	3	3	3	8	14	23	27	42	27	6	2	1	-	1
-	-	-	-	-	-	-	-	-	-	-	8	12	13	26	12	2	1	-	-	-
1	2	4	-	8	12	9	3	30	46	53	94	124	151	180	123	51	20	-	-	4
1	2	-	-	4	5	10	16	20	29	45	63	88	88	63	20	10	1	-	-	1
-	-	-	-	-	4	7	1	9	14	26	34	49	61	82	65	31	10	-	-	3
-	-	-	-	-	1	2	1	5	5	5	5	8	5	5	4	6	1	-	-	1
-	-	-	-	-	-	2	1	1	2	2	3	6	7	8	5	2	1	-	-	1
-	1	3	7	7	21	16	31	19	30	24	26	32	26	18	10	6	1	1	-	2
-	2	3	8	8	11	11	1	10	16	20	19	45	63	68	63	20	10	-	-	1
-	1	1	4	4	7	1	9	14	26	34	49	61	83	82	65	31	10	-	-	1
3	3	12	16	4	6	11	5	8	6	6	7	5	4	6	2	5	5	-	-	2
3	2	4	11	2	5	6	4	6	2	4	2	3	3	1	2	1	-	-	-	2
1	1	8	5	4	6	3	4	4	4	3	3	1	1	-	-	-	-	-	-	1
10	2	4	2	11	2	2	2	2	2	3	1	-	-	-	-	-	-	-	-	1
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5	2	4	2	11	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Tetanus	Totals.....	37	4	-	-	-	1	5
	Males.....	22	4	-	-	-	1	5
	Females.....	15	-	-	-	-	-	-
Chorea	Totals.....	4	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Other diseases of nervous system.....	Totals.....	330	24	7	2	2	1	36
	Males.....	160	11	5	-	1	-	17
	Females.....	169	12	2	2	1	1	18
	Not stated..	1	1	-	-	-	-	1
Diseases of the eye and its adnexa.....	Totals.....	3	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Diseases of the ear.	Totals.....	7	4	-	1	-	-	5
	Males.....	6	4	-	-	-	-	4
	Females.....	1	-	-	1	-	-	1
Pericarditis	Totals.....	40	-	-	-	-	1	1
	Males.....	22	-	-	-	-	-	-
	Females.....	18	-	-	-	-	1	1
Acute endocarditis	Totals.....	149	1	-	-	1	1	3
	Males.....	75	1	-	-	-	-	2
	Females.....	74	-	-	-	-	1	1
Organic diseases of heart	Totals.....	4,001	67	8	-	3	4	82
	Males.....	2,269	42	2	-	3	1	48
	Females.....	1,732	25	6	-	-	3	34
Angina pectoris.....	Totals.....	327	-	-	-	-	-	-
	Males.....	200	-	-	-	-	-	-
	Females.....	127	-	-	-	-	-	-
Affections of the arteries (atheroma, aneurism, etc.).....	Totals.....	138	-	1	-	-	-	1
	Males.....	92	-	-	-	-	-	-
	Females.....	46	-	1	-	-	-	1
Embolism and thrombosis.....	Totals.....	157	8	-	-	-	-	3
	Males.....	68	2	-	-	-	-	2
	Females.....	89	1	-	-	-	-	1
Affections of the veins (varices, hemorrhoids, phlebitis, etc.).....	Totals.....	10	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Affections of the lymphatic system.....	Totals.....	2	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
	Females.....	-	-	-	-	-	-	-
Hemorrhages.....	Totals.....	66	14	2	1	-	-	17
	Males.....	25	7	1	-	-	-	8
	Females.....	41	7	1	1	-	-	9
Other affections of the circulatory system.....	Totals.....	2	2	-	-	-	-	2
	Males.....	-	2	-	-	-	-	2
	Females.....	2	-	-	-	-	-	-
Diseases of the nasal fossae	Totals.....	3	-	1	-	-	-	1
	Males.....	2	-	-	-	-	-	-
	Females.....	1	-	1	-	-	-	1
Affections of the larynx.....	Totals.....	70	13	15	7	4	3	45
	Males.....	38	6	14	2	2	-	24
	Females.....	32	7	4	5	2	3	21
Affections of the thyroid body.....	Totals.....	11	-	-	-	1	-	1
	Males.....	-	-	-	-	-	-	-
	Females.....	11	-	-	-	1	-	1
Acute bronchitis	Totals.....	321	253	68	16	10	3	350
	Males.....	249	146	30	8	6	1	191
	Females.....	272	107	38	8	4	2	159
Chronic bronchitis.....	Totals.....	374	7	3	-	-	-	11
	Males.....	159	4	-	-	1	-	5
	Females.....	224	3	3	-	-	-	6

109

Age-Groups—1901-1904.

[illegible]

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Broncho pneumonia	Totals.....	551	139	62	27	10	9	247
	Males	258	64	32	11	5	5	117
	Females	293	74	30	16	5	4	129
	Not stated	1	1	-	-	-	-	1
Pneumonia	Totals.....	3,479	441	161	74	36	24	736
	Males	1,739	245	87	39	18	14	408
	Females	1,737	195	74	35	18	10	332
	Not stated	3	1	-	-	-	-	1
Pleurisy.....	Totals.....	81	4	2	-	1	-	7
	Males	52	2	1	-	-	-	3
	Females	29	2	1	-	1	-	4
Congestion of the lungs, pulmonary apo- plexy.....	Totals.....	235	47	11	-	8	-	61
	Males	119	29	5	-	1	-	35
	Females	116	18	6	-	2	-	26
Gangrene of the lungs	Totals.....	16	-	-	-	-	-	-
	Males	13	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Asthma	Totals.....	98	6	4	1	-	-	11
	Males	54	3	2	-	-	-	5
	Females	44	3	2	1	-	-	6
Emphysema of the lungs.....	Totals.....	12	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted).....	Totals.....	110	11	2	-	-	-	13
	Males	53	4	-	-	-	-	4
	Females	57	7	2	-	-	-	9
Affections of the mouth and its adnexa.....	Totals.....	13	10	-	-	-	-	10
	Males	8	5	-	-	-	-	5
	Females	5	5	-	-	-	-	5
Affections of the pharynx.....	Totals.....	70	7	2	1	5	5	20
	Males	42	4	1	-	2	3	10
	Females	28	3	1	1	3	2	10
Affections of the esophagus.....	Totals.....	5	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Ulcer of the stomach	Totals.....	70	-	1	-	-	-	1
	Males	33	-	1	-	-	-	1
	Females	37	-	-	-	-	-	-
Other affections of the stomach (cancer excepted).....	Totals.....	566	115	21	7	2	3	148
	Males	276	69	11	6	2	1	89
	Females	290	46	10	1	-	2	59
Infantile diarrhea (under two years)	Totals.....	1,699	1478	219	-	-	-	1692
	Males	931	818	110	-	-	-	928
	Females	767	655	109	-	-	-	764
	Not stated	1	-	-	-	-	-	-
Diarrhea and enteritis (two years and over)	Totals.....	414	-	1	68	28	6	103
	Males	205	-	-	38	21	2	61
	Females	208	-	1	30	7	4	42
Intestinal parasites.....	Totals.....	8	1	3	1	1	-	6
	Males	6	1	3	1	-	-	5
	Females	2	-	-	-	1	-	1
Hernias and other intestinal obstructions.....	Totals.....	276	31	9	3	2	1	46
	Males	139	22	6	3	1	-	32
	Females	137	9	3	-	-	1	14
Other affections of the intestines	Totals.....	112	22	1	-	-	4	27
	Males	53	11	1	-	-	-	12
	Females	59	11	-	-	-	4	15
Acute yellow atrophy of liver.....	Totals.....	17	3	-	-	-	-	3
	Males	7	2	-	-	-	-	2
	Females	10	1	-	-	-	-	1
Cirrhosis of the liver	Totals.....	188	2	-	-	-	-	2
	Males	137	1	-	-	-	-	1
	Females	71	1	-	-	-	-	1
Biliary calculi.....	Totals.....	49	-	-	-	-	-	-
	Males	17	-	-	-	-	-	-
	Females	32	-	-	-	-	-	-

III

Age-Groups—1903-1904.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 x.	Unknown.
18 9 9	3 1 2	2 1 1	7 4 3	5 1 4	4 2 2	4 3 1	7 4 3	11 7 4	12 7 5	16 6 10	22 13 9	27 18 20	43 20 23	41 22 22	36 19 18	34 19 18	9 2 7	2 1 1	-	1 1 1
71 40 31	46 19 27	82 35 47	109 67 42	85 51 44	93 55 38	127 70 57	114 65 49	137 86 57	187 96 91	180 90 99	208 82 116	290 131 159	274 124 150	290 135 155	241 97 144	126 59 67	45 17 28	11 3 8	17 10 5	
4 3 1 7 2 5	6 4 2 5 2 1	9 7 2 3 1 1	109 67 42	85 51 44	93 55 38	127 70 57	114 65 49	137 86 57	187 96 91	180 90 99	208 82 116	290 131 159	274 124 150	290 135 155	241 97 144	126 59 67	45 17 28	11 3 8	17 10 5	
2 2 12 7 5 1 1 1 9 4 5	1 3 2 1 1 1 1 4 1 3	5 2 3 1 1 1 1 5 1 4	7 1 6 2 2 1 1 1 1 7	1 6 4 2 2 1 1 6 6 13	4 2 2 4 2 1 5 5 10	7 4 3 8 2 10	4 3 1 3 2 8	7 5 2 2 1 11	5 5 2 2 1 17	11 6 8 11 17	11 8 8 19 19	12 7 5 29 29	6 4 5 50 29	6 5 5 44 29	2 1 1 59 29	5 2 1 39 24	1 1 1 23 14	1 1 1 4 1	1 1 1 3 1	
18 9 9 2 1 1 10 4 6 3 1 2 1 1	8 3 2 1 1 6 3 2 1 1 1 1	3 2 1 1 1 1 3 2 1 1 1 1	6 3 3 1 1 1 3 2 1 1 1 1	10 8 7 10 5 3 3 1 3 2 2	2 8 2 6 3 1 4 3 1 1 1	9 12 6 6 9 12 14 13 13	12 16 12 14 11 11 11 16 12 16	17 28 7 14 13 13	17 28 10 12 12 12 12 16	26 14 13 18	34 18 18	35 16 16	35 17 16	31 15 16	20 5 15	2 1 15	2 1 1	1 1 1	1 1 1	

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	04.
Other affections of the liver	Totals.....	271	15	3	-	-	-	18
	Males.....	153	11	1	-	-	-	12
	Females.....	118	4	2	-	-	-	6
Affections of the spleen.....	Totals.....	8	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Inflammatory peritonitis (puerperal ex- cepted).....	Totals.....	286	23	7	4	4	3	41
	Males.....	128	12	4	2	3	1	22
	Females.....	170	11	3	2	1	2	19
Other affections of the digestive system (cancer and tuberculosis excepted).....	Totals.....	3	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	Totals.....	261	1	2	5	1	4	13
	Males.....	160	-	2	3	1	3	9
	Females.....	101	1	-	-	-	1	4
Acute nephritis.....	Totals.....	225	10	4	4	2	1	21
	Males.....	118	3	4	4	1	1	13
	Females.....	107	7	-	-	1	-	8
Bright's disease.....	Totals.....	2,142	12	2	1	5	5	25
	Males.....	1,262	6	1	-	1	3	11
	Females.....	880	6	1	1	4	2	14
Other diseases of the kidneys and their adnexa.....	Totals.....	91	4	1	-	-	-	5
	Males.....	57	3	1	-	-	-	4
	Females.....	34	1	-	-	-	-	1
Calculi of the urinary tract.....	Totals.....	9	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Diseases of the bladder.....	Totals.....	214	5	-	-	-	-	5
	Males.....	185	5	-	-	-	-	5
	Females.....	19	-	-	-	-	-	-
Diseases of the urethra, urinary abscess, etc.....	Totals.....	8	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Diseases of the prostate.....	Totals.....	77	-	-	-	-	-	-
	Males.....	77	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Non-venereal diseases of the male genital organs.....	Totals.....	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal).....	Totals.....	10	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	10	-	-	-	-	-	-
Uterine tumor (non-cancerous).....	Totals.....	22	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	22	-	-	-	-	-	-
Other diseases of the uterus.....	Totals.....	50	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	50	-	-	-	-	-	-
Cysts and other tumors of ovary.....	Totals.....	47	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	47	-	-	-	-	-	-
Other diseases of female genital organs...	Totals.....	29	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	29	-	-	-	-	-	-
Non-puerperal diseases of the breast (can- cer excepted).....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Accidents of pregnancy.....	Totals.....	76	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	76	-	-	-	-	-	-
Puerperal hemorrhage.....	Totals.....	24	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	24	-	-	-	-	-	-
Other accidents of labor.....	Totals.....	38	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	38	-	-	-	-	-	-

113

Age-Groups.		1901.		1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.		1915.		1916.		1917.		1918.		1919.		1920.		1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.		1929.		1930.		1931.		1932.		1933.		1934.		1935.		1936.		1937.		1938.		1939.		1940.		1941.		1942.		1943.		1944.		1945.		1946.		1947.		1948.		1949.		1950.		1951.		1952.		1953.		1954.		1955.		1956.		1957.		1958.		1959.		1960.		1961.		1962.		1963.		1964.		1965.		1966.		1967.		1968.		1969.		1970.		1971.		1972.		1973.		1974.		1975.		1976.		1977.		1978.		1979.		1980.		1981.		1982.		1983.		1984.		1985.		1986.		1987.		1988.		1989.		1990.		1991.		1992.		1993.		1994.		1995.		1996.		1997.		1998.		1999.		2000.		2001.		2002.		2003.		2004.		2005.		2006.		2007.		2008.		2009.		2010.		2011.		2012.		2013.		2014.		2015.		2016.		2017.		2018.		2019.		2020.		2021.		2022.		2023.		2024.		2025.		2026.		2027.		2028.		2029.		2030.		2031.		2032.		2033.		2034.		2035.		2036.		2037.		2038.		2039.		2040.		2041.		2042.		2043.		2044.		2045.		2046.		2047.		2048.		2049.		2050.		2051.		2052.		2053.		2054.		2055.		2056.		2057.		2058.		2059.		2060.		2061.		2062.		2063.		2064.		2065.		2066.		2067.		2068.		2069.		2070.		2071.		2072.		2073.		2074.		2075.		2076.		2077.		2078.		2079.		2080.		2081.		2082.		2083.		2084.		2085.		2086.		2087.		2088.		2089.		2090.		2091.		2092.		2093.		2094.		2095.		2096.		2097.		2098.		2099.		2100.		2101.		2102.		2103.		2104.		2105.		2106.		2107.		2108.		2109.		2110.		2111.		2112.		2113.		2114.		2115.		2116.		2117.		2118.		2119.		2120.		2121.		2122.		2123.		2124.		2125.		2126.		2127.		2128.		2129.		2130.		2131.		2132.		2133.		2134.		2135.		2136.		2137.		2138.		2139.		2140.		2141.		2142.		2143.		2144.		2145.		2146.		2147.		2148.		2149.		2150.		2151.		2152.		2153.		2154.		2155.		2156.		2157.		2158.		2159.		2160.		2161.		2162.		2163.		2164.		2165.		2166.		2167.		2168.		2169.		2170.		2171.		2172.		2173.		2174.		2175.		2176.		2177.		2178.		2179.		2180.		2181.		2182.		2183.		2184.		2185.		2186.		2187.		2188.		2189.		2190.		2191.		2192.		2193.		2194.		2195.		2196.		2197.		2198.		2199.		2200.		2201.		2202.		2203.		2204.		2205.		2206.		2207.		2208.		2209.		2210.		2211.		2212.		2213.	
-------------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Puerperal septicemia	Totals.....	127	-	-	-	-	-	-
	Males	127	-	-	-	-	-	-
	Females	127	-	-	-	-	-	-
Puerperal albuminuria and eclampsia	Totals.....	60	-	-	-	-	-	-
	Males	60	-	-	-	-	-	-
	Females	60	-	-	-	-	-	-
Other puerperal accidents sudden death..	Totals.....	66	-	-	-	-	-	-
	Males	66	-	-	-	-	-	-
	Females	66	-	-	-	-	-	-
Gangrene	Totals.....	256	6	-	-	-	-	6
	Males	144	5	-	-	-	-	5
	Females	112	1	-	-	-	-	1
Furuncle (boil, carbuncle).....	Totals.....	12	-	-	-	-	-	-
	Males	9	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Phlegmon, acute abscess.....	Totals.....	32	5	2	-	1	-	8
	Males	18	3	2	-	-	-	5
	Females	14	2	-	-	1	-	3
Other diseases of the skin and its adnexa.	Totals.....	16	5	-	-	1	-	6
	Males	6	2	-	-	-	-	2
	Females	10	3	-	-	1	-	4
Affections of the bones (non-tuberculous).	Totals.....	44	2	5	1	-	-	8
	Males	26	2	2	1	-	-	5
	Females	18	-	3	-	-	-	3
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Totals.....	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Amputation	Totals.....	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Other affections of the organs of locomotion.....	Totals.....	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Malformations congenital (still-births excepted).....	Totals.....	237	217	9	-	-	-	228
	Males	127	115	4	-	-	-	119
	Females	108	100	5	-	-	-	106
	Not stated..	2	2	-	-	-	-	2
Congenital icterus, debility and sclerema.	Totals.....	1,426	1272	-	-	-	-	1272
	Males	784	701	-	-	-	-	701
	Females	610	567	-	-	-	-	567
	Not stated..	22	14	-	-	-	-	14
Other diseases of early infancy	Totals.....	99	87	-	-	-	-	87
	Males	51	50	-	-	-	-	50
	Females	47	46	-	-	-	-	46
	Not stated..	1	1	-	-	-	-	1
Lack of care.....	Totals.....	190	190	-	-	-	-	190
	Males	110	110	-	-	-	-	110
	Females	78	78	-	-	-	-	78
	Not stated..	2	2	-	-	-	-	2
Old age.....	Totals.....	2,820	-	-	-	-	-	-
	Males	1,254	-	-	-	-	-	-
	Females	1,566	-	-	-	-	-	-
Suicide by poison.....	Totals.....	49	-	-	-	-	-	-
	Males	32	-	-	-	-	-	-
	Females	17	-	-	-	-	-	-
Suicide by asphyxia	Totals.....	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals.....	106	-	-	-	-	-	-
	Males	89	-	-	-	-	-	-
	Females	17	-	-	-	-	-	-
Suicide by drowning	Totals.....	44	-	-	-	-	-	-
	Males	23	-	-	-	-	-	-
	Females	21	-	-	-	-	-	-

115

Age-Groups—1900-1904.

[illegible]

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Suicide by firearms.....	Totals.....	99	-	-	-	-	-	-
	Males.....	93	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Suicide by cutting instruments	Totals.....	25	-	-	-	-	-	-
	Males.....	20	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Suicide by jumping from high places.....	Totals.....	2	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Other suicides	Totals.....	12	-	-	-	-	-	-
	Males.....	8	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Fractures	Totals.....	199	1	1	-	1	-	3
	Males.....	120	1	-	-	1	-	2
	Females.....	79	-	1	-	-	-	1
Dislocations and sprains.....	Totals.....	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Other accidental injuries.....	Totals.....	622	12	4	12	6	6	40
	Males.....	532	9	3	8	4	2	26
	Females.....	90	3	1	4	2	4	14
Burns and scalds.....	Totals.....	163	4	12	17	14	6	53
	Males.....	65	1	3	13	9	1	27
	Females.....	98	3	9	4	5	5	26
Sunstroke.....	Totals.....	17	2	-	1	-	-	3
	Males.....	12	-	-	-	-	-	-
	Females.....	5	2	-	1	-	-	3
Freezing	Totals.....	15	-	-	-	-	-	-
	Males.....	14	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Electric shock.....	Totals.....	15	-	-	-	-	-	-
	Males.....	14	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Accidental drowning	Totals.....	487	3	7	3	8	16	31
	Males.....	442	3	5	2	3	13	26
	Females.....	43	-	2	1	-	2	5
	Not stated..	2	-	-	-	-	-	-
Inanition	Totals.....	3	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
	Females.....	1	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted)	Totals.....	48	2	-	-	1	1	4
	Males.....	35	2	-	-	-	1	4
	Females.....	13	-	-	-	-	-	-
Other acute poisonings.....	Totals.....	88	11	11	11	8	3	44
	Males.....	53	8	6	6	4	-	24
	Females.....	35	3	5	5	4	3	20
Other external violence	Totals.....	134	7	1	4	2	1	17
	Males.....	75	3	-	1	-	1	4
	Females.....	59	32	1	3	2	-	38
Dropsy	Totals.....	152	1	2	-	-	1	4
	Males.....	75	-	1	-	-	-	1
	Females.....	77	1	1	-	-	1	3
Sudden death.....	Totals.....	120	18	-	-	1	1	20
	Males.....	75	7	-	-	-	-	7
	Females.....	45	11	-	-	1	1	13
Unspecified or ill-defined causes of death	Totals.....	1,720	646	46	17	7	6	722
	Males.....	828	353	24	8	3	3	391
	Females.....	887	290	22	9	4	3	328
	Not stated..	5	3	-	-	-	-	3

No. 32—Concluded.

Age-Groups—1901-1904.

[illegible]

TABLE

Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE	694,466	8	22	10	162
Androscoggin	54,242	-	-	-	18
Aroostook	60,744	-	1	1	17
Cumberland	100,689	-	9	2	37
Franklin	18,444	-	-	-	1
Hancock	37,241	-	4	-	5
Kennebec	59,117	-	2	1	8
Knox	30,406	-	1	-	1
Lincoln	19,669	-	-	1	3
Oxford	32,238	-	1	-	5
Penobscot	76,246	1	-	-	22
Piscataquis	16,949	-	-	-	2
Sagadahoc	20,330	-	-	-	17
Somerset	33,849	1	1	1	18
Waldo	24,185	-	-	-	1
Washington	45,232	1	3	-	8
York	64,885	-	-	4	9
ANDROSCOGGIN COUNTY	52,603	-	-	-	13
Auburn	12,951	-	-	-	3
Durham	1,230	-	-	-	-
East Livermore	2,125	-	-	-	1
Leeds	1,065	-	-	-	-
Lewiston	23,761	-	-	-	7
Lisbon	3,603	-	-	-	1
Livermore	1,125	-	-	-	1
Mechanic Falls	1,687	-	-	-	-
Poland	1,648	-	-	-	-
Turner	1,842	-	-	-	-
Wales	436	-	-	-	-
Webster	1,181	-	-	-	-
AROOSTOOK COUNTY	53,024	-	1	1	17
Ashland	1,080	-	-	-	-
Bancroft	318	-	-	-	1
Benedicta	350	-	-	-	-
Blaine	954	-	-	-	-
Bridgewater	1,179	-	-	-	1
Caribou	4,758	-	-	-	-
Crystal	370	-	-	-	-
Dyer Brook	280	-	-	-	-
Easton	1,215	-	-	-	-
Fort Fairfield	4,181	-	-	-	-
Fort Kent	2,528	-	-	-	2
Frenchville	1,316	-	-	-	-
Grand Isle	1,104	-	1	-	-
Haynesville	316	-	-	-	-
Houlton	4,686	-	-	-	-
Island Falls	1,063	-	-	-	2
Limestone	1,181	-	-	-	-
Linneus	834	-	-	-	-
Littleton	956	-	-	-	-

No. 33.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
54	242	29	37	51	166	27	106	12	369	1,016	291	18
3	13	2	1	1	13	2	6	-	34	69	17	1
10	81	4	7	4	25	-	9	2	116	71	16	-
14	24	8	3	4	23	-	11	1	43	155	82	1
4	2	-	2	1	-	1	7	-	7	27	3	-
-	4	2	2	2	3	2	7	-	9	39	5	1
1	12	-	5	4	17	3	9	1	36	79	12	-
2	3	-	3	6	5	-	2	-	2	45	9	3
-	4	-	2	1	3	3	1	-	3	31	4	-
-	12	3	-	4	11	1	2	1	17	36	5	3
10	88	3	2	7	15	5	23	2	32	143	32	2
1	8	-	1	-	7	-	2	-	-	31	6	-
-	6	2	-	3	2	-	1	-	4	21	6	1
3	6	1	1	3	13	4	7	-	14	56	9	-
1	8	2	3	2	9	1	2	-	5	40	8	1
2	4	2	3	3	11	4	9	3	10	65	20	-
3	24	3	2	6	9	4	15	1	35	108	17	-
3	13	2	1	1	13	2	6	-	34	69	17	1
1	3	1	-	-	6	-	-	-	2	13	7	1
-	1	-	-	-	-	-	-	-	1	4	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
2	9	-	1	1	8	1	5	-	29	35	8	-
-	-	1	-	-	2	1	-	-	-	5	-	-
-	-	-	-	-	-	-	1	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	1	-	-	-	-	4	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	1	-
10	31	4	7	4	25	-	9	2	116	71	16	-
-	-	-	-	1	-	-	-	-	1	1	1	-
-	4	-	-	-	-	-	-	-	1	-	-	-
1	-	1	1	-	-	-	-	-	1	-	1	-
3	1	-	1	-	-	-	1	-	10	7	1	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
1	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	6	-	-	-	20	1	-	-
-	-	-	-	-	1	-	2	-	7	6	-	-
-	2	-	-	-	-	-	-	-	4	-	-	-
-	2	-	1	-	-	-	-	-	2	3	2	-
1	1	-	-	-	-	-	1	-	4	2	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Ludlow	394	-	-	-	-
Madawaska	1,698	-	-	-	4
Mars Hill	1,188	-	-	-	2
Masardis	438	-	-	-	-
Monticello	1,332	-	-	-	-
New Limerick	600	-	-	-	-
New Sweden	867	-	-	-	-
Oakfield	860	-	-	-	-
Perham	580	-	-	-	-
Presque Isle	3,804	-	-	-	-
St. Agatha	1,386	-	-	1	-
Sherman	980	-	-	-	-
Van Buren	1,878	-	-	-	-
Washburn	1,225	-	-	-	-
Weston	367	-	-	-	-
Woodland	1,096	-	-	-	-
Castle Hill Pl.	567	-	-	-	-
Chapman Pl.	285	-	-	-	-
Cyr Pl.	502	-	-	-	-
Eagle Lake Pl.	406	-	-	-	1
Hamlin Pl.	574	-	-	-	1
Hammond Pl.	116	-	-	-	-
Hill Pl.	124	-	-	-	1
Macwahoc Pl.	153	-	-	-	-
New Canada Pl.	419	-	-	-	-
Reed Pl.	399	-	-	-	-
St. Francis Pl.	568	-	-	-	1
St. John Pl.	371	-	-	-	-
Silver Ridge Pl.	168	-	-	-	-
Wade Pl.	271	-	-	-	-
Wallagrass Pl.	784	-	-	-	-
CUMBERLAND COUNTY	100,097	-	9	2	87
Baldwin	821	-	-	-	-
Bridgton	2,868	-	-	-	-
Brunswick	6,806	-	1	-	11
Cape Elizabeth	887	-	-	-	-
Casco	783	-	-	-	-
Cumberland	1,404	-	1	-	-
Falmouth	1,511	-	-	-	1
Freeport	2,339	-	-	-	-
Gorham	2,540	-	1	-	-
Gray	1,388	-	-	-	-
Harpwell	1,750	-	-	-	-
Harrison	869	-	-	-	-
Naples	613	-	-	-	1
New Gloucester	1,162	-	-	-	-
North Yarmouth	642	-	-	-	-
Otisfield	728	-	-	-	-
Portland	50,145	-	5	1	18
Raymond	823	-	-	1	-
Scarboro	1,865	-	-	-	-
Sebago	576	-	-	-	-
South Portland	6,287	-	-	-	1
Standish	1,504	-	-	-	-
Westbrook	7,283	-	1	-	4
Windham	1,929	-	-	-	-
Yarmouth	2,274	-	-	-	1

COUNTY - CONCLUDED.

Digitized by Google

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	14,939	-	-	-	1
Chesterville	709	-	-	-	-
Eustis	436	-	-	-	-
Farmington	3,288	-	-	-	1
Freeman	397	-	-	-	-
Industry	553	-	-	-	-
Jay	2,758	-	-	-	-
Kingfield	683	-	-	-	-
Madrid	326	-	-	-	-
New Sharon	946	-	-	-	-
New Vineyard	584	-	-	-	-
Phillips	1,389	-	-	-	-
Strong	687	-	-	-	-
Temple	894	-	-	-	-
Wilton	1,647	-	-	-	-
Dallas Pl.	172	-	-	-	-
HANCOCK COUNTY	32,891	-	4	-	5
Amherst	364	-	-	-	-
Bluehill	1,828	-	1	-	-
Brooklin	936	-	-	-	-
Brooksville	1,171	-	-	-	1
Bucksport	2,339	-	-	-	-
Dedham	327	-	-	-	-
Deer Isle	2,647	-	2	-	-
Eden	4,379	-	-	-	1
Ellsworth	4,297	-	-	-	1
Franklin	1,201	-	-	-	1
Gouldsboro	1,259	-	-	-	-
Isle au Haut	182	-	-	-	1
Lamoine	594	-	-	-	-
Mount Desert	1,606	-	-	-	-
Orland	1,251	-	-	-	-
Otis	152	-	-	-	-
Sedgwick	902	-	1	-	-
Stonington	1,648	-	-	-	-
Sullivan	1,034	-	-	-	-
Surry	900	-	-	-	-
Swan's Island	758	-	-	-	-
Tremont	2,010	-	-	-	-
Trenton	459	-	-	-	-
Verona	234	-	-	-	-
Waltham	192	-	-	-	-
Winter Harbor	571	-	-	-	-
Long Island Pl.	174	-	-	-	-
No. 33 Pl.	82	-	-	-	-
KENNEBEC COUNTY	55,841	-	2	1	8
Albion	878	-	-	-	-
Augusta	11,683	-	1	-	-
Belgrade	1,058	-	-	-	-
Benton	1,097	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

[illegible]

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Chelsea	3,092	-	-	-	-
China	1,390	-	-	-	-
Clinton	1,392	-	-	-	-
Farmingdale	848	-	-	-	-
Gardiner	5,501	-	-	-	-
Hallowell	2,714	-	-	-	-
Litchfield	1,057	-	-	-	-
Manchester	518	-	-	-	-
Monmouth	1,236	-	-	-	-
Mount Vernon	906	-	-	-	-
Oakland	1,913	-	-	-	1
Randolph	1,077	-	1	-	1
Readfield	894	-	-	-	-
Rome	420	-	-	-	-
Sidney	1,068	-	-	-	-
Vassalboro	2,062	-	-	1	-
Vienna	406	-	-	-	-
Waterville	9,477	-	-	-	5
West Gardiner	693	-	-	-	-
Winslow	2,277	-	-	-	-
Winthrop	2,088	-	-	-	1
Togus	-	-	-	-	-
KNOX COUNTY	26,634	-	1	-	1
Appleton	975	-	-	-	-
Camden	2,825	-	-	-	-
Cushing	604	-	-	-	-
Rockland	8,150	-	-	-	-
Rockport	2,314	-	-	-	-
St. George	2,206	-	-	-	-
South Thomaston	1,426	-	-	-	-
Thomaston	2,688	-	-	-	-
Vinalhaven	2,358	-	1	-	-
Warren	2,069	-	-	-	-
Washington	1,019	-	-	-	1
LINCOLN COUNTY	18,144	-	-	1	3
Boothbay	1,766	-	-	-	2
Boothbay Harbor	1,926	-	-	-	-
Bristol	2,572	-	-	-	1
Damariscotta	876	-	-	-	-
Dresden	882	-	-	-	-
Edgecomb	607	-	-	-	-
Jefferson	1,155	-	-	1	-
Newcastle	1,075	-	-	-	-
Nobleboro	810	-	-	-	-
Somerville	374	-	-	-	-
Southport	527	-	-	-	-
Waldoboro	3,145	-	-	-	-
Whitefield	1,156	-	-	-	-
Wiscasset	1,273	-	-	-	-

COUNTY—CONCLUDED.

[illegible]

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.
OXFORD COUNTY	26,230	-	1	-	5
Albany	538	-	-	-	1
Bethel	1,335	-	-	-	-
Buckfield	1,189	-	-	-	-
Canton	946	-	-	-	1
Denmark	634	-	-	-	-
Dixfield	1,052	-	-	-	-
Fryeburg	1,376	-	-	-	1
Hebron	494	-	-	-	-
Hiram	1,015	-	-	-	-
Lovell	683	-	-	-	-
Mexico	816	-	-	-	-
Norway	2,909	-	-	-	1
Oxford	1,331	-	-	-	-
Paris	3,325	-	-	-	-
Peru	773	-	-	-	-
Porter	836	-	-	-	-
Rumford	3,770	-	-	-	-
Stow	270	-	-	-	1
Sumner	802	-	-	-	-
Waterford	917	-	1	-	-
Woodstock	816	-	-	-	-
PENOBSCOT COUNTY	73,476	1	-	-	22
Alton	314	-	-	-	-
Bangor	21,559	-	-	-	3
Bradford	954	-	-	-	-
Bradley	632	-	-	-	-
Brewer	4,835	-	-	-	3
Burlington	394	-	-	-	-
Carmel	932	-	-	-	-
Charleston	842	-	-	-	-
Chester	363	-	-	-	-
Clifton	236	-	-	-	-
Corinna	1,170	-	-	-	-
Corinth	1,042	-	-	-	-
Dexter	2,941	-	-	-	5
Dixmont	543	-	-	-	-
Eddington	663	-	-	-	-
Enfield	1,032	-	-	-	-
Etna	527	-	-	-	-
Exeter	879	-	-	-	-
Garland	857	-	-	-	-
Glenburn	461	-	-	-	-
Greenbush	586	-	-	-	-
Hampden	2,182	-	-	-	-
Hermon	1,183	-	-	-	-
Holden	602	-	-	-	-
Howland	519	-	-	-	-
Hudson	430	-	-	-	-
Kenduskeag	423	-	-	-	-
Kingman	336	-	-	-	-
Lagrange	574	-	-	-	-
Lee	801	-	-	-	-
Levant	789	-	-	-	-
Lincoln	1,731	-	-	-	1

COUNTY.

[illegible]

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.
Mattamiscentis	28	-	-	-	-
Mattawamkeag	527	-	-	-	-
Medway	237	-	-	-	-
Millford	838	-	-	-	-
Millinocket	1,144	-	-	-	-
Newburg	734	-	-	-	-
Newport	1,533	-	-	-	-
Old Town	5,743	-	-	-	8
Orono	3,257	-	-	-	5
Orrington	1,266	-	-	-	-
Passadumkeag	400	-	-	-	-
Patten	1,172	-	-	-	-
Plymouth	658	-	-	-	-
Prentiss	502	-	-	-	2
Springfield	832	-	-	-	-
Stetson	503	-	-	-	-
Veazie	555	-	-	-	-
Winn	682	-	-	-	-
Drew Pl.	120	-	-	-	-
Stacyville Pl.	347	-	-	-	-
No. 2 R 6	-	1	-	-	-
Indian Township	-	-	-	-	-
PISCATAQUIS COUNTY	15,338	-	-	-	2
Abbot	716	-	-	-	-
Atkinson	495	-	-	-	-
Blanchard	248	-	-	-	-
Brownville	1,570	-	-	-	-
Dover	1,889	-	-	-	-
Foxcroft	1,629	-	-	-	-
Greenville	1,117	-	-	-	-
Gulford	1,544	-	-	-	-
Medford	282	-	-	-	-
Milo	1,150	-	-	-	-
Monson	1,116	-	-	-	-
Orneville	325	-	-	-	-
Sangerville	1,294	-	-	-	-
Sebec	593	-	-	-	-
Shirley	245	-	-	-	-
Wellington	413	-	-	-	1
Williamsburg	117	-	-	-	-
Willimantic	419	-	-	-	-
Lake View Pl.	173	-	-	-	1
SAGADAHOC COUNTY	20,089	-	-	-	17
Bath	10,477	-	-	-	14
Bowdoin	837	-	-	-	-
Bowdoinham	1,805	-	-	-	-
Georgetown	799	-	-	-	-
Phippsburg	1,254	-	-	-	1
Richmond	2,049	-	-	-	-
Topsham	2,067	-	-	-	1
West Bath	281	-	-	-	1
Woolwich	880	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

[illegible]

TABLE
Deaths in Each Town from Special
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	31,369	1	1	1	13
Anson	1,830	-	-	-	-
Athens	886	-	-	-	-
Bingham	841	-	-	-	-
Canaan	877	-	-	-	-
Concord	281	-	-	-	-
Cornville	689	-	-	-	-
Detroit	527	-	-	-	-
Embsden	567	-	-	-	-
Fairfield	3,878	-	1	-	1
Harmony	571	-	-	-	-
Hartland	1,115	-	-	-	2
Madison	2,764	1	-	-	-
Mercer	498	-	-	-	-
Moscow	878	-	-	-	-
New Portland	913	-	-	-	-
Norridgwick	1,485	-	-	-	-
Palmyra	515	-	-	-	1
Pittsfield	2,881	-	-	-	-
Ripley	449	-	-	-	-
St. Albans	1,037	-	-	-	-
Skowhegan	5,180	-	-	1	3
Smithfield	449	-	-	-	-
Solon	886	-	-	-	-
Starks	636	-	-	-	-
Jackman Pl.	352	-	-	-	6
Moose River Pl.	239	-	-	-	-
WALDO COUNTY	23,865	-	-	-	1
Belfast	4,615	-	-	-	1
Brooks	689	-	-	-	-
Burnham	766	-	-	-	-
Frankfort	1,211	-	-	-	-
Freedom	479	-	-	-	-
Islesboro	823	-	-	-	-
Jackson	439	-	-	-	-
Knox	558	-	-	-	-
Liberty	737	-	-	-	-
Lincolnville	1,223	-	-	-	-
Monroe	854	-	-	-	-
Montville	882	-	-	-	-
Morrill	420	-	-	-	-
Northport	545	-	-	-	-
Palermo	757	-	-	-	-
Prospect	648	-	-	-	-
Searsmont	949	-	-	-	-
Searsport	1,349	-	-	-	-
Stockton Springs	872	-	-	-	-
Swanville	502	-	-	-	-
Thorndike	487	-	-	-	-
Troy	766	-	-	-	-
Unity	877	-	-	-	-
Winterport	1,623	-	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY.....	42,128	1	3	-	8
Addison.....	1,059	-	-	-	-
Baring.....	231	-	-	-	-
Calais.....	7,655	-	3	-	-
Charlotte.....	315	-	-	-	-
Cherryfield.....	1,859	-	-	-	-
Columbia.....	516	-	-	-	-
Columbia Falls.....	589	-	-	-	-
Cooper.....	207	-	-	-	-
Cutler.....	565	-	-	-	2
Danforth.....	1,092	-	-	-	2
Deblois.....	73	-	-	-	-
East Machias.....	1,521	-	-	-	1
Eastport.....	5,311	-	-	-	-
Edmunds.....	492	-	-	-	-
Forest City.....	151	-	-	-	1
Harrington.....	1,185	-	-	-	-
Jonesboro.....	606	-	-	-	-
Jonesport.....	2,124	1	-	-	2
Lubec.....	2,005	-	-	-	-
Machias.....	2,082	-	-	-	-
Machiasport.....	1,218	-	-	-	-
Marshfield.....	227	-	-	-	-
Milbridge.....	1,921	-	-	-	-
Northfield.....	126	-	-	-	-
Pembroke.....	1,652	-	-	-	-
Perry.....	1,245	-	-	-	-
Princeton.....	1,094	-	-	-	-
Robbinston.....	844	-	-	-	-
Roque Bluffs.....	168	-	-	-	-
Steuken.....	901	-	-	-	-
Trescott.....	463	-	-	-	-
Vanceboro.....	550	-	-	-	-
Whiting.....	399	-	-	-	-
Whitneyville.....	424	-	-	-	-
Grand Lake Stream Pl.....	231	-	-	-	-
No. 14 Pl.....	77	-	-	-	-
YORK COUNTY.....	60,128	-	-	4	9
Alfred.....	987	-	-	-	-
Berwick.....	2,290	-	-	-	-
Biddeford.....	16,145	-	-	-	6
Buxton.....	1,538	-	-	-	-
Cornish.....	864	-	-	-	-
Dayton.....	473	-	-	-	-
Elliot.....	1,458	-	-	-	-
Hollis.....	1,374	-	-	-	-
Kennebunk.....	3,228	-	-	-	-
Kittery.....	2,872	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

[illegible]

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Lebanon	1,335	-	-	-	-
Limerick	874	-	-	-	-
Limington	1,901	-	-	-	-
Newfield	676	-	-	-	-
North Berwick	1,748	-	-	-	-
Old Orchard	964	-	-	-	-
Parsonsfield	1,181	-	-	-	-
Saco	6,122	-	-	-	1
Sanford	6,978	-	-	-	2
Shapleigh	847	-	-	-	-
South Berwick	8,188	-	-	4	-
Wells	2,097	-	-	-	-
York	2,668	-	-	-	-

No. 33—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	5	1		1	1		1			3		
	6				2					2		
										1		
										1		
										1		
										3		
										4		
										4		
										10		
										12		
										1	2	
										1		
										2		
										6		
										1	1	

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.							
	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE	694,466	21	60	611	91	478	756
Androscoggin	54,242	3	2	46	9	42	42
Aroostook	60,744	2	5	27	7	38	40
Cumberland	100,089	12	12	108	16	78	127
Franklin	18,444	-	1	17	4	8	23
Hancock	37,241	1	5	29	1	23	39
Kennebec	58,117	3	8	60	9	34	72
Knox	30,406	-	8	81	5	22	49
Lincoln	18,669	-	8	16	2	7	45
Oxford	32,238	1	5	35	2	25	35
Penobscot	76,246	3	4	62	11	49	81
Piscataquis	16,849	-	4	19	1	9	32
Sagadahoc	20,336	-	2	19	1	7	18
Somerset	33,849	-	3	33	2	19	44
Waldo	24,185	-	2	13	5	16	26
Washington	45,232	-	3	34	1	34	34
York	64,886	1	3	60	15	73	56
ANDROSCOGGIN COUNTY	54,242	3	2	46	9	42	42
Auburn	12,961	-	1	10	2	5	13
Durham	1,230	-	1	-	-	-	1
East Livermore	2,129	-	-	3	-	2	-
Greene	828	-	-	1	-	2	1
Leeds	1,065	-	-	-	-	-	3
Lewiston	23,761	2	-	21	7	27	15
Lisbon	8,608	1	-	1	-	1	5
Livermore	1,125	-	-	1	-	1	2
Mechanic Falls	1,687	-	-	2	-	-	-
Minot	808	-	-	1	-	-	1
Poland	1,648	-	-	1	-	-	1
Turner	1,842	-	-	2	-	1	2
Wales	436	-	-	-	-	2	-
Webster	1,131	-	-	3	-	1	-
AROOSTOOK COUNTY	57,738	2	5	27	7	38	40
Amity	404	-	-	1	-	-	-
Ashland	1,090	-	-	1	-	1	1
Bancroft	318	-	-	-	-	-	-
Blaine	954	-	1	-	-	-	-
Bridgewater	1,179	-	1	1	-	-	3
Caribou	4,758	-	-	4	2	4	5
Crystal	370	-	-	-	-	-	1
Dyer Brook	280	-	-	-	-	1	-
Easton	1,215	-	-	2	-	1	-
Fort Fairfield	4,181	-	-	1	-	1	1
Fort Kent	2,528	-	-	4	-	1	2
Frenchville	1,316	-	1	1	-	-	3
Grand Isle	1,104	-	1	-	-	-	-
Haynesville	316	-	-	-	-	-	-
Hodgdon	1,130	-	-	-	1	-	-
Houlton	4,686	1	-	-	-	1	1

No. 34.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
223	714	640	1,191	1,050	223	155	601	54	575	72	107	529
32	68	44	84	64	15	8	45	9	32	4	9	39
14	16	37	40	51	13	7	28	1	26	14	4	36
44	120	96	210	162	43	28	106	11	114	7	17	96
3	25	15	22	39	4	-	19	2	27	1	3	19
5	30	25	57	57	7	6	84	4	26	6	7	29
21	92	101	112	121	28	18	50	2	39	10	12	35
5	40	28	50	31	7	9	31	4	35	2	6	22
1	18	17	35	29	4	3	19	-	31	1	8	8
10	34	34	70	37	16	11	34	5	23	7	7	35
20	66	67	128	127	31	20	79	7	54	4	9	77
4	12	12	22	18	3	2	14	-	13	1	7	20
3	30	18	31	32	10	4	29	1	22	1	1	16
10	23	25	53	66	10	7	33	2	23	-	4	30
3	28	29	55	39	8	3	22	2	17	3	4	13
13	34	30	68	65	7	6	20	-	25	4	12	23
34	93	72	150	122	27	23	48	4	68	7	8	30
32	66	44	84	64	15	8	45	9	32	4	9	39
7	26	6	32	10	3	-	4	2	6	-	1	8
-	2	-	1	3	-	-	-	-	1	-	1	1
-	2	1	3	5	1	-	1	1	5	1	-	-
-	1	-	2	4	-	2	2	-	2	-	-	2
17	26	20	25	25	5	8	29	1	15	3	3	24
4	3	2	4	3	1	-	1	8	1	-	1	1
-	1	3	1	1	-	-	2	-	1	-	2	-
-	4	3	5	6	-	-	1	-	1	-	-	-
-	-	-	1	2	-	-	1	-	-	-	-	-
2	3	2	3	4	2	-	1	1	1	-	-	1
2	3	2	3	1	-	1	1	1	-	-	1	-
-	-	2	3	-	1	-	1	-	-	-	-	-
-	-	1	1	-	2	1	1	-	-	-	-	-
14	16	37	40	51	13	7	28	1	26	14	4	36
3	-	1	1	1	-	-	-	-	1	-	-	-
1	-	-	3	-	-	-	-	-	1	-	-	2
-	-	2	1	1	1	-	1	-	3	-	-	-
1	1	1	1	2	1	-	-	-	1	2	1	5
-	-	6	2	5	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	1	-	-	-
2	-	1	-	1	1	1	-	-	1	1	-	-
1	1	2	2	2	2	-	4	-	-	-	-	2
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-
8	1	1	3	5	-	-	1	-	3	1	-	-

TABLE
Deaths in Each Town from Certain
A ROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Island Falls	1,063	-	-	-	-	2	-
Linestone	1,181	1	-	-	-	6	-
Linneus	884	-	-	-	-	-	-
Littleton	966	-	1	1	-	-	-
Ludlow	884	-	-	-	-	-	1
Madawaska	1,082	-	-	1	-	-	7
Mapleton	882	-	-	-	-	2	-
Mars Hill	1,188	-	-	-	1	3	-
Masardis	438	-	-	1	-	-	-
Monticello	1,322	-	-	2	-	-	-
New Limerick	800	-	-	1	-	-	-
New Sweden	867	-	-	-	-	-	-
Oakfield	890	-	-	-	-	1	-
Orient	908	-	-	-	-	-	1
Perham	590	-	-	-	-	-	-
Presque Isle	2,904	-	-	1	2	2	5
St. Agatha	1,396	-	-	-	-	-	3
Sherman	290	-	-	-	-	2	-
Smyrna	411	-	1	-	-	1	-
Van Buren	1,878	-	-	2	-	5	-
Washburn	1,225	-	-	1	-	2	-
Weston	867	-	-	-	-	-	-
Woodland	1,096	-	-	-	-	-	1
Allagash Pl.	199	-	-	-	-	-	-
Cary Pl.	400	-	-	-	-	-	1
Castle Hill Pl.	567	-	-	-	1	-	-
Caswell Pl.	368	-	-	-	-	-	-
Chapman Pl.	245	-	-	-	-	-	-
Cyr Pl.	562	-	-	-	-	1	-
Eagle Lake Pl.	406	-	-	-	-	-	1
Garfield Pl.	111	-	-	-	-	-	1
Hamlin Pl.	874	-	-	1	-	-	-
Hammond Pl.	116	-	-	-	-	-	-
Hill Pl.	124	-	-	-	-	-	-
Merrill Pl.	293	-	-	-	-	-	2
New Canada Pl.	419	-	-	-	-	-	-
Oxbow Pl.	153	-	-	-	-	-	-
Portage Lake Pl.	941	-	-	-	-	-	-
Reed Pl.	399	-	-	-	-	-	-
St. Francis Pl.	568	-	-	2	-	3	1
St. John Pl.	371	-	-	10	-	6	4
Silver Ridge Pl.	168	-	-	-	1	-	3
Stockholm Pl.	191	-	-	1	-	-	-
Wade Pl.	271	-	-	-	-	1	-
Wallagrass Pl.	784	-	-	-	-	-	-
Westfield Pl.	259	-	-	-	-	-	-
CUMBERLAND COUNTY	100,689	7	12	108	16	78	127
Baldwin	891	1	-	-	-	-	1
Bridgton	2,868	-	-	2	-	3	4
Brunswick	6,806	1	-	10	-	6	9
Cape Elizabeth	887	-	-	-	1	-	3
Casco	788	-	2	1	-	-	2
Cumberland	1,404	-	-	8	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY - CONCLUDED.

[illegible]

TABLE

Deaths in Each Town from Certain

CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Falmouth.....	1,511	-	-	1	1	-	1
Freeport.....	2,339	-	-	1	1	4	1
Gorham.....	2,540	-	2	4	-	2	4
Gray.....	1,858	-	-	2	1	1	1
Harpwell.....	1,759	-	-	2	-	3	-
Harrison.....	969	-	-	3	-	-	2
Naples.....	813	-	-	-	-	-	-
New Gloucester.....	1,162	-	-	1	-	-	1
North Yarmouth.....	642	-	-	1	-	1	2
Otisfield.....	728	-	-	1	-	1	1
Portland.....	50,145	5	7	57	11	41	68
Pownal.....	592	-	-	3	-	1	2
Raymond.....	823	-	1	1	-	-	3
Scarboro.....	1,865	-	-	-	-	1	1
Sebago.....	576	-	-	1	-	1	1
South Portland.....	6,287	-	-	7	-	4	11
Standish.....	1,504	-	-	2	-	-	3
Westbrook.....	7,283	-	-	-	1	3	4
Windham.....	1,929	-	-	4	-	3	3
Yarmouth.....	2,274	-	-	1	-	3	4
FRANKLIN COUNTY	17,966	-	1	17	4	9	23
Avon.....	448	-	-	1	-	-	-
Carthage.....	324	-	-	-	-	-	-
Chester ville.....	709	-	-	-	-	1	-
Eustis.....	436	-	-	-	-	-	2
Farmington.....	3,288	-	-	3	1	1	2
Freeman.....	397	-	-	-	1	-	-
Industry.....	553	-	-	1	1	1	2
Jay.....	2,758	-	-	1	-	-	1
Kingfield.....	693	-	-	2	-	-	1
Madrid.....	828	-	-	-	-	-	1
New Sharon.....	946	-	1	4	1	-	3
New Vineyard.....	554	-	-	1	-	-	1
Phillips.....	1,899	-	-	1	-	-	5
Rangleey.....	961	-	-	-	-	2	2
Salem.....	195	-	-	-	-	1	-
Strong.....	637	-	-	-	-	1	1
Temple.....	894	-	-	-	-	-	-
Weld.....	733	-	-	-	-	-	1
Wilton.....	1,647	-	-	3	-	2	-
Coplin Pl.....	70	-	-	-	-	-	-
Dallas Pl.....	172	-	-	-	-	-	-
Lowelltown Pl.....	90	-	-	-	-	-	-
Rangleey Pl.....	98	-	-	-	-	-	-
Perkins.....	63	-	-	-	-	-	-
Washington.....	20	-	-	-	-	-	1
HANCOCK COUNTY	35,314	1	5	29	1	23	39
Amherst.....	364	-	-	-	-	-	-
Aurora.....	152	-	-	-	-	-	-
Bluehill.....	1,328	-	-	2	-	1	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	4	4	-	-	-	-	1	-	1	3
-	3	-	7	3	1	-	3	-	2	-	-	1
-	4	5	6	3	-	1	2	-	-	-	-	1
-	2	1	4	2	-	-	1	-	-	-	-	2
-	1	-	2	3	-	-	2	-	1	-	-	1
-	2	3	4	1	1	-	3	1	1	-	-	-
1	2	-	3	4	-	-	-	-	-	-	-	-
-	1	2	1	2	1	-	1	-	-	-	-	1
-	1	2	-	3	-	-	-	1	-	-	-	1
-	1	-	-	1	-	-	-	-	-	-	-	-
34	60	44	107	77	17	13	56	8	79	1	12	62
-	1	3	2	1	1	-	3	-	1	-	-	-
-	1	2	4	3	-	-	1	-	-	-	-	-
-	1	2	3	1	-	-	-	-	-	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	3	4	11	5	2	1	4	-	4	-	-	3
-	3	2	5	3	-	-	5	-	-	-	-	-
-	6	1	12	7	2	3	5	1	3	1	-	5
-	2	1	4	1	-	-	3	-	3	-	1	4
-	-	2	3	4	1	-	2	-	1	-	2	3
3	25	15	28	39	4	-	19	2	27	1	3	19
-	1	-	-	-	-	-	-	-	-	-	-	1
-	3	1	1	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	5	5	4	11	1	-	5	-	9	-	1	3
-	-	-	2	2	-	-	1	1	1	-	-	-
-	1	1	-	-	-	-	2	-	-	-	-	-
-	2	1	2	8	-	-	2	-	5	-	-	1
-	-	-	1	2	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	2	4	-	-	-	-	1	-	-	-
-	-	-	2	2	1	-	2	-	2	-	-	-
-	6	2	2	1	-	-	2	-	6	-	-	3
-	-	1	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	1	-	-	-	-
-	1	1	-	-	-	-	-	-	1	-	-	1
-	3	1	7	4	-	-	3	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
5	20	25	57	57	7	6	34	4	26	6	7	29
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	5	1	4	3	-	-	-	-	2	-	-	1

TABLE
Deaths in Each Town from Certain

HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Brooklin	836	-	-	1	-	1	1
Brooksville	1,171	-	-	2	-	-	-
Bucksport	2,539	-	1	2	-	-	6
Castine	825	-	-	-	-	1	4
Cranberry Isles	374	-	-	-	-	-	-
Dedham	327	-	-	-	-	-	-
Deer Isle	2,047	-	-	3	-	1	3
Eastbrook	348	-	-	1	-	-	-
Eden	4,879	1	-	4	-	4	1
Ellsworth	4,297	-	2	2	-	4	6
Franklin	1,301	-	-	1	-	1	1
Hancock	900	-	-	-	-	1	-
Isle au Haut	192	-	-	1	-	-	-
Lamoine	594	-	-	-	-	1	1
Mariaville	218	-	-	-	-	-	-
Mount Desert	1,609	-	-	-	-	-	3
Orland	1,251	-	-	1	-	1	-
Penobscot	1,156	-	1	-	-	1	2
Sedgwick	902	-	-	-	-	1	4
Sorrento	117	-	1	-	-	-	-
Stonington	1,648	-	-	3	-	1	-
Sullivan	1,434	-	-	-	-	1	-
Surry	900	-	-	2	-	-	2
Swan's Island	768	-	-	-	-	1	-
Tremont	2,610	-	-	2	1	2	2
Trenton	459	-	-	-	-	-	2
Verona	234	-	-	-	-	-	-
Waltham	192	-	-	1	-	-	-
Winter Harbor	571	-	-	-	-	-	-
KENNEBEC COUNTY.....	59,117	3	3	60	9	34	72
Albion	878	-	-	2	-	-	5
Augusta	11,633	1	1	9	-	13	19
Belgrade	1,058	-	-	2	-	1	1
Benton	1,067	-	-	2	-	2	1
Chelsea	5,092	-	-	1	-	-	-
China	1,380	-	-	1	-	3	4
Clinton	1,388	-	-	3	-	-	-
Farmingdale	848	-	-	2	-	-	-
Fayette	560	-	-	2	-	-	-
Gardiner	5,501	-	-	6	2	4	3
Hallowell	2,714	-	-	3	1	-	2
Litchfield	1,067	-	-	1	-	-	-
Manchester	518	-	-	1	-	-	-
Monmouth	1,236	-	-	1	-	-	-
Mount Vernon	906	-	1	-	-	-	-
Oakland	1,913	-	-	-	1	-	-
Pittston	1,177	-	-	-	-	-	-
Randolph	1,077	-	-	1	1	-	-
Readfield	994	-	-	-	-	1	-
Rome	420	-	-	-	-	-	-
Sidney	1,068	-	1	6	1	1	-
Vassalboro	2,062	-	-	2	-	1	-
Vienna	406	-	-	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	1	3	1	-	3	-	-	1	-	-
-	1	-	1	1	1	-	1	-	-	-	-	1
-	1	-	1	4	6	-	4	-	1	-	1	2
-	-	-	1	1	2	-	1	-	-	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	1
-	2	3	5	-	1	-	2	-	1	-	-	1
1	2	1	8	-	8	-	4	-	5	1	-	2
-	2	2	4	6	6	1	9	-	2	-	1	-
1	1	1	1	2	2	-	-	-	-	-	2	-
-	-	-	1	2	2	-	1	-	-	-	-	1
-	1	-	1	-	-	2	1	-	-	1	-	1
-	-	-	1	4	3	-	2	-	3	-	-	1
1	1	-	2	1	1	-	1	1	1	-	2	1
-	-	-	5	-	-	-	-	-	-	-	-	-
-	-	1	1	1	1	-	1	-	-	-	-	1
1	1	-	1	-	9	-	1	-	1	-	-	7
-	-	1	7	-	-	-	-	-	2	2	-	1
-	-	-	5	1	1	-	1	-	-	-	-	1
-	-	-	1	1	1	-	1	-	1	-	-	2
-	-	1	4	1	1	-	-	-	1	-	-	1
1	-	-	-	-	3	-	1	-	-	-	-	1
-	-	1	-	-	-	-	-	-	1	-	-	-
21	92	101	112	121	28	18	50	2	39	10	12	35
1	-	2	1	-	1	-	1	-	-	-	-	1
4	21	58	27	22	11	1	12	-	6	-	-	9
-	2	2	1	1	1	-	2	1	-	3	3	2
-	2	1	1	1	-	-	1	-	-	-	-	2
-	1	-	-	2	1	-	2	1	1	-	-	1
-	3	2	4	3	-	-	1	-	2	-	-	1
-	1	1	1	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	7	-	1	11	-	2	-	-	4	-	1	2
-	4	-	5	4	4	-	3	-	-	-	-	-
-	-	-	2	2	2	1	4	-	3	-	-	2
-	1	-	5	2	2	-	-	-	-	-	1	-
-	5	2	5	3	-	1	-	-	1	1	-	1
1	-	1	5	3	1	-	2	-	1	1	3	2
-	1	1	2	1	-	-	-	-	1	-	-	-
-	1	1	2	5	-	-	1	-	4	-	-	-
-	2	-	2	4	-	-	3	-	2	-	1	1
-	3	1	2	6	-	1	-	-	-	1	-	1
-	4	1	2	2	-	-	1	-	-	-	-	1
-	6	-	1	-	-	-	1	-	-	-	-	1

TABLE
Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Waterville.....	9,477	2	-	6	-	8	9
Wayne.....	707	-	-	4	-	-	-
West Gardiner.....	693	-	-	1	2	-	1
Windsor.....	782	-	-	2	-	-	4
Winslow.....	2,277	-	-	-	-	-	2
Winthrop.....	2,088	-	-	1	-	-	2
Unity Pl.....	50	-	-	-	1	-	1
Togus.....	-	-	-	1	-	-	-
KNOX COUNTY.....	30,287	-	3	31	5	22	49
Appleton.....	975	-	-	-	-	3	1
Camden.....	2,825	-	-	4	-	1	-
Cushing.....	604	-	-	2	-	-	1
Friendship.....	814	-	-	-	-	-	3
Hope.....	699	-	-	-	-	1	1
Hurricane Isle.....	257	-	-	-	-	-	1
North Haven.....	551	-	-	1	1	-	1
Rockland.....	8,150	-	1	18	1	6	15
Rockport.....	3,314	-	-	5	-	3	6
St. George.....	2,206	-	2	2	-	5	6
South Thomaston.....	1,428	-	-	1	-	-	2
Thomaston.....	2,688	-	-	-	2	1	3
Union.....	1,248	-	-	-	-	-	2
Vinalhaven.....	2,358	-	-	2	-	1	4
Warren.....	2,089	-	-	-	-	1	3
Washington.....	1,019	-	-	1	-	-	-
Matineus Isle Pl.....	184	-	-	-	1	-	-
LINCOLN COUNTY.....	19,669	-	3	16	2	7	45
Alna.....	444	-	1	-	-	1	1
Boothbay.....	1,766	-	-	-	-	1	1
Boothbay Harbor.....	1,926	-	-	1	-	1	5
Bremen.....	657	-	-	1	-	-	1
Bristol.....	2,572	-	-	2	1	-	7
Damariscotta.....	876	-	-	-	-	2	3
Dresden.....	882	-	-	2	-	-	1
Edgecomb.....	607	-	-	-	-	-	1
Jefferson.....	1,155	-	-	2	-	-	3
Newcastle.....	1,075	-	-	-	-	-	3
Nobleboro.....	810	-	-	4	-	-	2
Somerville.....	374	-	-	-	-	-	-
Southport.....	527	-	-	-	-	-	-
Waldoboro.....	3,145	-	1	1	1	1	4
Westport.....	330	-	-	1	-	-	3
Whitefield.....	1,156	-	1	1	-	1	7
Wiscasset.....	1,273	-	-	2	-	-	3
Monhegan Pl.....	94	-	-	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
14	15	12	12	21	6	7	7	-	6	2	1	5
-	-	1	4	4	-	-	-	-	-	-	1	-
-	3	2	1	8	-	-	2	-	-	-	-	-
1	6	2	6	12	1	2	3	-	1	1	1	1
-	6	-	4	-	-	1	3	-	4	-	-	-
-	1	1	1	1	-	-	-	-	-	-	-	-
5	40	28	50	31	7	3	31	4	35	2	5	22
-	4	5	-	-	1	-	2	-	2	-	-	-
1	5	1	4	3	-	-	-	-	-	-	1	7
-	-	-	1	1	-	-	1	-	-	-	-	1
-	2	-	1	2	-	-	1	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	11	8	16	9	1	1	12	1	17	-	1	2
-	4	4	2	-	-	-	1	-	1	-	1	1
-	-	1	1	4	1	-	3	1	4	-	1	4
2	8	2	8	1	1	1	2	-	2	1	-	2
-	1	1	3	3	-	-	1	2	-	-	-	-
-	2	-	4	3	2	-	3	-	3	1	-	3
-	1	2	1	2	-	-	1	-	3	-	1	2
-	6	-	4	5	-	-	2	-	-	-	-	-
1	1	1	3	-	-	-	-	-	-	-	-	-
1	18	17	35	29	4	3	19	-	31	1	8	8
-	-	-	3	-	-	-	1	-	-	-	-	-
-	1	1	1	-	-	-	1	-	4	-	1	1
1	-	1	1	1	1	-	1	-	1	-	1	-
-	1	5	3	2	-	-	-	-	2	-	-	-
-	-	1	-	-	-	-	1	-	3	-	-	-
-	1	1	4	1	1	-	2	-	1	-	-	1
-	1	-	2	1	1	-	-	-	-	-	-	1
-	-	1	2	5	1	-	2	-	2	-	-	1
-	2	2	1	1	1	-	-	-	2	-	-	1
-	-	1	2	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	2	-	1	-	-	-
-	3	1	4	10	1	-	3	-	6	1	2	3
-	-	-	-	-	-	-	1	-	1	-	-	-
-	1	1	3	4	-	1	2	-	2	-	2	1
-	1	-	7	8	-	-	2	-	2	-	1	-

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
OXFORD COUNTY	30,814	1	5	35	2	25	38
Albany	538	-	-	-	-	1	1
Bethel	1,335	-	-	2	-	-	3
Brownfield	1,019	-	-	1	-	-	-
Buckfield	1,139	-	2	1	-	1	1
Byron	204	-	-	-	-	-	1
Canton	946	-	1	1	-	-	-
Denmark	634	-	-	1	-	-	-
Dixfield	1,052	-	1	1	1	4	-
Fryeburg	1,376	-	-	1	-	-	7
Gilead	346	-	-	-	-	-	-
Grafton	81	-	-	-	-	-	-
Greenwood	741	-	-	2	-	2	2
Hanover	214	-	-	1	-	-	-
Hartford	660	-	-	1	1	1	-
Hebron	494	-	-	2	-	-	-
Hiram	1,015	-	-	4	-	2	-
Lovell	683	-	1	-	-	-	2
Mexico	816	-	-	2	-	3	2
Norway	2,902	-	-	2	-	4	-
Oxford	1,331	-	-	-	-	1	-
Paris	3,225	-	-	2	-	3	5
Peru	778	-	-	2	-	-	-
Porter	776	-	-	1	-	-	-
Roxbury	237	-	-	-	-	-	-
Rumford	3,770	1	-	4	-	2	2
Stoneham	284	-	-	2	-	-	-
Stow	270	-	-	-	-	-	2
Sumner	802	-	-	-	-	-	3
Sweden	282	-	-	1	-	1	2
Upton	242	-	-	-	-	-	-
Waterford	917	-	-	-	-	-	5
Woodstock	816	-	-	1	-	-	-
Magalloway Pl.	77	-	-	-	-	-	-
Milton Pl.	202	-	-	-	-	-	-
PENOBSCOT COUNTY	74,348	3	4	62	11	43	81
Alton	314	-	-	-	-	1	-
Argyle	320	-	-	-	-	-	-
Bangor	21,850	1	-	25	2	12	16
Bradford	954	-	-	1	-	-	2
Bradley	682	-	-	-	-	-	2
Brewer	4,535	-	-	2	1	8	1
Burlington	394	-	-	-	-	-	-
Carmel	682	-	-	2	-	-	1
Carroll	487	-	-	1	-	-	-
Charleston	842	-	1	-	1	-	-
Chester	363	-	-	-	-	-	-
Corinna	1,170	-	-	1	-	2	2
Corinth	1,042	-	-	-	-	1	3
Dexter	2,841	-	1	4	1	4	8
Dixmont	843	-	-	1	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
10	86	34	70	87	16	11	34	5	23	7	7	85
-	2	-	1	-	-	-	-	-	-	-	-	-
-	3	1	8	8	-	8	5	1	1	1	-	4
-	1	2	3	1	2	-	-	2	-	-	-	2
-	-	-	4	1	-	-	1	-	-	-	-	-
-	2	1	1	-	-	1	2	-	1	-	-	1
1	2	-	4	-	-	-	-	-	1	-	-	1
-	2	3	2	8	-	-	-	-	1	-	-	1
-	1	2	8	2	-	-	-	-	2	1	1	1
-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	1	1	3	-	-	-	-	-	1	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-
-	2	1	3	1	1	-	4	-	1	-	-	1
-	-	1	3	8	-	-	1	-	4	-	-	-
-	2	-	4	2	1	-	2	-	-	-	-	1
-	1	2	6	8	-	-	1	-	2	1	1	3
-	2	8	5	4	1	2	2	1	4	1	-	8
-	-	-	-	1	1	-	2	-	1	-	-	1
1	1	3	2	-	-	1	2	-	2	-	1	1
-	-	-	1	-	-	-	-	-	-	-	-	-
4	1	4	2	4	2	1	2	-	2	1	3	10
-	-	-	1	1	-	-	-	-	-	1	-	-
-	2	-	4	-	-	2	1	-	-	-	-	1
-	-	-	-	-	-	-	2	-	-	-	-	-
-	1	1	-	2	-	1	-	-	1	-	-	-
-	-	-	1	1	1	-	1	-	-	-	1	1
-	-	-	1	-	-	-	-	-	-	-	-	1
20	66	67	126	127	31	20	79	7	54	4	9	77
-	-	-	1	-	-	1	-	-	-	-	-	-
6	17	21	40	60	3	9	1	-	14	-	-	28
-	3	1	2	1	-	-	2	2	2	1	3	-
2	-	3	2	8	1	-	-	-	4	-	-	4
1	7	-	3	2	-	-	1	-	-	-	-	-
-	-	1	-	1	2	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	1
-	2	1	3	1	-	-	-	-	-	-	-	-
1	-	2	-	-	-	-	2	-	2	-	-	8
-	4	-	6	1	1	-	1	1	1	-	-	-
1	6	2	3	8	2	1	4	1	2	-	-	1
-	1	-	2	1	1	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Eddington	663	-	-	1	-	1	1
Enfield	1,082	-	-	-	-	-	-
Etna	527	-	-	-	-	-	1
Exeter	879	-	-	-	-	-	2
Garland	857	-	-	-	-	-	1
Glenburn	461	-	-	1	-	-	2
Greenbush	586	-	-	-	-	-	4
Hampden	2,182	-	-	1	2	-	7
Hermon	1,185	-	-	1	-	1	-
Holden	602	-	-	1	-	1	-
Howland	519	-	-	1	-	-	-
Hudson	480	-	-	-	-	-	-
Kenduskeag	423	-	-	-	-	-	2
Kingman	986	-	-	1	-	-	-
Lagrange	574	-	-	1	-	-	-
Lee	801	-	-	-	-	-	1
Levant	789	-	-	-	-	1	-
Lincoln	1,731	-	-	2	1	1	6
Lowell	300	-	-	-	-	-	1
Mattawamkeag	527	-	-	1	-	-	-
Maxfield	115	-	-	-	-	-	-
Medway	297	-	-	-	-	-	1
Millford	838	-	-	-	-	-	-
Millinocket	1,144	1	-	-	-	2	-
Mt. Chase	299	-	-	-	-	-	-
Newburg	734	-	-	-	-	-	-
Newport	1,533	-	1	-	1	1	6
Old Town	5,763	1	-	4	-	5	8
Orono	2,257	-	-	3	2	6	2
Orrington	1,266	-	-	1	-	-	1
Passadumkeag	409	-	-	-	-	1	1
Patten	1,172	-	-	1	-	-	2
Plymouth	658	-	-	-	-	-	1
Prentiss	502	-	-	-	-	-	-
Springfield	532	-	-	-	-	-	2
Stetson	503	-	-	2	-	-	-
Veazie	555	-	-	2	-	-	-
Woodville	180	-	1	-	-	-	1
Drew Pl.	120	-	-	-	-	-	-
Seboeis Pl.	96	-	-	-	-	-	-
Stacyville Pl.	347	-	-	-	-	-	-
No. 1 R. 7	42	-	-	-	-	-	-
Indian Township	-	-	-	-	-	-	-
PISCATAQUIS COUNTY	16,188	-	4	16	1	9	23
Abbot	716	-	-	-	-	1	-
Atkinson	495	-	-	-	-	1	-
Blanchard	248	-	-	-	-	-	-
Brownville	1,579	-	1	1	-	-	1
Dover	1,839	-	2	8	-	-	1
Foxcroft	1,629	-	-	-	-	-	8
Greenville	1,117	-	-	-	-	2	1
Guilford	1,544	-	-	2	-	-	-

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Medford	282	-	-	-	-	-	-
Milo	1,150	-	-	1	1	3	2
Monson	1,116	-	-	-	-	1	4
Orneville	323	-	-	-	-	-	2
Parkman	718	-	-	1	-	-	2
Sangerville	1,294	-	-	1	-	-	2
Sebecton	593	-	1	-	-	1	1
Shirley	248	-	-	-	-	-	1
Wellington	413	-	-	-	-	-	-
Willimantic	419	-	-	-	-	-	-
Barnard Pl	98	-	-	-	-	-	-
Elliottsville Pl	86	-	-	-	-	-	1
Lake View Pl	173	-	-	-	-	-	-
Chesuncook	65	-	-	-	-	-	-
SAGADAHOC COUNTY	20,830	-	2	19	1	7	18
Arrowsic	180	-	-	-	1	-	-
Bath	10,477	-	1	7	-	3	9
Bowdoin	987	-	-	-	-	-	1
Bowdoinham	1,305	-	-	2	-	-	3
Georgetown	799	-	-	-	-	-	1
Perkins	61	-	-	-	-	-	-
Phippsburg	1,254	-	1	-	-	-	-
Richmond	2,049	-	-	5	-	1	1
Topsham	2,097	-	-	1	-	3	2
West Bath	291	-	-	1	-	-	-
Woolwich	880	-	-	1	-	-	1
SOMERSET COUNTY	32,920	-	8	38	2	18	44
Anson	1,880	-	1	3	-	2	2
Athens	896	-	-	2	-	3	1
Bingham	841	-	-	-	-	-	1
Cambridge	804	-	-	1	-	1	1
Canaan	977	-	-	2	-	1	1
Concord	291	-	-	2	-	-	-
Cornville	639	-	-	-	-	-	-
Detroit	527	-	-	1	-	-	1
Embsden	567	-	-	-	1	-	-
Fairfield	3,878	-	1	4	-	2	5
Harmony	571	-	-	-	-	-	2
Hartland	1,115	-	-	3	-	-	3
Madison	2,764	-	-	1	-	1	1
Mercer	498	-	-	-	-	1	2
Moscow	378	-	-	-	-	-	1
New Portland	918	-	-	1	-	-	3
Norridgewock	1,495	-	-	1	-	-	2
Palmyra	915	-	-	1	-	-	-
Pittsfield	2,591	-	-	2	-	1	2
Ripley	449	-	-	-	-	-	1
St. Albans	1,087	-	-	1	-	-	2

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	-	-	-	-	-	-	-	-	-	-
2	-	2	2	2	-	-	1	-	2	-	1	2
1	-	-	1	4	-	-	1	-	1	-	1	4
-	1	-	2	1	1	1	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	-	1	2
-	-	2	-	-	-	-	1	-	1	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
3	30	12	31	32	10	4	20	1	22	1	1	16
-	-	-	-	-	-	-	-	-	-	-	-	-
3	13	10	17	16	8	1	10	1	13	-	1	13
-	3	1	-	-	-	-	2	-	-	-	-	-
-	4	1	3	9	-	-	1	-	1	-	-	1
-	4	1	2	3	-	-	1	-	2	-	-	1
-	2	-	3	-	-	1	-	3	1	1	-	-
-	-	5	3	-	-	-	-	-	-	1	-	-
-	4	-	8	1	2	1	2	-	1	-	-	-
-	-	-	1	3	-	1	1	-	1	-	-	1
-	-	-	2	-	-	-	-	-	1	-	-	-
10	23	25	53	66	10	7	33	2	23	-	4	30
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	3	8	2	-	1	1	-	1	-	1	1
1	2	-	2	3	-	-	-	-	2	-	-	-
-	-	1	1	1	-	-	-	-	-	-	-	-
1	1	-	3	8	-	-	-	-	1	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	1	1	-	1	-	-	-	-	-	-	1	-
-	-	1	1	3	-	-	2	-	-	-	-	1
-	-	1	2	-	-	1	-	-	-	-	-	-
-	2	3	6	13	2	-	4	-	2	-	1	3
1	-	-	2	1	-	-	-	-	-	-	-	-
-	-	1	1	2	1	1	-	-	1	-	-	2
-	2	-	6	4	-	1	3	-	2	-	-	5
-	1	-	1	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	4	-	-	-	-	-	-	-	-	-
-	-	-	4	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	6	-	-	-	-	-	-	1	2
-	1	-	1	-	-	1	-	-	1	-	-	-
-	-	-	-	-	1	-	4	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	3	3	3	2	-	-	3	-	2	-	-	-

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Skowhegan.....	5,180	-	1	4	1	5	8
Smithfield.....	449	-	-	-	-	1	2
Solon.....	998	-	-	2	-	-	-
Starks.....	636	-	-	-	-	-	1
Caratunk Pl.....	218	-	-	-	-	-	1
Dead River Pl.....	91	-	-	1	-	-	-
Dennistown Pl.....	96	-	-	-	-	-	-
Flagstaff Pl.....	115	-	-	1	-	-	-
Jackman Pl.....	852	-	-	1	-	-	1
Lexington Pl.....	231	-	-	-	-	-	-
Mayfield Pl.....	89	-	-	-	-	-	-
Moose River Pl.....	239	-	-	-	-	-	-
Pleasant Ridge Pl.....	114	-	-	-	-	-	-
The Forks Pl.....	157	-	-	-	-	-	-
Rockwood.....	76	-	-	-	-	-	-
WALDO COUNTY	24,165	-	2	18	5	16	26
Belfast.....	4,615	-	1	5	2	4	2
Belmont.....	352	-	-	-	-	-	-
Brooks.....	989	-	-	-	-	2	1
Burnham.....	768	-	-	-	-	-	1
Frankfort.....	1,211	-	1	-	-	-	-
Freedom.....	479	-	-	-	-	-	-
Islesboro.....	923	-	-	1	-	1	1
Jackson.....	439	-	-	-	-	1	1
Knox.....	558	-	-	1	-	1	1
Liberty.....	737	-	-	1	-	-	-
Lincolntonville.....	1,223	-	-	1	-	-	1
Monroe.....	958	-	-	-	1	1	2
Montville.....	982	-	-	-	-	-	2
Morrill.....	420	-	-	-	-	-	-
Northport.....	545	-	-	-	-	1	1
Palermo.....	757	-	-	-	-	-	-
Prospect.....	648	-	-	-	-	-	2
Searsmont.....	949	-	-	1	-	1	2
Searsport.....	1,349	-	-	-	2	1	2
Stockton Springs.....	872	-	-	-	-	1	3
Swanville.....	502	-	-	-	-	-	-
Thorndike.....	497	-	-	1	-	-	-
Troy.....	766	-	-	-	-	1	1
Unity.....	877	-	-	1	-	-	-
Waldo.....	468	-	-	1	-	2	1
Winterport.....	1,623	-	-	-	-	-	3
WASHINGTON COUNTY	43,985	-	3	34	1	34	34
Addison.....	1,059	-	-	1	-	-	-
Alexander.....	833	-	-	-	-	-	1
Baileyville.....	215	-	-	-	-	-	-
Baring.....	221	-	-	-	-	-	-
Calais.....	7,655	-	1	7	-	7	4

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	7	1	10	10	5	-	5	-	1	-	-	2
-	-	-	-	2	-	-	-	-	-	-	-	1
-	1	-	1	2	1	-	2	-	1	-	-	-
-	-	-	1	3	-	-	-	-	-	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	2	-	-	1	-	1	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	2
2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	28	29	55	39	8	3	22	2	17	3	4	12
-	-	6	8	3	1	1	7	1	4	1	1	2
-	1	-	4	1	-	-	2	-	2	-	-	-
-	-	1	-	5	-	-	1	-	-	-	-	-
-	1	1	1	4	1	-	-	-	-	-	-	-
-	-	1	2	1	1	-	1	-	2	-	-	1
1	2	3	3	2	-	-	-	-	-	1	-	-
-	2	1	3	6	-	-	1	-	2	-	-	2
-	1	1	1	3	2	-	1	-	1	-	-	-
-	1	4	3	8	-	-	1	-	1	-	-	1
1	-	-	1	1	-	-	-	-	-	-	-	-
-	2	-	1	1	1	-	1	1	-	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	1	1	1	1	2	-	-	-	-	1
1	-	-	10	8	3	-	1	-	2	-	-	2
-	1	3	8	1	-	-	-	-	-	-	-	-
-	1	-	3	1	1	-	1	-	1	-	1	-
-	1	1	3	2	-	-	1	-	-	-	-	-
-	3	2	1	-	-	-	2	-	2	-	-	2
-	2	2	1	2	-	1	-	-	-	1	-	-
13	34	30	68	65	7	6	20	-	25	4	2	23
-	-	1	4	-	-	1	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	1
2	7	5	12	16	4	-	3	-	4	-	1	3

TABLE

Deaths in Each Town from Certain

WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Centerville	91	-	-	-	-	-	-
Charlotte	315	-	-	-	-	-	1
Cherryfield	1,859	-	-	-	-	-	1
Columbia	516	-	-	2	-	1	-
Columbia Falls	569	-	-	-	-	-	1
Cooper	207	-	-	-	-	1	-
Cutler	565	-	-	-	-	-	1
Danforth	1,092	-	-	1	-	1	4
Deblois	73	-	-	-	-	-	-
Dennysville	482	-	-	-	-	-	-
East Machias	1,521	-	-	-	-	-	2
Eastport	5,311	-	-	4	-	4	4
Edmunds	492	-	-	-	-	1	-
Forest City	151	-	-	-	-	-	1
Harrington	1,165	-	-	-	-	1	3
Jonesboro	606	-	-	1	-	-	-
Jonesport	2,124	-	-	4	-	5	-
Lubec	3,005	-	-	3	1	3	2
Machias	2,082	-	1	3	-	3	-
Machiasport	1,218	-	-	2	-	-	3
Meddybemps	154	-	-	-	-	-	1
Milbridge	1,921	-	-	-	-	1	1
Northfield	126	-	-	-	-	-	-
Pembroke	1,632	-	-	1	-	1	-
Perry	1,245	-	-	1	-	1	2
Princeton	1,094	-	-	3	-	-	1
Robbinston	844	-	1	1	-	-	-
Steuben	901	-	-	-	-	1	-
Talmage	98	-	-	-	-	-	-
Topsfield	282	-	-	-	-	-	-
Trescott	468	-	-	-	-	-	1
Vanceboro	550	-	-	-	-	2	-
Whiting	399	-	-	-	-	-	-
Whitneyville	424	-	-	-	-	1	-
YORK COUNTY	64,885	1	3	60	15	73	56
Acton	778	-	-	1	-	1	-
Alfred	937	-	-	1	-	1	-
Berwick	2,280	-	-	4	-	3	2
Biddeford	16,145	-	2	7	2	39	4
Buxton	1,838	-	-	1	-	1	2
Cornish	984	-	-	-	1	-	1
Dayton	473	-	-	-	-	-	-
Eliot	1,458	-	-	3	-	1	1
Hollis	1,274	-	1	-	-	2	1
Kennebunk	3,328	-	-	6	1	3	8
Kennebunkport	2,123	-	-	2	2	1	1
Kittery	2,572	-	-	5	-	2	4
Lebanon	1,335	-	-	-	1	1	2
Limerick	874	-	-	-	1	-	1
Limington	1,001	-	-	4	-	-	1
Lyman	687	-	-	2	-	1	1

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Newfield.....	676	-	-	1	-	-	1
North Berwick.....	1,748	-	-	1	-	1	-
Old Orchard.....	864	-	-	2	-	-	-
Parsonsfield.....	1,131	-	-	4	2	2	1
Saco.....	6,122	-	-	6	1	5	7
Sanford.....	6,078	-	-	8	1	6	4
Shapleigh.....	847	1	-	-	-	-	-
South Berwick.....	3,188	-	-	2	-	1	6
Waterboro.....	1,169	-	-	2	1	1	2
Wells.....	2,007	-	-	1	1	-	4
York.....	2,668	-	-	2	1	1	2

No. 34—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	2	-	-	-	-	-	-	-	5	-	-	-
-	3	1	5	-	5	-	2	-	4	-	-	-
-	-	1	3	-	-	-	1	-	-	-	-	-
-	2	2	1	1	-	-	1	-	-	-	-	-
4	10	9	10	1	2	5	1	-	3	-	-	-
5	8	1	17	15	-	2	2	-	1	-	-	-
-	4	-	2	2	1	2	2	-	3	-	-	-
2	6	1	6	6	-	-	2	1	2	-	-	-
-	1	4	4	4	-	1	1	-	-	-	-	-
1	2	4	6	2	-	1	1	-	2	-	1	-
1	3	3	6	8	1	-	2	-	1	-	-	3
			6				2					1

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males....	67	19	9	24	26	23	40	43	59	55	38	4	-	6
females.....	50	19	10	22	35	33	30	25	58	56	61	6	-	4
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	145	40	12	25	37	26	15	22	35	50	25	6	-	3
females.....	106	37	10	25	42	35	20	16	22	27	20	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Cumberland, males.....	118	48	19	33	78	70	61	97	134	164	84	10	-	6
females.....	101	40	15	31	66	61	72	83	122	163	110	23	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	25	6	1	7	9	12	14	17	21	33	18	5	-	1
females.....	12	4	2	3	4	13	7	12	20	22	27	10	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	30	12	8	9	17	23	20	27	36	46	31	2	-	3
females.....	25	6	2	11	15	19	7	21	44	45	28	3	-	1
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	68	28	8	17	24	28	25	56	80	120	59	10	-	9
females.....	54	27	4	20	44	40	48	59	49	112	77	17	-	1
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	29	11	2	6	16	15	21	41	40	63	28	5	-	-
females.....	14	5	2	7	21	8	22	19	39	36	29	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	4	5	-	2	11	6	11	24	27	39	29	5	-	2
females.....	5	4	2	7	13	5	7	11	32	29	27	12	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	38	14	2	9	12	16	15	28	53	60	32	12	-	2
females.....	42	8	2	14	27	15	7	21	45	57	35	6	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	75	48	17	40	79	48	62	78	90	100	82	12	-	5
females.....	60	32	13	35	73	49	46	61	84	94	56	13	1	6
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	7	4	-	9	13	11	10	18	15	24	15	3	-	3
females.....	9	2	1	8	10	18	6	14	19	18	13	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	12	11	4	3	9	4	2	14	26	31	18	4	-	2
females.....	14	7	5	11	8	13	7	17	22	35	27	6	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	32	13	6	22	15	21	22	31	36	62	36	2	-	2
females.....	24	12	6	16	21	16	19	22	40	41	36	5	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	17	10	2	7	7	5	13	25	31	45	33	6	-	-
females.....	13	3	-	8	15	21	19	15	32	32	35	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	48	22	10	14	21	10	12	25	36	54	29	5	-	1
females.....	33	15	7	21	25	17	16	26	36	46	43	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	92	37	8	17	32	25	34	60	102	104	83	5	-	2
females.....	70	32	7	26	49	34	45	49	79	94	71	16	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Total, males.....	807	328	108	239	406	343	377	606	821	1050	640	96	-	47
females.....	641	253	88	265	468	397	378	471	743	907	695	143	1	18
not stated.....	7	-	-	-	-	-	-	-	-	-	-	-	-	3
Grand total.....	1455	581	196	504	874	740	755	1077	1564	1957	1335	239	1	68

No. 35.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
35	35	36	38	36	27	35	34	36	40	25	34	2	413	-
42	41	33	42	34	22	39	44	30	31	23	36	1	418	-
1	-	-	-	-	-	-	-	-	-	-	1	-	2	835
38	26	34	26	37	28	42	55	62	34	23	35	1	441	-
30	26	29	32	40	23	28	39	49	21	22	30	12	362	-
92	71	98	88	82	55	63	76	84	79	62	67	-	522	-
23	76	69	83	86	75	66	67	48	79	82	74	-	868	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,810
14	22	15	12	19	16	10	16	19	8	11	13	-	189	-
12	14	10	9	17	12	9	6	8	10	16	14	-	137	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
23	16	25	29	21	22	23	13	17	22	27	26	-	264	-
13	16	31	24	19	13	23	13	22	12	22	19	-	227	-
-	-	-	-	-	-	-	-	-	1	-	-	-	1	492
42	55	47	49	38	33	38	52	43	38	55	41	1	532	-
38	56	58	54	55	39	34	26	45	44	38	65	-	552	-
-	-	-	-	-	-	-	1	-	-	-	-	-	2	1,086
23	81	28	26	16	15	15	24	23	28	19	29	-	277	-
22	18	19	19	18	15	11	17	18	19	12	22	-	210	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	457
27	13	18	19	14	10	10	12	9	9	13	11	-	165	-
9	17	19	14	13	11	18	16	11	12	12	10	-	154	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	319
23	30	22	37	26	27	17	16	18	28	20	29	-	293	-
23	27	30	30	20	17	25	18	24	28	17	20	-	279	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	572
68	49	65	79	91	49	45	63	62	68	46	61	-	736	-
49	55	70	63	75	59	33	47	32	47	50	40	1	623	-
1	-	1	-	-	-	-	-	-	-	-	-	-	2	1,361
14	14	11	13	10	9	9	11	14	12	12	11	-	132	-
6	9	12	10	5	7	9	16	15	11	6	14	-	120	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	252
16	17	11	11	16	14	13	6	16	11	8	11	-	140	-
7	21	22	14	17	7	14	16	13	14	13	14	-	172	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	312
26	31	38	25	24	21	17	31	22	20	23	21	1	300	-
23	29	33	25	27	15	14	19	16	15	15	29	-	260	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	560
14	14	29	23	19	20	14	12	15	15	12	9	-	196	-
19	12	26	15	17	19	13	12	19	16	15	15	-	198	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	394
23	31	30	23	32	23	20	16	17	19	26	22	-	287	-
28	32	25	39	22	25	19	20	19	21	20	24	-	294	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	581
63	61	47	71	51	46	34	40	55	44	37	52	-	601	-
48	62	44	69	47	35	47	42	41	58	34	45	2	574	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1,176
531	522	549	574	526	413	404	477	506	470	419	472	5	5,868	-
452	511	530	542	512	394	396	418	401	438	397	471	6	5,468	-
2	2	1	-	-	-	1	-	-	1	1	1	1	16	-
885	1,035	1,080	1,116	1,088	807	800	896	907	809	817	944	12	11,346	11,346

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Thirteen Years, 1892-1904.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	443	426	846	2,216	2,831	14,391	6,706	13,669	2,975	7,318
Males	199	208	388	1,095	1,602	6,253	-	6,390	1,396	3,568
Females	243	218	458	1,120	1,228	8,137	-	6,664	1,579	3,750
Not stated	1	-	-	1	1	1	-	5	-	-
January	42	32	77	228	214	1,231	84	2,037	380	687
February	36	34	66	194	184	1,184	73	1,775	396	658
March	54	57	82	141	240	1,452	88	1,858	379	633
April	43	39	67	148	206	1,385	104	1,639	341	630
May	64	38	63	167	200	1,403	102	1,276	289	611
June	45	34	76	118	149	1,211	184	685	189	570
July	48	21	74	130	141	1,160	955	318	138	536
August	26	19	85	122	222	1,074	2,200	273	92	594
September	10	27	71	155	345	1,022	1,833	384	130	573
October	29	36	56	246	383	1,112	741	654	204	587
November	22	48	57	289	276	1,015	149	891	206	574
December	22	41	70	276	255	1,129	89	1,263	256	655
Not stated	-	-	2	2	6	13	3	9	5	3

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100, Thirteen Years, 1892-1904.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January.....	111.64	88.45	107.17	117.76	93.16	100.72	14.68	183.66	150.39	110.54
February.....	105.94	104.07	94.92	114.12	86.92	107.25	14.19	177.19	160.38	117.21
March.....	143.54	155.55	114.13	74.92	99.82	118.80	15.73	167.52	150.00	101.85
April.....	123.59	111.40	96.36	81.26	88.53	117.10	18.78	152.71	139.46	104.76
May.....	170.12	105.03	87.68	88.74	83.18	114.79	17.83	115.05	114.37	98.31
June.....	123.59	97.12	108.31	64.78	63.99	102.38	33.40	63.82	77.29	84.78
July.....	127.59	58.04	102.99	71.37	58.64	94.91	167.49	28.23	54.62	86.56
August.....	69.11	52.51	118.30	66.98	92.33	87.87	386.30	24.61	36.42	95.58
September.....	27.46	77.12	102.11	85.10	148.27	86.68	350.82	35.78	53.17	96.11
October.....	58.48	102.83	77.94	130.71	163.45	90.98	130.11	58.96	80.74	94.45
November.....	60.42	137.10	81.96	158.68	118.62	85.81	27.04	83.02	104.69	95.44
December.....	58.48	113.32	97.43	146.65	106.06	92.37	15.63	114.05	101.32	105.39
Mean.....	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-rates.—The number of deaths registered in the year 1904 was 11,346 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, 11,370 in 1899, 11,389 in 1900, 11,133 in 1901, 10,673 in 1902, and 11,009 in 1903). The number of deaths for this registration year was, therefore, 337 more than for 1903, 673 more than for 1902, 213 more than for 1901, 43 less than for the year 1900, 24 less than for 1899, 390 more than for 1898, 110 more than for 1897, 720 more than for 1896, 882 more than for 1895, 334 more than for 1894, 212 more than for 1893, 801 less than for 1892. The death-rate for the State for the year 1904 was 16.34 for every 1,000 of population (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, 16.45 in 1899, 16.40 in 1900, 16.03 in 1901, 15.37 in 1902 and 15.85 in 1903).

By referring to Table No. 4, it will be seen that the death-rate of Washington county was lower than that of any other county, being only 12.96. The counties Androscoggin, Aroostook, Hancock, Knox, Lincoln, Piscataquis, Sagadahoc, Waldo and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Franklin, Kennebec, Oxford, Penobscot, Somerset and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.37.

The death-rate in the cities was 18.00 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, and 17.16 in 1903), as compared with that of the rest of the State with the cities omitted, which death-rate was 15.54 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903).

Seasons and Mortality.—The largest number of deaths occurred in April, 1,116. The smallest number of death in any one month was 800 in July. During the spring months 3,234 deaths occurred; during the summer, 2,503; during the autumn,

2,633; in the winter, 2,964. The following shows the month in which the largest and smallest number of deaths occurred in the years 1892-1904:

Largest Number.			Smallest Number.	
1892	January	1,577	November.....	790
1893	August.....	1,080	November.....	796
1894	January	1,266	November.....	761
1895	March.....	1,053	June	715
1896	August	1,079	November.....	667
1897	March.....	1,250	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April.....	1,186	November.....	769
1901	March.....	1,182	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April.....	1,116	July	800

The following is a tabular statement of the number of deaths in each quarter of the thirteen years 1892-1904:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	2,166	2,660	2,774	2,492
1895	2,789	2,412	2,764	2,503
1896	2,723	2,717	2,836	2,839
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,864	2,782
1899	2,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,508	2,545	2,774
1903	2,946	2,705	2,723	2,615
1904	2,100	2,961	2,603	2,670

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1904:

REGISTRATION REPORT.

DEATHS IN EACH MONTH FOR THE YEARS 1892-1904.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.
1892	1,577	1,292	1,085	1,048	1,045	835	868	898	976	844	790	793	50	12,147.
1893	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894	1,266	980	920	993	851	816	865	853	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	838	1,023	902	743	898	5	10,464
1896	583	921	944	942	931	814	845	1,079	912	833	667	839	6	10,636
1897	916	851	1,259	1,020	892	769	840	1,019	997	999	885	837	2	11,236
1898	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,856
1899	1,432	1049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900	903	881	1,095	1,196	1,063	783	839	1,033	1,037	911	769	866	8	11,389
1901	955	1,091	1,132	965	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	939	919	805	837	861	911	854	820	996	24	10,673
1903	1,008	944	996	939	930	786	901	865	957	865	831	919	20	11,009
1904	955	1,035	1,060	1,116	1,038	807	800	886	907	909	817	944	12	11,346
Total	13,421	12,427	13,260	12,969	12,294	10,305	10,352	11,527	12,721	11,653	10,278	11,590	196	144,495

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1897-1904. The number of deaths for 1904 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,346 decedents, 5,868 were males and 5,468 were females. The sex of ten was unstated.

Among children dying before they were 5 years old, 1,135 were males and 894 were females; there were 241 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80, and from 80 to 100, more among females. At the age of 100 years, 1 woman died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,455	12.82 per cent.
From 1-5	years of age	581	5.12 per cent.
From 5-10	years of age	196	1.72 per cent.
From 10-20	years of age	504	4.44 per cent.
From 20-30	years of age	874	7.71 per cent.
From 30-40	years of age	740	6.52 per cent.
From 40-50	years of age	755	6.65 per cent.
From 50-60	years of age	1,077	9.49 per cent.
From 60-70	years of age	1,564	13.78 per cent.
From 70-80	years of age	1,957	17.25 per cent.
From 80-90	years of age	1,335	11.77 per cent.
From 90-100	years of age	239	2.11 per cent.
Over 100 years	of age	1	0.01 per cent.
Ages not stated		68	0.61 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1897-1904. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, and in 1903 the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES—1897-1904.

CAUSES OF DEATH.	1904.	1904.	1903.	1902.	1901.	1900.	1899.	1898.	1897.
Brain disease*	1,319	1	1	1	1	1	1	1	1
Heart disease.....	1,191	2	2	2	2	3	3	2	3
Pneumonia	1,050	3	3	3	4	2	2	4	4
Consumption	1,016	4	4	4	3	4	4	3	2
Old age	756	5	5	5	5	5	5	6	5
Kidney disease†	629	6	6	7	8	8	8	8	8
Cancer.....	611	7	7	6	6	7	7	7	7
Infantile diarrhea	369	8	8	8	7	6	6	5	6
Bronchitis	223	9	9	9	9	9	9	10	10
Diphtheria and croup	162	10	10	10	10	10	10	9	9

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1904.

COUNTIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1904.	Infectious death-rate per 10,000—1904.
Androscoggin.....	54,242	29	5.35
Aroostook.....	60,744	60	9.88
Cumberland. . .	100,689	86	8.54
Franklin.....	18,444	7	3.80
Hancock.....	37,241	13	3.49
Kennebec . . .	59,117	24	4.06
Knox.....	30,406	7	2.30
Lincoln.....	19,669	8	4.07
Oxford.....	32,238	18	5.58
Penobscot.....	76,246	116	15.21
Piscataquis . . .	16,949	11	6.49
Sagadahoc.....	20,330	23	1.06
Somerset.....	33,849	24	7.09
Waldo.....	24,185	10	4.13
Washington.....	45,232	18	3.98
York.....	64,885	40	6.17
State.....	694,466	493	7.10

In the foregoing table the second column shows for each county the whole number of deaths for 1904, from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:



SIX INFECTIOUS DISEASES BY CITIES—1904.

CITIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1904.	Infectious death-rate per 10,000—1904.
Auburn.....	12,861	7	5.40
Augusta.....	11,683	6	5.14
Bangor.....	21,850	45	20.59
Bath.....	10,477	16	15.27
Belfast.....	4,615	3	6.50
Biddeford.....	16,145	18	11.15
Brewer.....	4,835	7	14.48
Calais.....	7,655	3	3.92
Eastport.....	5,811	-	-
Ellsworth.....	4,297	2	4.65
Gardiner.....	5,501	-	-
Hallowell.....	2,714	1	3.68
Lewiston.....	23,761	18	7.58
Old Town.....	5,763	22	38.17
Portland.....	50,145	51	10.17
Rockland.....	8,150	2	2.45
Saco.....	6,122	7	11.43
South Portland.....	6,287	4	6.36
Waterville.....	9,477	8	8.44
Westbrook.....	7,253	9	12.36
Collectively.....	225,022	229	10.18

By consulting the following table it will be seen that the number of deaths from typhoid fever, diphtheria and croup, tetanus, and malarial disease was larger than in 1903. There was a smaller number of deaths from smallpox, measles, scarlet fever, whooping cough, and grippe.

INFECTIOUS DISEASES—1897-1904.

DISEASES.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	Total.
Smallpox.....	-	-	3	2	-	12	7	3	27
Chickenpox.....	-	-	-	1	-	-	-	-	1
Measles.....	22	41	39	84	26	28	36	22	286
Rotheln (German measles).....	-	-	-	1	-	-	-	-	1
Scarlet fever.....	38	43	48	35	18	13	18	10	223
Grippe.....	234	145	289	236	266	122	196	166	1,805
Whooping cough.....	46	44	96	99	28	51	110	54	528
Mumps.....	-	3	1	-	-	-	1	-	5
Diphtheria and croup.....	276	240	152	155	127	115	115	162	1,342
Cerebro-spinal meningitis.....	86	43	50	42	44	33	-	-	248
Tetanus.....	2	4	11	7	5	7	11	14	61
Typhoid fever.....	151	216	195	186	224	162	225	242	1,611
Malarial disease.....	7	6	10	13	11	20	9	13	81

Smallpox.—There were 3 deaths from smallpox in 1904. In 1903, smallpox was the cause of 7 deaths; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration of deaths went into effect, until 1899.

Measles.—This disease caused the death of 22 persons, of whom 8 were males, and 14 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, and 36 in 1903.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS
—1896-1904.

BY COUNTIES.		By months.		By age periods.	
Androscoggin	27	January	28	Under 1.....	92
Aroostook.....	56	February.....	36	1-5.....	116
Cumberland	47	March.....	34	5-10.....	25
Franklin	5	April.....	29	10-20.....	26
Hancock	18	May.....	48	20-30.....	19
Kennebec.....	25	June	35	30-40.....	20
Knox.....	8	July.....	37	40-50.....	11
Lincoln.....	3	August.....	21	50-60.....	4
Oxford	15	September.....	8	Over 60.....	15
Penobscot.....	35	October.....	25	Not stated.....	2
Piscataquis.....	10	November.....	18	Total.....	330
Sagadahoc	5	December.....	17		
Somerset.....	28	Total.....	330		
Waldo.....	8				
Washington.....	16				
York.....	24				
State.....	330				

Scarlet Fever.—The total mortality from this disease was 10 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, and 18 in 1903), 5 males and 5 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 3 in May. There were 3 deaths in the first quarter, 4 in the second, 1 in the third, and 2 in the last quarter of the year.

Aroostook county had 1 death from scarlet fever; Cumberland, 2; Kennebec, 1; Lincoln, 1; Somerset, 1; and York, 4. Of the 10 deaths from this cause, only 1 was in a city.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the twelve years 1893-1904:

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By COUNTIES.		By months.		By age-periods.	
Androscoggin.....	27	January.....	24	Under 1.....	34
Aroostook.....	68	February.....	30	1-5.....	180
Cumberland.....	43	March.....	53	5-10.....	115
Franklin.....	7	April.....	34	10-20.....	45
Hancock.....	14	May.....	34	20-30.....	10
Kennebec.....	41	June.....	31	30-40.....	3
Knox.....	22	July.....	21	40-50.....	1
Lincoln.....	3	August.....	19	50-60.....	1
Oxford.....	5	September.....	26	Not stated.....	1
Penobscot.....	38	October.....	34	Total.....	390
Piscataquis.....	10	November.....	45		
Sagadahoc.....	10	December.....	39		
Somerset.....	12	Total.....	390		
Waldo.....	14				
Washington.....	19				
York.....	62				
State.....	330				

The scarlatina death-rate per 10,000 for this State was 0.14; for the cities, 0.04.

Grippe.—During the year for which this report is made, 166 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 8.43; February, 11.45; March, 22.89; April, 18.07; May, 15.06; June, 3.01; July, 0.00; August, 2.40; September, 2.40; October, 1.81; November, 7.24; December, 7.24. The following shows the age incidence of deaths reported as having occurred from grippe:

Under 1 year,	21	50-60 years,	8
1-5 years,	14	60-70 years,	19
5-10 years,	1	70-80 years,	43
10-20 years,	5	Over 80 years,	37
20-30 years,	8		
30-40 years,	2	Total,	166
40-50 years,	8		

The grippe death-rate for the whole State was 2.39 for each 10,000 of living population (11.43 in 1892; 2.31 in 1893; 4.46 in 1894; 2.30 in 1895; 1.77 in 1896; 4.45 in 1897; 2.19 in 1898; 5.50 in 1899; 3.40 in 1900; 3.83 in 1901; 1.87 in 1902, and 2.82 in 1903).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS—
1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	-	1	5	5	1	-	-	-	-	1	-	-	13
Aroostook.....	3	1	4	4	3	1	-	1	1	2	3	2	25
Cumberland.....	1	1	3	9	5	1	-	-	-	-	12	1	23
Franklin.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock.....	1	-	-	-	-	-	-	-	-	-	2	-	3
Kennebec.....	1	7	3	-	1	1	-	-	1	-	-	3	17
Knox.....	-	2	2	1	-	-	-	-	-	-	-	-	5
Lincoln.....	-	-	-	-	2	-	-	-	-	-	-	1	3
Oxford.....	-	-	3	4	1	-	-	-	-	-	2	1	11
Penobscot.....	2	1	3	2	4	-	-	1	-	-	-	2	15
Piscataquis.....	-	1	3	1	-	-	-	1	-	-	-	1	7
Sagadahoc.....	-	-	-	-	1	-	-	-	-	-	1	-	2
Somerset.....	-	1	6	1	3	1	-	1	-	-	-	-	13
Waldo.....	2	1	4	-	-	1	-	-	1	-	-	-	9
Washington.....	2	1	1	2	2	-	-	-	1	-	1	1	11
York.....	2	2	1	1	2	-	-	-	-	-	1	-	9
State.....	14	19	38	30	25	5	-	4	4	3	12	12	166

Whooping Cough.—The number of deaths from whooping cough was 54 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, and 110 in 1903), of which 29 were males and 25 females. The number of deaths in the cities was 24. Thirty-six of the 54 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.78 per 10,000, that of the cities, 1.07.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPIING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1904.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	3	January	5	Under 1.....	36
Aroostook.....	10	February.....	4	1-5.....	16
Cumberland.....	14	March.....	11	5-10.....	1
Franklin.....	4	April.....	7	10-20.....	-
Hancock.....	-	May.....	5	20-30.....	-
Kennebec.....	1	June.....	4	30-40.....	-
Knox.....	2	July.....	5	40-50.....	-
Lincoln.....	-	August.....	5	50-60.....	-
Oxford.....	-	September.....	3	60-70.....	-
Penobscot.....	10	October.....	-	Over 70.....	1
Piscataquis.....	1	November.....	-	Total.....	54
Sagadahoc.....	-	December.....	5		
Somerset.....	3	Total.....	54		
Waldo.....	1				
Washington.....	2				
York.....	3				
State.....	54				

Diphtheria.—There were, for the year 1904, 162 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, 92 in 1899, 155 in 1900, 127 in 1901, 115 in 1902, and the same in 1903). Of the decedents, 86 were males and 76 were females.

Ages: Under 1, 16; 1-5, 66; 5-10, 42; 10-20, 26; 20-30, 6; 30-40, 1; 50-60, 1; not stated, 1

Of the 162 deaths, 69 were in the cities, and 93 in other places. The diphtheria death-rate for the State was 2.33, and for the cities, 3.07.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	3	2	-	-	-	-	1	-	1	1	3	2	13	2.40
Aroostook	1	2	2	3	2	-	-	-	1	2	1	3	17	2.50
Cumberland	2	1	4	9	3	1	1	3	-	4	6	3	37	3.67
Franklin	1	-	-	-	-	-	-	-	-	-	-	-	1	0.54
Hancock	-	1	-	-	-	-	1	2	-	-	1	-	5	1.34
Kennebec	2	-	-	-	1	-	4	-	-	-	1	-	8	1.35
Knox	-	-	-	-	-	-	-	-	-	-	-	1	1	0.33
Lincoln	-	-	-	-	1	-	1	1	-	-	-	-	3	1.53
Oxford	1	-	-	1	1	-	-	-	1	-	-	1	5	1.55
Penobscot	-	3	1	-	1	-	2	1	1	6	3	4	22	2.89
Piscataquis	1	-	-	-	-	1	-	-	-	-	-	-	2	1.18
Sagadahoc	1	2	3	1	-	1	2	3	-	-	3	1	17	3.36
Somerset	2	1	-	-	4	2	-	-	1	-	1	2	13	3.84
Waldo	-	-	-	-	-	-	-	1	-	-	-	-	1	0.41
Washington	-	1	-	1	1	-	-	-	-	3	2	-	8	1.77
York	-	3	-	-	-	-	-	1	-	-	3	2	9	1.39
State	14	16	10	15	14	5	12	12	5	16	24	19	162	2.33

The following tabulation shows the number of deaths from diphtheria for the twelve years 1893-1904, arranged by counties, months, and age-periods:

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By COUNTIES.		By months.		By age-periods.	
Androscoggin	259	January	208	Under 1.....	286
Aroostook	384	February.....	180	1-5.....	914
Cumberland	419	March.....	129	5-10.....	488
Franklin	37	April.....	133	10-20.....	218
Hancock	45	May.....	146	20-30.....	43
Kennebec	177	June	98	30-40.....	24
Knox	83	July.....	117	40-50.....	11
Lincoln.....	26	August.....	112	50-60.....	7
Oxford	43	September.....	186	60-70.....	5
Penobscot	128	October.....	221	Over 70.....	3
Piscataquis.....	14	November.....	271	Not stated.....	5
Sagadahoc	61	December.....	261	Total.....	2,004
Somerset.....	68	Not stated.....	2		
Waldo.....	27	Total.....	2,004		
Washington	69				
York.....	184				
State.....	2,004				

Typhoid Fever.—There were 242 deaths from typhoid fever. Of these 136 were males and 106 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 82 per cent. died between 10 and 50 years of age.

Ages: Under 1, 1; 1-5, 4; 5-10, 9; 10-20, 57; 20-30, 86; 30-40, 34; 40-50, 22; 50-60, 12; 60-70, 10; 70-80, 4; not stated, 3.

The largest number of deaths, 49, occurred in April, and the smallest number, 9, in January. By quarters, 39 were in the first quarter, 111 in the second, 52 in the third, and 40 in the last quarter of the year.

The typhoid death-rate of 5.51 in the cities is considerably greater than that in the villages and rural towns, which is 2.51. The rate for the State is 3.48.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1904.

COUNTIES.	January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	2	-	1	-	2	-	-	4	1	1	2	13	2.40
Aroostook	-	-	2	6	7	2	-	2	2	3	2	5	31	5.10
Cumberland	1	-	-	2	3	1	4	3	3	3	4	-	24	2.38
Franklin	-	-	-	-	1	-	-	1	-	-	-	-	2	1.08
Hancock	-	-	-	-	1	-	-	-	-	-	2	1	4	1.07
Kennebec	1	1	2	4	2	-	-	-	1	-	1	-	12	2.03
Knox	-	-	-	1	-	-	-	-	2	-	-	-	3	0.99
Lincoln	-	-	-	-	1	-	2	1	-	-	-	-	4	2.03
Oxford	1	1	1	1	-	2	2	1	-	3	-	-	12	3.73
Penobscot	1	3	8	28	26	6	1	3	2	1	1	3	83	10.89
Piscataquis	-	1	1	-	1	-	1	1	2	1	-	-	8	4.72
Sagadahoc	1	1	-	-	1	1	1	-	-	-	-	-	5	2.46
Somerset	-	-	-	1	1	-	-	-	2	-	-	1	5	1.48
Waldo	-	-	2	-	1	1	-	-	1	1	-	2	8	3.31
Washington	-	-	-	-	-	-	1	2	-	1	-	-	4	0.88
York	4	1	4	5	1	1	4	1	2	-	-	1	24	3.70
State	9	10	20	49	46	16	16	15	21	14	11	15	242	3.48

The following exhibits for the twelve years 1893-1904, the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By COUNTIES.	By months.	By age-periods.
Andrescoggin 247	January 204	Under 1 18
Aroostook 218	February 181	1-5 95
Cumberland 380	March 228	5-10 144
Franklin 62	April 202	10-20 606
Hancock 103	May 187	20-30 810
Kennebec 779	June 138	30-40 376
Knox 62	July 139	40-50 243
Lincoln 53	August 207	50-60 188
Oxford 119	September 306	60-70 92
Penobscot 430	October 351	70-80 64
Piscataquis 48	November... .. 237	Over 80 15
Sagadahoc 46	December 242	Not stated 22
Somerset 86	Not stated 6	Total 2,621
Waldo 59	Total 2,621	
Washington 129		
York 321		
State 2,621		

Malarial Diseases.—Thirteen deaths were registered as due to malarial diseases. In eleven cases the disease was contracted outside of this State; nine of these persons having contracted the disease in the war of the rebellion. All of the decedents were males; their respective ages were: 1-5, 1; 50-60, 1; 60-70, 9; 70-80, 2.

Tuberculosis.—In 1904, tuberculosis in its various forms was the cause of 1,217 deaths (1,513 in 1892; 1,446 in 1893; 1,449 in 1894; 1,397 in 1895; 1,359 in 1896; 1,338 in 1897; 1,239 in 1898; 1,241 in 1899; 1,215 in 1900; 1,250 in 1901; 1,165 in 1902, and 1,076 in 1903). The death-rate per 10,000 from this cause was 17.52.

Cerebral Tuberculosis. (Tubercular Meningitis.)—The number of deaths was 63; 31 were of males and 32 of females.

The number for the cities was 22. The death-rate for the State was 0.91; for the cities, 0.98.

Ages: Under 1, 13; 1-5, 15; 5-10, 13; 10-20, 7; 20-30, 8; 30-40, 3; 40-50, 2; over 60, 1; not stated, 1.

Pulmonary Tuberculosis. (Consumption.)—From this cause 1,016 deaths were registered in 1904, which is equivalent to a death-rate of 14.63 per 10,000 of population. The death-rate for the cities was 16.40. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the thirteen registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.24
1893.....	1,299.....	19.35
1894.....	1,262.....	18.80
1895.....	1,195.....	17.71
1896.....	1,172.....	17.21
1897.....	1,128.....	16.47
1898.....	1,021.....	14.85
1899.....	1,015.....	14.69
1900.....	1,027.....	14.79
1901.....	1,033.....	14.87
1902.....	970.....	13.97
1903.....	901.....	12.97
1904.....	1,016.....	14.63

There were in 1904, 336 fewer deaths than in 1892, 283 fewer than in 1893, 246 fewer than in 1894, 179 fewer than in 1895, 156 fewer than in 1896, 112 fewer than in 1897, 5 fewer than in 1898, 1 more than in 1899, 11 fewer than in 1900, 17 fewer than in 1901, 46 more than in 1902, and 115 more than in 1903.

Ages: Under 1, 19; 1-5, 11; 5-10, 10; 10-20, 109; 20-30, 307; 30-40, 196; 40-50, 184; 50-60, 94; 60-70, 79; 70-80, 45; over 80, 10; not stated, 2.

It is thus shown in this report, as it was in the twelve preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 82 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 447 of the decedents, or 44.0 per cent., were males; and 569, or 56.0 per cent. were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin ...	2	9	8	10	8	3	6	7	4	2	6	4	-	69	12.73
Aroostook.....	5	9	5	6	12	3	6	4	6	5	4	5	1	71	11.68
Cumberland.....	13	15	14	15	15	14	22	12	8	11	9	7	-	155	15.39
Franklin	2	4	1	2	4	1	2	1	3	-	2	5	-	27	14.64
Hancock	2	1	6	2	7	3	4	3	1	2	4	4	-	38	16.47
Kennebec	7	7	5	15	8	7	6	5	4	7	5	3	-	79	13.38
Knox	7	5	2	5	2	3	1	4	3	3	4	6	-	45	14.80
Lincoln.....	4	3	5	2	5	-	2	1	1	1	2	5	-	31	15.76
Oxford	-	4	4	5	-	3	5	2	1	6	4	2	-	36	11.17
Penobscot.....	13	10	16	14	14	15	11	8	8	16	6	12	-	143	18.76
Piscataquis	3	2	2	3	-	1	2	6	4	3	4	1	-	31	18.29
Sagadahoc	2	2	2	4	4	-	1	1	3	1	-	1	-	21	10.33
Somerset	4	9	7	4	4	5	4	2	2	7	3	5	-	56	16.54
Waldo	4	2	5	1	4	6	1	4	6	4	1	2	-	40	16.54
Washington	6	10	5	9	4	10	2	6	2	3	2	6	-	65	14.37
York	5	11	8	18	7	12	10	4	6	11	10	6	-	108	16.64
State	79	103	95	115	98	86	85	70	62	82	66	74	1	1,016	14.63

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1904.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	11	6	3	39	125	79	65	55	38	21	4	1	447
Females	8	5	7	70	182	117	69	39	41	24	6	1	569
Total	19	11	10	109	307	196	134	94	79	45	10	2	1,016

For the twelve years 1893-1904, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By COUNTIES.	By months.	By age-periods.
Androscooggin 998	January 1,088	Under 1..... 192
Aroostook 825	February..... 1,077	1-5..... 189
Cumberland 1,999	March 1,322	5-10..... 119
Franklin 322	April 1,258	10-20..... 1,556
Hancock 708	May..... 1,271	20-30..... 3,869
Kennebec 1,152	June 1,097	30-40..... 2,443
Knox 670	July..... 1,058	40-50..... 1,583
Lincoln 380	August 969	50-60..... 1,168
Oxford 496	September..... 924	60-70..... 1,024
Penobscot 1,503	October..... 967	70-80..... 766
Piscataquis 284	November..... 939	80 and over..... 199
Sagadahoc 368	December..... 1,038	Not stated..... 62
Somerset..... 664	Not stated..... 14	Total 13,089
Waldo 553	Total 13,088	
Washington 955		
York 1,257		
State 13,089		

Tuberculosis Mesenteric.—There were 62 deaths from this cause, 26 males and 36 females.

Ages: Under 1, 3; 1-5, 2; 5-10, 2; 10-20, 6; 20-40, 27; 40-60, 10; over 60, 12.

Tuberculosis, Other Forms.—Of these deaths, 76 in all, the cause assigned was: tuberculosis or general tuberculosis, 33; tuberculosis of larynx, 11; tuberculosis of kidneys, 4; cold abscess, 5; tuberculosis of joints, 7; Pott's disease, 8; and others, 8.

There were 29 deaths from erysipelas; 51 from pyemia and septicemia, and 37 from puerperal fever—giving a special death-rate of 1.68. The following shows the distribution of puerperal fever by months and counties:

January.....	5	Androscoggin	1
February.....	5	Aroostook	7
March.....	6	Cumberland	3
April.....	3	Franklin	2
May.....	5	Hancock	2
June.....	1	Kennebec	5
July.....	2	Knox	3
August.....	1	Lincoln	2
September.....	2	Oxford	0
October.....	2	Penobscot	2
November.....	2	Piscataquis	1
December.....	3	Sagadahoc	0
		Somerset	1
Total.....	37	Waldo	3
		Washington	3
		York	2
		Total	37

Twenty-one deaths were returned under alcoholism. The special death-rate from alcoholism was 0.30.

Rheumatism.—The returns give 60 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, and 58 in 1903), 41 males and 19 females. Seventeen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.86, while that in the cities was 0.76. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1904.

By COUNTIES.		By months.		By age-periods.	
Androscoggin	2	January	5	Under 1	-
Aroostook	5	February	7	1-5	-
Cumberland	12	March	5	5-10	4
Franklin	1	April	4	10-20	3
Hancock	5	May	2	20-30	2
Kennebec	3	June	2	30-40	4
Knox	3	July	4	40-50	4
Lincoln	3	August	3	50-60	3
Oxford	5	September	5	60-70	12
Penobscot	4	October	1	70-80	19
Piscataquis	4	November	12	Over 80	3
Sagadahoc	2	December	10	Not stated	1
Somerset	3	Total	60	Total	60
Waldo	2				
Washington	3				
York	3				
State	60				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the twelve years 1893-1904.

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By counties.	By months.	By age-periods.
Androscoggin 33	January 58	Under 1 year..... 1
Aroostook..... 40	February..... 63	1-5..... 7
Cumberland 34	March 61	5-10..... 22
Franklin 9	April..... 49	10-20..... 51
Hancock 33	May..... 62	20-30..... 46
Kennebec 57	June 35	30-40..... 40
Knox 30	July..... 52	40-50..... 44
Lincoln 24	August..... 50	50-60..... 35
Oxford 38	September..... 34	60-70..... 145
Penobscot..... 75	October..... 44	70-80..... 137
Piscataquis 18	November..... 63	Over 80..... 49
Sagadahoc 22	December..... 66	Not stated..... 3
Somerset..... 35	Not stated..... 3	Total..... 640
Waldo..... 31	Total..... 640	
Washington..... 38		
York..... 63		
State..... 640		

Cancer.—From cancer in its various forms and locations, there were 611 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, and 598 in 1903). Of the decedents, 245 were males and 366 females. The cancer death-rate for the State was, therefore, 8.80.

Distributed as to its more frequent locations, there died of cancer of stomach, 168; female genital organs, 78; intestines, 76; liver, 70; breast, 57; mouth, 29; skin, 27; throat, 13; abdomen, 13; neck, 8; bladder, 7; spleen, 5; groin, 3; kidneys, 3; pelvis, 3; larynx, 2; pancreas, 2; various, 10; parts unspecified, 37.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1904.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	-	1	-	-	5	8	13	50	63	80	24	1	245
Females.....	-	-	-	-	6	30	57	74	89	84	26	-	366
Total.....	-	1	-	-	11	38	70	124	152	164	50	1	611

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1904, and for the twelve years 1893-1904:

CANCER—1904 AND 1893-1904.

COUNTIES.	1904.		1893-1904.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1904.	1893-1904.
Androscoggin.....	46	8.48	485	7.45	Under 1 year.....	-	6
Aroostook.....	27	4.44	228	3.13	From 1-5 years	1	10
Cumberland.....	108	10.73	1,129	9.34	" 5-10 "	-	9
Franklin.....	17	9.22	203	9.17	" 10-20 "	-	26
Hancock.....	29	7.79	321	7.18	" 20-30 "	11	96
Kennebec.....	60	10.15	572	8.06	" 30-40 "	38	335
Knox	31	10.20	318	8.72	" 40-50 "	70	782
Lincoln.....	16	3.13	226	9.58	" 50-60 "	124	1,353
Oxford.....	35	10.86	296	7.65	" 60-70 "	152	1,684
Penobscot.....	62	8.13	665	7.27	" 70-80 "	164	1,467
Piscataquis.....	16	9.44	117	5.75	Over 80 years	50	557
Sagadahoc.....	19	9.35	194	7.95	Not stated	1	35
Somerset.....	38	11.22	343	8.44	Total	611	6,360
Waldo.....	13	5.38	247	8.51			
Washington.....	34	7.52	346	6.37			
York.....	60	9.25	670	8.60			
State.....	611	8.80	6,360	7.63			

Diabetes.—The deaths from this cause numbered 91 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, and 92 in 1903). The special death-rate from diabetes was, therefore, 1.31 in 1904. Forty-nine of the decedents were males and 42 were females.

Ages: 1-5, 8; 5-10, 2; 10-20, 8; 20-30, 8; 30-40, 2; 40-50, 5; 50-60, 18; 60-70, 24; 70-80, 18; 80-90, 8.

Old Age.—There were registered 756 deaths as due to old age, 334 men and 422 women. Of these decedents, 6 were from 60 to 70 years of age; 185 were from 70 to 80; 433 were from 80 to 90; 129 were from 90 to 100, while 1 was over 100 years old; and the ages of 2 were unknown.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,532 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, and 3,404 in 1903), or one death in every three and one-fifth was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,532 died of old age, the death-rate from old age would be 50.86 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1904.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	220	40.56	Oxford.....	202	62.66
Aroostook.....	180	21.40	Penobscot.....	357	46.82
Cumberland.....	564	55.02	Piscataquis.....	75	44.25
Franklin.....	115	62.25	Sagadahoc.....	121	59.52
Hancock.....	155	41.62	Somerset.....	182	53.77
Kennebec.....	395	66.62	Waldo.....	156	64.50
Knox.....	169	55.58	Washington.....	186	41.12
Lincoln.....	141	71.69	York.....	373	57.49

Among the persons whose decease occurred in 1904, only 1, a woman attained the age of 100 years. Her name was Margaret Thibedaux, and she died in Bradley, November 12th, at the age of 100 years. She was born in Madawaska. Her father, whose name was Webber, was a native of Canada, as was also her mother, whose maiden name was not given.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,578 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, and 1,641 in 1903), or 22.72 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 212 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, and 243 in 1903), 109 males and 103 females. Of these 116 were in the cities. The death-rate from the several diseases grouped under this head was 3.05.

Ages: Under 1, 88; 1-5, 56; 5-10, 12; 10-20, 19; 20-40, 16; 40-60, 18; over 60, 3.

Apoplexy.—From this cause 714 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, and 712 in 1903), 365 males and 349 females. Of these, 258 were in the cities. The State's death-rate from apoplexy was, therefore, 10.28; that of the cities, 11.47.

The largest number of deaths from apoplexy, 202, occurred in the winter; the largest number in any one month was 72 in February.

In 1894, 1896, and 1900, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, and 1901, in the winter; in 1898, in the winter and spring; in 1902, in the summer, and in 1903 in the winter.

Conversely, the smallest number of deaths, 45, was in August; the smallest number in any one season was 149 in the summer months. Over 74 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	5	8	6	3	5	2	7	6	9	5	7	8	66	12.17
Aroostook	2	-	3	4	-	-	1	-	1	1	2	2	16	2.68
Cumberland	13	15	7	8	9	9	4	9	9	11	9	17	120	11.92
Franklin	2	4	6	2	1	2	-	1	-	2	4	1	25	13.55
Hancock	1	1	2	4	-	2	2	2	1	1	2	2	20	5.37
Kennebec	8	9	12	7	5	8	8	7	4	11	11	7	92	15.56
Knox	4	3	8	4	2	4	3	1	3	3	2	3	40	13.16
Lincoln	4	1	-	1	-	-	2	2	1	1	1	-	13	6.61
Oxford	3	3	1	4	8	4	2	1	4	2	2	2	36	11.17
Penobscot	5	4	4	5	12	8	5	2	4	6	4	7	66	8.66
Piscataquis	2	-	1	1	1	-	-	3	1	2	-	1	12	7.03
Sagadahoc	2	8	4	-	2	1	3	5	1	-	2	2	30	14.76
Somerset	1	2	3	2	2	3	2	2	2	2	2	-	23	6.78
Waldo	3	1	6	2	3	1	2	2	4	2	2	-	28	11.53
Washington	8	3	2	2	3	5	4	-	1	1	3	2	34	7.52
York	8	10	3	15	8	6	9	2	6	11	5	10	93	14.33
State	71	72	68	64	61	55	49	45	51	61	58	59	714	10.23

The following is a tabular exhibit, by sex and age-groups, of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1904.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	5	2	1	1	1	9	21	56	85	199	52	3	365
Females	7	3	-	1	1	4	17	47	86	100	82	1	349
Total	12	5	1	2	2	13	38	103	171	229	134	4	714

APOPLEXY, 1904—1893-1904.

COUNTIES.	1904.		1893-1904.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	66	12.17	582	8.94
Aroostook	16	2.63	165	2.26
Cumberland	120	11.92	1,221	10.11
Franklin	26	13.55	182	8.22
Hancock	20	5.37	286	6.40
Kennebec	92	15.56	718	10.12
Knox	49	13.16	330	9.04
Lincoln	13	6.61	212	8.98
Oxford	38	11.17	329	8.50
Penobscot	66	8.66	659	7.20
Piscataquis	12	7.08	129	6.34
Sagadahoc	30	14.76	237	9.72
Somerset	23	6.79	346	8.52
Waldo	28	11.58	277	9.64
Washington	34	7.52	333	6.23
York	93	14.33	819	10.52
State	714	10.28	6,830	8.20

Softening of the Brain.—From cerebral softening there were 44 deaths—those of 21 males and 23 females.

Ages: From 40-50, 2; 50-60, 6; 60-70, 10; 70-80, 17; over 80, 9.

Paralysis.—Of the 217 deaths from paralysis, 103 persons were males and 114 were females.

Ages: Under 1, 2; 1-5, 1; 5-10, 1; 10-20, 1; 20-30, 3; 30-40, 2; 40-50, 12; 50-60, 21; 60-70, 46; 70-80, 79; 80-90, 46; over 90, 3.

Epilepsy.—Eleven males and 14 females died of epilepsy, 25 in all.

Ages: 10-20, 3; 20-40, 15; 40-60, 2; over 60, 4; not stated, 1.

Tetanus.—This disease was the cause of 14 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, and 11 in 1903).

The decedents were 7 males and 7 females. Of these 14 deaths from tetanus, 1 occurred in each of the months February, November, and December; 2 in May; 4 in August, and 5 in July, all from the 4th to the 11th.

Ages: 10-20, 6; 20-30, 2; 30-40, 8; 40-50, 8.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,191 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, and 1,153 in 1903). The following exhibits the age and sex distribution of each form of disease for the year 1904:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Total.
Pericarditis	-	-	1	2	3	5	-	6	5	11
Endocarditis	1	2	2	7	11	26	-	22	27	49
Organic diseases of heart.....	11	8	19	71	180	745	8	580	472	1,052
Angina pectoris.....	-	-	-	8	21	52	1	44	35	79
Total	12	10	22	86	225	828	9	652	539	1,191

For the year 1904, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	84	15.49	Oxford.....	70	21.71
Aroostook.....	40	6.59	Penobscot.....	126	16.53
Cumberland	210	20.86	Piscataquis	22	12.98
Franklin	28	15.18	Sagadahoc	31	15.25
Hancock	57	15.31	Somerset	53	15.66
Kennebec	112	18.95	Waldo	55	22.74
Knox	50	16.44	Washington.....	68	15.03
Lincoln.....	35	17.79	York.....	150	23.12
			State.....	1,191	17.15

As may be noted, York county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.15.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1904.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	8	-	4	10	13	20	40	89	156	210	96	6	652
Females	4	4	2	12	28	24	28	68	121	152	83	3	539
Total	12	4	6	22	41	44	68	157	277	362	189	9	1,191

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,428 persons died from the various respiratory diseases, as tabulated on page 95 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, and 1,348 in 1903). From these diseases there were, therefore, 341 fewer deaths than in 1892, 21 more than in 1893, 116 more than in 1894, 263 more than in 1895, 287 more than in 1896, 81 more than in 1897, 304 more than in 1898, 27 fewer than in 1899, 85 fewer than in 1900, 23 more than in 1901, 48 more than in 1902, and 80 more than in 1903.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1904 the number of deaths was 677 smaller than in 1892, 262 smaller than in 1893, 130 smaller than 1894, 84 larger than in 1895, 131 larger than in 1896, 31 smaller than in 1897, 299 larger than in 1898, 26 smaller than in 1899, 96 smaller than in 1900, 6 larger than in 1901, 94 larger than in 1902, and 195 larger than in 1903.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1904 was 20.56 in each 10,000 of population, as compared with 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,050 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, and 999 in 1903), of which 529 were males, 518 were females, and 3 were not stated. The death-rate from this disease was, therefore, 15.12 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, and 14.39 in 1903). As 360 of the deaths occurred in the cities, the urban death-rate was 16.00.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1904.

SEX.	Under 1.	1-6.	6-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	91	68	8	9	26	31	32	65	65	69	63	2	529
Females	76	42	7	17	24	15	26	42	80	109	80	-	518
Not stated	1	-	-	-	-	-	-	-	-	-	-	2	3
Total	168	110	15	26	50	46	58	107	145	178	143	4	1,050

**PNEUMONIA BY COUNTIES AND MONTHS WITH
DEATH-RATES PER 10,000—1904.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	8	7	6	12	7	2	-	3	1	7	4	7	-	64	11.80
Aroostook.....	5	4	7	6	3	2	1	6	1	4	4	8	-	51	8.40
Cumberland.....	20	23	25	18	9	5	3	-	3	10	18	18	-	152	15.10
Franklin.....	2	7	1	5	8	1	-	1	-	3	7	4	-	39	21.15
Hancock.....	5	3	9	10	5	1	1	1	4	4	5	9	-	57	15.31
Kennebec.....	10	13	19	9	3	3	2	2	5	6	22	21	-	121	20.47
Knox.....	2	9	6	4	2	1	-	1	-	1	2	3	-	31	10.20
Lincoln.....	5	5	6	3	3	1	-	-	-	1	1	4	-	29	14.74
Oxford.....	2	6	5	9	2	2	-	-	-	2	3	6	-	37	11.48
Penobscot.....	12	12	14	21	18	5	4	9	3	12	6	11	-	127	16.66
Piscataquis.....	1	5	1	1	-	2	-	-	1	2	-	4	-	18	10.62
Sagadahoc.....	2	5	2	4	3	4	1	-	1	3	-	7	-	32	15.74
Somerset.....	6	11	10	6	9	3	-	3	1	3	5	8	1	66	19.50
Waldo.....	7	6	11	4	2	-	-	-	2	3	2	2	-	39	16.13
Washington.....	7	13	9	7	7	6	2	1	1	2	4	6	-	65	14.37
York.....	16	9	15	28	18	8	2	-	4	4	7	11	-	122	18.80
State.....	110	138	146	147	105	46	16	27	27	68	90	129	1	1,050	15.12

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the twelve years 1893-1904:

PNEUMONIA—1893-1904.

By COUNTIES.	By months.	By age-periods.
Androscoggin..... 832	January..... 1,671	Under 1..... 1,668
Aroostook..... 581	February..... 1,492	1-5..... 1,188
Cumberland..... 1,909	March..... 1,679	5-10..... 250
Franklin..... 831	April..... 1,499	10-20..... 431
Hancock..... 582	May..... 1,141	20-30..... 595
Kennebec..... 1,099	June..... 622	30-40..... 673
Knox..... 450	July..... 289	40-50..... 808
Lincoln..... 325	August..... 255	50-60..... 1,023
Oxford..... 594	September..... 352	60-70..... 1,615
Penobscot..... 1,388	October..... 600	70-80..... 1,963
Piscataquis..... 269	November..... 826	Over 80..... 1,431
Sagadahoc..... 317	December..... 1,193	Not stated..... 59
Somerset..... 588	Not stated..... 9	Total..... 11,628
Waldo..... 413	Total..... 11,628	
Washington..... 687		
York..... 1,372		
State..... 11,628		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 223 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, and 209 in 1903). Among these decedents, 94 were males and 129 were females. Of these 223 deaths, 86 were in the cities. The largest number of deaths in any one month was 38 in March. In August occurred the smallest number of deaths, 3. The largest number of deaths in three consecutive months was 98 in February, March, and April; the smallest number in any three consecutive months was 15 in July, August, and September. The number of deaths by quarters was 94, 58, 15, and 55, and 1 not stated.

The bronchitis death-rate of the State was 3.21; of the cities, 3.82.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under 1 year, 60	40-50 years, 4
1-5 years, 24	50-60 years, 7
5-10 years, 0	60-70 years, 25
10-20 years, 2	70-80 years, 47
20-30 years, 3	Over 80 years, 48
30-40 years, 2	Not stated, 1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1904.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death rate per 10,000.
Androscoggin.....	1	3	-	4	2	-	-	1	1	-	-	3	-	15	2.77
Arroostook.....	3	1	1	1	1	1	2	-	-	1	2	-	-	13	2.14
Cumberland.....	4	7	7	4	-	3	1	-	-	3	3	1	-	33	3.26
Franklin.....	-	-	-	-	2	-	-	-	-	1	-	1	-	4	2.17
Hancock.....	-	-	1	2	-	1	-	1	-	1	1	-	-	7	1.88
Kennebec.....	2	5	6	1	2	2	-	-	1	1	5	3	-	23	4.74
Knox.....	-	3	1	1	1	-	-	-	-	-	-	1	-	7	3.30
Lincoln.....	-	1	1	-	-	1	-	-	-	1	-	-	-	4	2.03
Oxford.....	2	2	1	4	1	1	-	-	-	1	-	4	-	16	4.96
Penobscot.....	3	3	6	3	4	-	3	-	2	1	2	4	-	31	4.07
Piscataquis.....	-	-	2	-	1	-	-	-	-	-	-	-	-	3	1.77
Sagadahoc.....	-	1	3	1	1	-	-	1	-	2	-	1	-	10	4.92
Somerset.....	1	1	4	2	1	-	1	-	-	-	-	-	-	10	3.95
Waldo.....	-	1	3	-	1	1	-	-	-	-	1	1	-	8	3.31
Washington.....	1	-	-	1	1	-	-	-	1	1	1	1	-	7	1.55
York.....	5	6	2	2	2	2	-	-	-	2	1	4	1	27	4.16
State.....	32	34	38	26	20	12	7	3	5	15	16	24	1	223	3.21

Pleurisy.—Twenty-four deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 20 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, and 17 in 1903),—15 males and 9 females.

Ages: 1-5, 1; 10-20, 2; 20-30, 4; 30-40, 1; 40-50, 4; 50-60, 2; 60-70, 1; over 70, 9.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,076 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, and 1,087 in 1903), or a death-rate of 15.49. The distribution of these under their several causes will be found on page 96.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 514 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, and 566 in 1903). The death-rate from this group of diseases was 7.40 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 369 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, and 403 in 1903). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 24 deaths from this cause; in the second quarter, 31; in the third quarter, 269; and in the fourth quarter, 45. The largest number of deaths occurred in September, 96.

Of the children dying from this cause, 54 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 86; 3-6 months, 114; 6-9 months, 78; 9-12 months, 48; 12-18 months, 32; 18 months-2 years, 17.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 12; dysentery, 27; and diarrhea, 106.

Of the 369 deaths from infantile diarrhea, 141 were returned from the cities. This represents an urban death-rate from this cause of 6.26 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, and 6.49 in 1903), which is in contrast with 4.86, the rate for the villages

and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, and 5.50 in 1903).

**INFANTILE DIARRHEA BY COUNTIES AND MONTHS—
1904.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	1	-	-	-	2	10	12	5	4	-	-	34	6.27
Aroostook	8	1	-	1	6	4	20	39	35	4	2	1	116	19.10
Cumberland	-	-	1	1	-	2	7	15	12	4	-	1	43	4.27
Franklin	-	-	-	-	-	-	2	1	3	1	-	-	7	3.80
Hancock	1	-	-	1	-	1	-	1	2	1	2	-	9	2.42
Kennebec	1	3	3	1	1	1	4	6	11	4	-	3	38	6.43
Knox	-	-	-	-	-	-	-	-	1	1	-	-	2	0.66
Lincoln	-	-	-	-	-	-	-	2	1	-	-	-	3	1.53
Oxford	-	-	1	-	1	1	5	6	2	-	1	-	17	5.27
Penobscot	-	1	5	1	1	2	2	8	6	5	1	-	32	4.20
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	-	-	1	-	1	2	-	-	-	4	1.97
Somerset	-	1	-	1	-	1	2	4	4	1	-	-	14	4.14
Waldo	-	1	-	-	-	-	1	2	1	-	-	-	5	2.07
Washington	-	-	-	1	-	-	1	2	4	2	-	-	10	2.21
York	1	-	-	-	-	-	7	13	7	3	2	2	35	5.39
State	6	8	10	7	9	15	61	112	96	30	8	7	369	5.81

The preceding table exhibits the number of deaths from infantile diarrhea in 1904, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the twelve years 1893-1904, by counties, months, and age-groups:

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1904.

By COUNTIES.	By months.	By age-periods.
Androscoggin 754	January 81	Under 6 months.... 3,285
Aroostook..... 1,139	February..... 70	6-12 months..... 2,084
Cumberland 754	March..... 87	1-2 years 818
Franklin 97	April..... 102	Over 2 years..... 5
Hancock 163	May..... 101	Unknown..... 17
Kennebec..... 629	June 168	Total..... 6,159
Knox 162	July..... 845	
Lincoln..... 41	August..... 2,005	
Oxford..... 179	September..... 1,781	
Penobscot..... 548	October..... 701	
Piscataquis..... 73	November..... 133	
Sagadahoc 126	December..... 84	
Somerset..... 179	Not stated 3	
Waldo..... 73	Total..... 6,159	
Washington. 394		
York..... 837		
State..... 6,159		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years, 1897-1904:

INFANTILE DIARRHEA IN THE CITIES—1897-1904.

CITIES.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	Total.
Auburn	15	17	9	9	7	8	4	2	66
Augusta	81	20	24	19	18	11	12	14	149
Bangor	11	18	6	13	8	4	16	6	82
Bath	6	6	8	17	4	4	7	2	54
Belfast	-	1	1	4	-	1	-	3	10
Biddeford	61	50	39	43	48	42	19	19	321
Brewer	6	8	8	9	7	2	4	7	46
Calais	19	7	11	12	12	7	9	1	78
Eastport	3	13	5	15	15	-	3	2	56
Ellsworth	2	1	1	1	-	-	1	-	6
Gardiner	5	4	2	2	8	-	-	1	22
Hallowell	3	1	-	2	-	-	1	2	9
Lewiston	52	69	60	63	43	26	20	29	362
Old Town	7	11	11	11	9	11	4	2	66
Portland	31	40	36	70	19	18	24	23	261
Rockland	6	5	2	5	5	4	6	1	34
Saco	5	4	6	10	3	4	2	3	37
South Portland	-	-	3	7	1	3	1	2	17
Waterville	19	17	25	6	12	9	10	13	111
Westbrook	10	8	5	13	8	6	3	9	62
Total	292	285	262	331	227	155	146	141	1,849

Peritonitis.—There were 63 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, and 55 in 1903), 20 males and 43 females. Twenty-five of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1904.

By COUNTIES.		By months.		By age-periods.	
Androscoggin	5	January	3	Under 1.....	4
Aroostook	2	February	3	1-5.....	1
Cumberland	12	March	4	5-10.....	3
Franklin	-	April ..	11	10-20.....	11
Hancock	2	May.....	4	20-30.....	11
Kennebec	5	June	3	30-40.....	12
Knox	3	July	3	40-50.....	2
Lincoln	1	August	10	50-60.....	6
Oxford	6	September	3	60-70.....	4
Penobscot	8	October.....	5	70-80.....	6
Piscataquis	2	November.....	6	Over 80.....	3
Sagadahoc	3	December.....	3	Total	63
Somerset.....	3	Total	63		
Waldo	4				
Washington	1				
York.....	6				
State	63				

Appendicitis.—Of the deaths classified under this cause, 81 in number, 52 were males and 29 were females. The number of deaths in each month was: January, 9; February, 5; March, 6; April, 9; May, 6; June, 9; July, 5; August, 10; September, 6; October, 2; November, 6; December, 8.

Ages: 1-5, 7; 5-10, 4; 10-20, 24; 20-30, 9; 30-40, 9; 40-50, 12; 50-60, 8; 60-70, 5; over 70 2; not stated, 1.

Cirrhosis of the Liver.—Forty-six deaths were ascribed to cirrhosis of the liver—those of 29 men and 17 women. Of these 46 deaths, 13 were in the cities, and 33 in the rural parts of the State. The death-rate in the State from this one cause was 0.66 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, and 0.92 in 1903).

Diseases of the Genito-Urinary System and Its Adnexa.—There were 773 deaths referred to the diseases under this group, equivalent to a death-rate of 11.13.

Nephritis.—Acute nephritis caused the death of 54 persons, 27 males and 27 females. The death-rate from nephritis was, therefore, 0.77.

Ages: 1-5, 8; 5-10, 4; 10-20, 8; 20-30, 8; 30-40, 9; 40-50, 7; 50-60, 6; 60-70, 6; 70-80, 8; over 80, 8.

***Bright's Disease.**—This was the cause of 575 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, and 573 in 1903), 331 males and 244 females. Of these deaths, 218 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1904.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	1	1	-	4	10	12	25	55	85	98	37	8	331
Females	1	3	1	11	11	20	30	85	61	44	27	-	244
Total	2	4	1	15	21	32	55	90	146	142	64	8	575

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also include when their precise nature is not indicated; Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	39	5.90	Oxford.....	23	7.13
Aroostook.....	26	4.28	Penobscot.....	54	7.06
Cumberland	114	11.82	Piscataquis	13	7.67
Franklin.....	27	14.64	Sagadahoc	22	10.82
Hancock	26	6.98	Somerset.....	23	6.79
Kennebec	39	6.60	Waldo	17	7.06
Knox	35	11.51	Washington.....	25	5.53
Lincoln.....	31	15.76	York	68	10.48
			State.....	575	8.28

The Puerperal State.—Under this class of accidents and diseases of reproduction, 109 deaths were registered, not including puerperal fever (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, and 94 in 1903). This is equivalent to a special death-rate of 1.57.

Deaths from External Causes.—Under this class there were 636 deaths.

Fractures caused 73 deaths—fracture of skull, 27; of thigh, 21; of hip, 12; of spine, 6; of legs, 4; of neck, 3.

Burns and scalds caused 39 deaths—13 were from clothing taking fire; 3, scalded with hot water; 3, playing with matches; 1, explosion of lamp; 1, lighting fire with kerosene; the rest unspecified.

Sunstroke caused 2 deaths. One person died from exposure to cold.

Dislocation and sprain caused 1 death.

From accidental drowning 137 deaths occurred.

Other accidental injuries caused the death of 183 persons; 47 were from railway injuries; 28, from falls; 25, from pistol and gunshot wounds; 10, working in a mill; 9, run over by

teams; 8, from explosions; 5, by electric cars; 5, from falling timber; 4, kicked by a horse; 3, working in a lumber yard; 3, crushed in elevator; 2, by runaway horses; 2, by a bull; 2, by sliding; 1, from falling chimney; 1, from falling building; 1, struck on head by trap door while feeding cattle, and the rest were unspecified.

From acute poisoning there were 30 deaths.

Forty people met their death from other external violence, including 2 murders.

The death-rate in the State under this class was 9.16.

Suicide.—Within the year 107 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, and 77 in 1903)—91 males and 16 females. Of the males, the occupation of 25 was farmer; of 16, laborer; of 6, mill operative; of 3, each, carpenter, clerk, lumberman, merchant, and shoemaker; of 1, each, bell boy, blacksmith, cab driver, cooper, engineer, gardener, hostler, house-painter, iron worker, lawyer, mechanic, salesman, scythe grinder, seaman, superintendent of manufactory, tailor, tinsmith; while of 12 no occupation was given.

Of the females, the occupation of 10 was registered as housewife; 2, as housekeeper; 1, as compositor; and not stated, 3.

As to the means employed: 39 committed suicide by shooting; 28, by hanging; 13, by poisoning; 12, by drowning; 9, by cutting throat; 1, killed on tracks of Maine Central Railroad, and not stated, 5.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1904.

AGE-PERIODS.		Months.		Counties.		Rate per 10,000 of population.
10-20.....	8	January	8	Androscoggin....	9	1.66
20-30.....	16	February	2	Aroostook.....	4	0.66
30-40.....	23	March	2	Cumberland	17	1.69
40-50.....	23	April	12	Franklin	3	1.33
50-60.....	14	May.....	13	Hancock.....	7	1.88
60-70.....	15	June	13	Kennebec	12	2.66
70-80.....	7	July.....	9	Knox	5	1.64
Over 80.....	3	August	10	Lincoln	8	4.07
Not stated.....	8	September	15	Oxford.....	7	2.17
Total	107	October.....	15	Penobscot.....	9	1.18
		November.....	8	Piscataquis	7	4.13
		December	5	Sagadahoc	1	0.49
		Total	107	Somerset	4	1.18
				Waldo	4	1.65
				Washington.....	2	0.44
				York	8	1.23
				State.....	107	1.55

The youngest suicide was a boy of 13 years; the oldest, a man of 87 years. The largest number of suicides in any month was 15 in September and October, each. By quarters, the suicides were 7, 38, 34, and 28. The largest number in any county was 17 in Cumberland. The highest death-rate from suicide was in Piscataquis county. The rate for the State per 10,000 of population was 1.54.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by counties, 1900 and 1890	7
Table No. 3.—Births, Marriages and Deaths, 1896-1904.....	7
Table No. 4.—Population of 1900; Births, marriages and Deaths, with the rate of each to 1,000 of popu- lation for the year ending December 31, 1904.	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-61
Table No. 8.—Births, Marriages, and Deaths by Counties.....	62-63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1897-1904	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1904.....	65
Table No. 11.—Number of Births in each month of 1897-1904, with Monthly ratio compared with a Standard of 100	66
Table No. 12.—Births by Sex and Months by Counties, 1904...	67
Table No. 13.—Births in Cities, for 1904, with rate per 1,000 of population	68
Table No. 14.—Percentage of American and Foreign Births by Counties, 1904	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1904	70
Table No. 16.—Twin Births by Months and Counties, 1904.....	71
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1904	72
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1904	73
Table No. 19.—Still-Births by Seasons, 1904.....	74
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1897-1904.....	78
Table No. 21.—Marriages by Counties and Nativity, 1904.....	79
Table No. 22.—Marriages by Months and Counties, 1904.....	79

LIST OF TABLES.

205

PAGE

Table No. 23.—Number of Marriages in each month of 1897-1904, with Monthly Ratio compared with a Standard of 100.....	80
Table No. 24.—Marriages by Ages and Counties, 1904.....	81
Table No. 25.—Interesting Facts in Relation to Marriages.....	82-83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1904.....	86-87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1904.....	88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1897-1904	90
Table No. 29.—Number of Deaths in each Month of 1897-1904, with Monthly Ratio compared with a Standard of 100	91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties...	92-97
Table No. 31.—Deaths from All Causes, by Months.....	98-101
Table No. 32.—Deaths from All Causes, by Age-Groups, 1901-1904	102-117
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	118-135
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	136-157
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties..	158-159
Table No. 36.—Number of Deaths from Several Specified Causes, of each sex, in each Month, which were registered during thirteen years, 1892-1904	160
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100: Thirteen years, 1892-1904.....	161
Table.—Deaths in each Month for the years 1892-1904.....	164
Table.—Mortality from Ten Prominent Causes, 1897-1904.....	166
Table.—Six Infectious Diseases by Counties, 1904.....	167
Table.—Six Infectious Diseases by Cities, 1904.....	168
Table.—Infectious Diseases, 1897-1904.....	169
Table.—Measles by Counties, Months, and Age-Periods, 1896-1904	170
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1904	171
Table.—Grippe by Counties and Months, 1904.....	172
Table.—Whooping Cough by Counties, Months and Age-Periods, 1904	173
Table.—Diphtheria by Counties and Months, 1904.....	174
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1904	175
Table.—Typhoid Fever by Counties and Months, 1904.....	176
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1904	177

	PAGE
Table.—Consumption by Counties and Months, 1904.....	179
Table.—Consumption by Sex and Age-Periods, 1904.....	179
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1904	180
Table.—Rheumatism by Counties, Months, and Age-Periods, 1904	182
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1904	183
Table.—Cancer by Sex and Age-Periods, 1904.....	184
Table.—Cancer by Counties and Age-Periods, 1904 and 1893- 1904	184
Table.—Old Age by Counties, 1904.....	185
Table.—Apoplexy by Counties and Months, 1904.....	187
Table.—Apoplexy by Sex and Age-Periods, 1904.....	187
Table.—Apoplexy, 1904 and 1893-1904.....	188
Table.—Diseases of the Heart by Ages and by Sex.....	189
Table.—Diseases of the Heart by Counties.....	189
Table.—Heart Disease by Sex and Age-Periods, 1904.....	190
Table.—Pneumonia by Sex and Age-Periods, 1904.....	191
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1904	192
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893- 1904	193
Table.—Bronchitis by Counties and Months, 1904.....	194
Table.—Infantile Diarrhea by Counties and Months, 1904.....	196
Table.—Infantile Diarrhea by Counties, Months, and Age- Periods, 1893-1904	197
Table.—Infantile Diarrhea in the Cities, 1897-1904.....	198
Table.—Peritonitis by Counties, Months, and Age-Periods, 1904.	199
Table.—Bright's Disease by Sex and Age-Periods, 1904.....	200
Table.—Bright's Disease by Counties, 1904.....	201
Table.—Suicides by Ages, Months, and Counties, 1904.....	203

INDEX.

	PAGE
Age and Mortality.....	165
Appendicitis	199
Apoplexy	186
1904 and 1893-1904.....	188
by counties and months.....	187
by sex and age-periods, 1904.....	187
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	64
by counties, showing proportion of males to females.....	65
by seasons	76
by sex and months, by counties.....	67
in cities, for 1904, with rate.....	68
in each month, by years.....	66
notes on	75
parentage of	75
percentage of American and foreign, by cities.....	70
by counties	69
relation to deaths.....	10
twin	77
by months and counties.....	71
by sex and parentage.....	72
marriages and deaths, in each town.....	12-61
Brain or membranes, inflammation of.....	186
softening of the.....	188
Bright's Disease	200
Bronchitis	193-194
Cancer	183
1904 and 1893-1904.....	184
by sex and age-periods, 1904.....	184
Centenarian	186
Cirrhosis of the liver.....	199
Consumption, by counties and months.....	179
by counties, months, and age-periods, 1893-1904..	180
by sex and age-periods, 1904.....	179

	PAGE
Deaths, age and mortality.....	165
causes of	165
by ages, sex and months, by counties.....	158-159
months, reduced to a standard mean for thirteen years..	161
in each month for the years 1892-1904.....	164
in each town, from special causes.....	118-135
from certain diseases and groups of dis-	
eases	136-157
in the State and Counties, by classes and counties.....	92-97
from all Causes, by months.....	98-101
from all Causes, by age-groups, 1901-1904.....	102-117
from several specified causes in thirteen years.....	160
notes on, and the causes of death.....	162
number in each month, by years.....	91
seasons and mortality.....	162
sex and mortality.....	165
and death-rates, by counties and years.....	90
Death-rates	8, 9
compared	165
Diabetes	185
Diarrheal Diseases	195
Digestive system, diseases of the.....	195
Diphtheria	173
by counties and months.....	174
by counties, months, and age-periods, 1893-1904....	175
Divorces by causes, sex of libellants, etc.....	88
decreed in 1904.....	86-87
notes on	89
Epilepsy	188
External causes, deaths from.....	201
Genito-Urinary system and its adnexa, diseases of the.....	199
Grippe	171
deaths from, by counties and months.....	172
Heart, diseases of the.....	189
Infantile Diarrhea	195
by counties and months	196
by counties, months, and age-periods, 1893-	
1904	197
in cities, 1897-1904.....	198
Infectious diseases	166
1897-1904	169
six by cities.....	168
six by counties.....	167
Liver, cirrhosis of	199
Marriages, interesting facts relating to.....	82-83
rates	8, 9, 84
ages	84
and rates, by counties.....	78

	PAGE
Marriages, by ages and counties.....	81
by counties and nativity.....	79
by months and counties.....	79
nativity	84
notes on	84
number of, in each month, by years.....	80
seasons	84
Malarial diseases	177
Measles	169
by counties, months, and age-periods, 1896-1904.....	170
Mortality from ten prominent causes, 1897-1904.....	166
Nephritis	200
Nervous system, diseases of the.....	186
Old Age	185
Paralysis	188
Peritonitis	199
by counties, months, and age-periods, 1904.....	199
Pleurisy	194
Pneumonia	191
1893-1904	193
by counties and months, with death-rates.....	192
by sex and age-periods, 1904.....	191
Population	7
Puerperal fever, by months and counties, 1904.....	181
Puerperal state, the	201
Respiratory system, diseases of the.....	190
Rheumatism	181
by counties, months, and age-periods.....	182, 183
Scarlet fever	170
by counties, months, and age-periods.....	171
Sex and mortality.....	165
Smallpox	169
Still-births	77
by seasons	74
by sex and parentage.....	73
Suicide	202
by ages, months, and counties, 1904.....	203
Tetanus	188
Tuberculosis	177
mesenteric	180
other forms	180
pulmonary	178
Typhoid fever	175
by counties and months, 1904.....	176
by counties, months, and age-periods, 1893-1904..	177
Whooping cough	172
by counties, months, and age-periods.....	173

UNIV. OF MICH.

AUG 10 1906

RECEIVED

UNIVERSITY OF MICHIGAN



3 9015 06941 7049

